



WALL-HUNG FRAMES
& FLUSHING SOLUTIONS
2017

VitrA



CONTENTS

INTRODUCTION	04
AWARDS / ACCREDITATIONS	06
CASE STUDIES	07
BLUE LIFE	08
INSTALL & SPECIFY WITH CONFIDENCE	10
QUALITY & ASSURANCE	11
SPECIFIC DESIGN FEATURES	12
FRAMES	13
REDUCED HEIGHT	15
SLIM	16
REGULAR	19
FLUSH PLATES	23
WALL-HUNG WCs	29
URINALS & URINAL FLUSHERS	45

GUARANTEES

SANITARYWARE	10 years
WALL-HUNG FRAMES	5 years
FLUSH PLATES (EXCLUDING INFRARED PANELS)	5 years
INFRARED & ELECTRONIC PRODUCTS	2 years
TOILET SEATS	2 years

If a product fails due to a manufacturing fault, Vitra will offer a free replacement or replacement parts. If a product is not available, Vitra will offer an alternative to the same value.

ICON GUIDE



WATER SAVING

Vitra water saving WCs, marked with this symbol, have a special bowl structure and are specifically designed to flush with both lower (2.5/4 litre) and typical (3/6 litre) water volumes. By using less water, whilst still delivering efficient flushing, these water saving WCs benefit you and the environment. All Vitra standard height wall-hung frames come with dual flushing function as standard in both 2.5/4 litre and 3/6 litre options.



ACCESSIBLE

These products are wheelchair accessible and provide enhanced convenience in the bathroom.



SPACE SAVING

A wall-hung WC takes up less room than a conventional WC, and the concealed installation offers flexibility in confined spaces. The range of compact WCs have shorter projection, saving even more space.



RIM-EX TECHNOLOGY

Offering effortless cleaning and innovative, hygienic design. Vitra's rimless WC pan eliminates the areas where germs gather and multiply, giving a superior level of hygiene.



WRAS

The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Scottish Water Byelaws.

INTRODUCTION

Cutting edge technology, contemporary and innovative designs, reliability and sustainability are the cornerstones of Vitra.

Inspired by the tradition and principles of Turkish bathroom culture, our innovative bathroom products combine modern technology with world-class design to meet the style, standards and demands of the 21st Century.

Vitra bathroom products are designed to combine beauty with practicality, offering the very best in comfort, storage and ease of maintenance.





VITRA PROVIDES PERFECT WALL-HUNG FRAMES AND FLUSHING SOLUTIONS THAT ENABLE YOU TO COMPLETE YOUR PROJECT WITH EASE

AWARDS / ACCREDITATIONS



DESIGN EXCELLENCE RECOGNISED

The superior design, quality and innovative features of VitrA products are acknowledged with some of the world's most prestigious awards.



V-care
NOA



Sirius
VitrA Design Team



VitrA's successful relationships with international designers have resulted in many accolades for the company, including the Wallpaper Design Award for Best Bathroom, an Elle Décor Award, Good Design Award, Red Dot Design Award and no fewer than three iF product design awards for excellence in product and design quality.



ACCREDITATIONS

VitrA products have been developed to comply with British and European standards. VitrA is accredited to ISO 9001, ISO 14001, EN 16001 and OHSAS 18001. VitrA also conforms to WRAS flushing standards, BREEAM requirements and UK Building Regulations. These accreditations ensure compliance with applicable laws and regulations, as well as encouraging minimal environmental impact during the process of design and manufacture of our products.



CASE STUDIES

CREATIVE SOLUTION PARTNER

Competent and cost-effective, Vitra is a highly sought after solution partner for architects, engineers and developers involved in prestigious projects across the world.



HEATHROW AIRPORT – TERMINAL 5

Location: London, U.K.
Architect: Richard Rogers
Contractor: Mansell

Serving 30 million passengers a year, Heathrow Terminal 5 is the busiest of all BAA's terminals. Terminal 5 is intended to reinforce Heathrow's position as Europe's principal intercontinental hub.

With over 50 WC facilities throughout the terminal, all needing to meet strict design, accessibility and durability criteria, a new approach to the washroom specification was required. T5's accessibility strategy demanded that all washroom facilities should not only meet but surpass the current Part M Regulations and Design Disabilities Act. BAA Design approached Vitra to create a bespoke product that would fully meet their requirements.



PARK PLAZA WESTMINSTER

Location: London, U.K.
Pod Manufacturer: E. J. Badekabiner
Investor: Galliard-Homes Company

Park Plaza Westminster Bridge is an opulent, luxurious hotel situated directly opposite one of the capital's largest tube and rail transport hubs, occupying a commanding location with unrestricted views over the Thames, Big Ben and The Houses of Parliament. Park Plaza Hotels & Resorts are part of Carlson Hotels Worldwide, the world's ninth largest hotel company.

Park Plaza Westminster Bridge features spacious guest rooms and over 500 studio rooms with extensive leisure facilities, such as concept restaurants, bars and an on-site fitness centre. Other facilities include one of London's largest conference rooms, business lounges, executive meeting rooms, a ballroom and indoor pool.

BLUE LIFE



A PLEDGE TO THE FUTURE

Blue Life is the production approach, design, attitude and management outlook of all Eczacıbaşı Building Products Division brands including Vitra.



Blue Life

For our blue planet...

- Blue Life means reducing the use of non-renewable resources in the production process.
- Blue Life means making significant investments towards boosting eco-efficiency.
- Blue Life means developing products that promote power and resource conservation at the end-user level driven by a concern for the environment and for our collective future.
- We believe managing the future requires efficient management of our resources today; good design also means taking responsibility for resource conservation.

Product Certificates




Production Certificates

ISO 9001 Quality Certification
ISO 14001 Environmental Certificate
ISO 50001 Energy Management System Certificate
OHSAS 18001 Occupational Health and Safety Management Systems Certificate



YOUR CONTRIBUTION TO SAVING WATER

VitrA's products are developed and designed in line with our Blue Life philosophy and reflect our commitment to preserving and recycling natural resources.



All VitrA wall-hung standard height frames are equipped with fill valves and by adjusting the gauge it is possible to operate the cistern with 2.5/4 litre or 3/6 litre flow performance.

IF 250 WC PANS WERE CHANGED FROM A 9 LITRE TO A 2.5/4 LITRE CISTERN, ENOUGH WATER WOULD BE SAVED TO FILL 3 OLYMPIC SIZED SWIMMING POOLS

INSTALL & SPECIFY WITH CONFIDENCE


PRACTICAL AND ESSENTIAL FOR THE MODERN BATHROOM

The last thing your beautiful bathroom needs is an unsightly mess of cisterns, pipes, u-bends and other functional elements spoiling the look and ambience. Using a wall-hung frame is the answer, and aside from a much tidier look, there are lots of practical benefits too.



HYGIENIC:

Keeping a bathroom clean is so much easier with a wall-hung WC. All pipework, usually a haven for dust, is completely concealed, and with the WC pan fixed above the floor, it's so much easier to keep the floor clean.



QUIET:

Not only is the cistern concealed behind a wall, but it's also manufactured with a specially-engineered fill valve, and lined with insulating styrofoam to keep filling noise to an absolute minimum.



EASY ACCESS:

The flush plate can be removed easily, providing easy access to internal fittings. Flush plates have a 5 year guarantee.



SPACE-SAVING:

A wall-hung WC takes up less room than a conventional WC, and the concealed installation offers flexibility in confined spaces. The range of compact WCs have shorter projection, saving even more space.



QUICK AND EASY INSTALLATION:

An intuitive design makes installation quick and easy – a real advantage, particularly when carrying out multiple installations.



WATER SAVING:

The dual-flush action for both the slim and the regular wall-hung frame operates at 2.5/4 litres or 3/6 litres, resulting in as much as 70% reduced water consumption, benefiting both you and the environment.

QUALITY & ASSURANCE

100% RELIABILITY AND PERFORMANCE

VitrA's wall-hung frames are subjected to rigorous reliability and performance testing at VitrA's production facilities.



OVERFLOW:

An overflow pipe located within the valve acts as a safety device. Overflow pipes are tested to ensure they can cope even in high water pressure areas.



STRENGTH AND STABILITY:

Wall-hung WC pans and their concealed frames are designed to be able to support up to 400kg.



LEAK DETECTION:

Every cistern we manufacture is individually tested to ensure it is 100% watertight.



FLOW RATE:

Our cisterns undergo quality control testing to ensure that they meet international standards for minimum flush volume and flow rate.



PERFORMANCE:

All products are subjected to rigorous testing at our production facilities to ensure that they function perfectly before passing quality control.



DURABILITY:

Our products are periodically tested for durability according to international standards. To pass this testing, every single component must still be functioning perfectly after 200,000 consecutive operations.

SPECIFIC DESIGN FEATURES

9 INTERMEDIARY HOSE

The intermediary hose that connects to the water piping inside the cistern can isolate the water flow during service-oriented interventions, which enables easy replacement of parts.



8 PANEL GAP

The panel gap on the body is designed to provide optimum opening space for maintenance of filling or flushing units, enabling easy access to the cistern. The size of this gap is very important for servicing purposes.

7 BODY STYROFOAM

The Styrofoam that coats the entire lower body prevents condensation in the cistern and ensures sound insulation.



6 FLUSHING VALVE

The flushing valve transfers the water in the cistern to the WC pan for flushing. For correct and reliable functioning, flushing units are subjected to 200,000 water-tightness and accelerated life tests at the factory.



5 METAL STAND

Metal stands enable easy adjustment of height from the floor and secure fixing.




Image for illustration purpose only (regular frame)

1 FLUSH PLATE

The flush plate operates the cistern. It enables easy operation of the wall-hung frame and covers internal parts that remain in the wall.



2 BODY

The filling and flushing valves are located in this part of the cistern. Produced from polyethylene (HDPE) raw materials, it offers more safety with its flexibility and resilience.



3 FILLING VALVE

The filling valve is the system that fills the cistern with water. The filling valve is checked in VitrA labs for "water-tightness" via accelerated life testing 200,000 times. The filters above the filling valve eliminate the risk of clogging, ensuring durability and a long lifetime. New VitrA filling systems ensure fast and silent filling.



4 OVERFLOW PIPE

The overflow pipe in the flushing mechanism takes the safety duty in wall-hung frames. When too much water enters the cistern, the overflow pipe channels the excess water into the WC pan, preventing the risk of flooding.



FRAMES

Concealed behind a solid or stud wall, VitrA's frame systems are crucial to any modern bathroom, supporting and holding wall-hung WCs firmly in place. VitrA's frames allow your bathroom designer the freedom to create a stunning room without the need for expensive structural building work.




FRAMES

WALL-HUNG FRAMES

Whatever your project needs, the range of VitrA wall-hung frames offers you complete flexibility.

Both the slim and regular sized frames can be used in solid wall, stud wall and double stud wall scenarios, and are all available with a choice of flushing volumes.

The reduced height frame is perfect for under a window.



REDUCED HEIGHT FRAME

Installation type:

Rapid, solid wall
 Front wall: Lightweight construction
 Back wall: Brick construction

Control type:

Dual flush, top or front flush
 plate installation

Volume of water:

3/6 litres

Working pressure:



0.2-16 bar

Weight:

14.5kg

760-5805-01

3/6 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T



Available in:
 A range of colour finishes



FRAMES

FLOOR AND WALL FIXATION / SLIM FRAME

Installation type:

Rapid, solid wall
 Front wall: Lightweight construction
 Back wall: Brick construction

Control type:

Dual flush

Volume of water:

3/6 litres
 (adjustable to be used at 2.5/4 litres)
 2.5/4 litres
 (adjustable to be used at 3/6 litres)

Working pressure:


0.5-10 bar

Weight:

18kg

- 740-5805-01
3/6 litre wall-hung frame

- 740-5800-02
2.5/4 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T Select



Available in:
 A range of colour finishes

PNEUMATIC

Twin 2 Twin O



Available in:
 White, matt black, chrome plated or matt chrome plated
 Only compatible with slim (740) frames

ELECTRONIC*

Loop T



Available in:
 Chrome plated or
 matt chrome plated



*Requires 300-1021 electronic mechanism installation set (must be installed during wall application)

FLOOR FIXATION / SLIM FRAME

Installation type:

Rapid, stud wall
 Front wall: Lightweight construction
 Back wall: Lightweight construction

Control type:

Dual flush

Volume of water:

3/6 litres
 (adjustable to be used at 2.5/4 litres)
 2.5/4 litres
 (adjustable to be used at 3/6 litres)

Working pressure:



0.5-10 bar

Weight:

20kg

-
- 740-4800-01
3/6 litre wall-hung frame

 - 740-4800-02
2.5/4 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T Select



Available in:
 A range of colour finishes

PNEUMATIC

Twin 2 Twin O



Available in:
 White, matt black, chrome plated or matt chrome plated
 Only compatible with slim (740) frames

ELECTRONIC*

Loop T



Available in:
 Chrome plated or
 matt chrome plated



*Requires 300-1021 electronic mechanism installation set (must be installed during wall application)

FRAMES

DOUBLE FLOOR FIXATION / SLIM FRAME

Installation type:
 Rapid, Back to back
 Front wall: Lightweight construction

Control type:
 Dual flush



Volume of water:
 3/6 litres
 (adjustable to be used at 2.5/4 litres)
 2.5/4 litres
 (adjustable to be used at 3/6 litres)

Working pressure:
 0.5-10 bar

Weight:
 30kg

740-5850-01
 3/6 litre wall-hung frame

740-5850-02
 2.5/4 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T Select



Available in:
 A range of colour finishes

PNEUMATIC

Twin 2 Twin O



Available in:
 White, matt black, chrome plated or matt chrome plated
 Only compatible with slim (740) frames

ELECTRONIC*

Loop T



Available in:
 Chrome plated or
 matt chrome plated



*Requires 300-1021 electronic mechanism installation set (must be installed during wall application)

FLOOR AND WALL FIXATION / REGULAR FRAME

Installation type:

Rapid, solid wall
 Front wall: Lightweight construction
 Back wall: Brick construction

Control type:

Dual flush

Volume of water:

3/6 litres
 (adjustable to be used at 2.5/4 litres)
 2.5/4 litres
 (adjustable to be used at 3/6 litres)

Working pressure:



0.5-10 bar

Weight:

16kg

742-5805-01
 3/6 litre wall-hung frame

742-5800-02
 2.5/4 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T Select



Available in:
 A range of colour finishes

ELECTRONIC*

Loop T



Available in:
 Chrome plated or
 matt chrome plated



*Requires 300-1021 electronic mechanism installation set (must be installed during wall application)

FRAMES

FLOOR FIXATION / REGULAR FRAME

Installation type:

Rapid, stud wall
 Front wall: Lightweight construction
 Back wall: Lightweight construction

Control type:

Dual flush

Volume of water:

3/6 litres
 (adjustable to be used at 2.5/4 litres)
 2.5/4 litres
 (adjustable to be used at 3/6 litres)



Working pressure:

0.5-10 bar

Weight:

20kg

- 742-4800-01
3/6 litre wall-hung frame
- 742-4800-02
2.5/4 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T Select



Available in:
A range of colour finishes

ELECTRONIC*

Loop T



Available in:
Chrome plated or
matt chrome plated



*Requires 300-1021 electronic mechanism installation set (must be installed during wall application)

DOUBLE FLOOR FIXATION / REGULAR FRAME

Installation type:
 Rapid, Back to back
 Front wall: Lightweight construction

Control type:
 Dual flush



Volume of water:
 3/6 litres
 (adjustable to be used at 2.5/4 litres)
 2.5/4 litres
 (adjustable to be used at 3/6 litres)

Working pressure:
 0.5-10 bar

Weight:
 20kg

- 742-5850-01
3/6 litre wall-hung frame

- 742-5850-02
2.5/4 litre wall-hung frame



COMPATIBLE FLUSH PLATES

MECHANICAL

Sirius Loop O Loop R Loop T Select



Available in:
 A range of colour finishes

ELECTRONIC*

Loop T



Available in:
 Chrome plated or
 matt chrome plated



*Requires 300-1021 electronic mechanism installation set (must be installed during wall application)



FLUSH PLATES

With a VitrA wall-hung frame, only the flush plate is visible; two buttons release either a large or small quantity of water.

VitrA offers a wide range of design solutions, with different finishes and shapes, providing the freedom to create the bathroom you have always wanted.









Most VitrA flush plate designs feature an anti-fingerprint finish. This finish is extra hygienic, as it is easier to clean and protects against bacteria.

FLUSH PLATES



VitrA's flush plate designs have been developed with individuality in mind.

For this reason, whether it's a mechanical, pneumatic or electronic panel system required, VitrA has a flush plate and frame to suit.

FLUSH PLATES		
MECHANICAL	PNEUMATIC	ELECTRONIC
 <p>SIRIUS</p>  <p>LOOP O</p>	 <p>TWIN 2</p>	 <p>LOOP T - INFRARED</p>
 <p>LOOP R</p>  <p>LOOP T</p>	 <p>TWIN O</p>	
 <p>SELECT</p>	<p>Pneumatic flush plates are only compatible with slim frames (740-frames)</p>	<p>Electronic flush plates must be used in conjunction with 300-1021 electronic mechanism installation set (must be installed during wall application)</p>

FINISHES*				
GLOSS WHITE	CHROME PLATED	MATT CHROME PLATED	ANTI-FINGERPRINT	STAINLESS STEEL
MATT BLACK	GOLD	GLASS WHITE	GLASS BLACK	GLASS GOLD

*Please see relevant product page for finish options



SIRIUS

Operation:
Mechanical

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic

Compatible:
All Vitra wall-hung frames
740-frames, 742-frames & 760-frames

Size:
W: 244mm x D: 15mm x H: 165mm

- 740-0400 Gloss white
- 740-0411 Matt black
- 740-0480 Chrome plated
- 740-0485 Matt chrome plated
- 740-0486 Anti-fingerprint



740-0400
Gloss white



740-0411
Matt black



740-0480
Chrome plated



740-0485
Matt chrome plated



740-0486
Anti-fingerprint



DESIGN PLUS
powered by

LOOP O

Operation:
Mechanical

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic or Stainless steel

Compatible:
All Vitra wall-hung frames
740-frames, 742-frames & 760-frames

Size:
W: 244mm x D: 15mm x H: 165mm

- 740-0500 Gloss white
- 740-0511 Matt black
- 740-0580 Chrome plated
- 740-0585 Matt chrome plated
- 740-0586 Anti-fingerprint
- 740-0940 Stainless steel



740-0500
Gloss white



740-0511
Matt black



740-0580
Chrome plated



740-0585
Matt chrome plated



740-0940
Stainless steel



740-0586
Anti-fingerprint

FLUSH PLATES

LOOP R

Operation:
Mechanical

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic

Compatible:
All VitrA wall-hung frames
740-frames, 742-frames & 760-frames

Size:
W: 244mm x D: 15mm x H: 165mm

- 740-0600 Gloss white
- 740-0611 Matt black
- 740-0680 Chrome plated
- 740-0685 Matt chrome plated
- 740-0686 Anti-fingerprint



740-0600
Gloss white



740-0611
Matt black



740-0680
Chrome plated



740-0685
Matt Chrome plated



740-0686
Anti-fingerprint

LOOP T

Operation:
Mechanical

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic

Compatible:
All VitrA wall-hung frames
740-frames, 742-frames & 760-frames

Size:
W: 244mm x D: 13mm x H: 165mm

- 740-0700 Gloss white
- 740-0711 Matt black
- 740-0780 Chrome plated
- 740-0785 Matt chrome plated
- 740-0786 Anti-fingerprint



740-0700
Gloss white



740-0711
Matt black



740-0780
Chrome plated



740-0786
Anti-fingerprint



740-0785
Matt chrome plated

SELECT

Operation:
Mechanical

Control type:
Dual flush

Weight:
0.5kg

Material:
Glass

Compatible:
740-frames & 742-frames

Size:
W: 244mm x D: 11.5mm x H: 165mm

- 740-1100 Glass white
- 740-1101 Glass black
- 740-1104 Glass white with gold
- 740-1105 Glass black with gold
- 740-1121 Chrome plated
- 740-1120 Glass gold



740-1104
Glass white with gold



740-1100
Glass white



740-1101
Glass black



740-1105
Glass black with gold



740-1121
Chrome plated



740-1120
Glass gold

TWIN 2

Operation:
Pneumatic

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic


Compatible:
Only compatible with 740-frames

Size:
W: 244mm x D: 8mm H: 165mm

- 740-0100 Gloss white
- 740-0180 Chrome plated
- 740-0185 Matt chrome plated
- 740-0111 Matt black
- 740-0120 Gold



740-0100
Gloss white



740-0180
Chrome plated



740-0185
Matt chrome plated



740-0111
Matt black



740-0120
Gold

FLUSH PLATES

TWIN O

Operation:
Pneumatic

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic

Compatible:
Only compatible with 740-frames

Size:
W: 244mm x D: 8mm x H: 165mm

- 740-0200 Gloss white
- 740-0280 Chrome plated
- 740-0285 Matt chrome plated
- 740-0211 Matt black



740-0200
Gloss white



740-0285
Matt chrome plated



740-0211
Matt black



740-0280
Chrome plated

LOOP T – INFRARED

Operation:
Electronic

Control type:
Dual flush

Weight:
0.5kg

Material:
ABS Plastic

Compatible:
740-0880 & 740-0885 must be used with 740-frames

742-0880 & 742-0880 must be used with 742-frames

Must be used in conjunction with 300-1021 electronic mechanism installation set (which must be installed during wall application)

Size:
W: 244mm x D: 8mm x H: 165mm

- 740-0880 / 742-0880 Chrome plated
- 740-0885 / 742-0885 Matt chrome plated
- 300-1021 Electronic mechanism installation set*



740-0885 / 742-0885
Matt chrome plated



740-0880 / 742-0880
Chrome plated

*Required for all infrared control panels. Install during wall application.

WALL-HUNG WCs


VitrA offers an extensive portfolio of wall-hung WCs including a range of rimless WCs which offer effortless cleaning and eliminate the areas where germs can gather and multiply.






EFFORTLESS CLEANING AND INNOVATIVE, HYGIENIC DESIGN

Effortless cleaning and innovative, hygienic design. Vitra's rimless WC pan eliminates the areas where germs gather and multiply, giving a superior level of hygiene.



- Easy cleaning
- No rim or holes for germs to collect
- 95% more hygienic than standard WC pans^{**}



^{**}Tests undertaken by the Akdeniz University, Turkey show Vitra Rim-ex pans are easier to clean and 95% more hygienic compared to standard WC pans.



THE RIM-EX RANGE

The Rim-ex range includes shapes and styles to match any bathroom series.



ARKITEKT



V-CARE



M-LINE



SHIFT+



SENTO COMPACT



NEST



T4



S50



MEMORIA



SENTO

V-CARE



V-CARE BLENDS PERFECTLY WITH MOST BATHROOM STYLES

The new generation of shower toilet from Vitra, offering the functionality of a toilet with the cleaning properties of a bidet, combined in one unit to offer increased cleanliness, hygiene and comfort.

Created by German design studio NOA with an elegant, universal form designed to blend and integrate well in virtually any bathroom environment.





Hands-free use

MORE HYGIENIC

V-care can be a completely hands-free WC, with the comfort model opening the seat cover when you approach. You can simply start the integrated shower function using the remote control while you stay sitting comfortably on the WC. The water and dryer temperatures are also adjustable via the remote.

SIMPLE TO OPERATE

V-care can be used via remote control and has a very simple, intuitive user interface. The basic functions of the WC can also be controlled using buttons on the left and right side of the toilet itself.

EASY TO CLEAN WC

With no concealed fixings or awkward rim to negotiate in the inner bowl, the V-care WC is very easy to clean. Rim-ex technology provides a rimless WC pan, allowing cleaning with a single wipe.

DESIGNED FOR COMFORT

The seat, designed with an ergonomic shape for optimum comfort, comes complete with remote-controlled seat temperature adjustment.

ENERGY-SAVING FUNCTION

Select from three modes:

1. Standard
2. Energy-saving
3. Stand-by



Easy to clean

V-CARE

DRYING AND AIR PURIFICATION

After use, a drying function, with adjustable drying temperature, can be selected (Comfort model only).

In both Comfort and Essential models, an air purification process is automatically activated when the user is seated on the WC.

SPACE-SAVING

V-care combines the functions of a regular toilet with those of a bidet, freeing up space which would otherwise be occupied by a bidet in the bathroom.

MORE COMFORTABLE

In addition to five temperature control settings for water, seat and drying functions, with the V-care system also enables adjustment of water pressure to ensure maximum comfort.



All washing and drying options are accessible from the remote control.

CRITERIA	MAIN FEATURES	ESSENTIAL	COMFORT
CLEANING	Rectal cleaning	✓	✓
	Female jet position	✓	✓
	Adjustable jet intensity (water pressure control)	✓	✓
	Automatic back and forth jet (oscillating)	✗	✓
	Pulsation	✗	✓
	Dryer	✗	✓
	Dryer with adjustable temperature	✗	✓
	Water temperature adjustment	✓	✓
COMFORT	Soft close seat	✓	✓
	Heated seat	✓	✓
	Adjustable seat temperature	✓	✓
	Auto open / close seat cover	✗	✓
NOZZLE	Nozzle self cleaning	✓	✓
	Removable nozzle tap for replacement and cleaning	✓	✓
HYGIENE	Air purifier – deodorisation	✓	✓
	Rim-ex	✓	✓
SUSTAINABILITY	Energy saving mode	✓	✓
AESTHETICS	Concealed plumbing connections	✓	✓
	Concealed electricity connections	✓	✓

Full details of our V-care WC are available on request or can be found at vitra-vcare.co.uk

5674-B003-6103 V-care Essential WC
5674-B003-6104 V-care Comfort WC

VITRA FRESH: MAXIMUM HYGIENE WITH EVERY FLUSH

VitrA Fresh WC pans feature an integral tank that dispenses detergent with every flush, helping to clean the pan thoroughly and protect against the build-up of bacteria.




It eliminates the problem of corrosion to the flushing mechanism caused by adding cleaning agents to the cistern. VitrA Fresh is currently only available in the M-Line range.

WC PAN WITH
LIQUID CLEANING
TANK PROVIDES
MAXIMUM HYGIENE
AND A FRESH SCENT
WITH EVERY FLUSH

- 1 The detergent tank sits on top of the WC pan and stores and mixes liquid detergent[†] with flushing water for maximum hygiene
- 2 VitrA Fresh not only emits the pleasant scent of your detergent but provides superior hygiene and sanitation with every flush
- 3 The removable lid enables easy cleaning and refill

[†]The liquid detergent dispenser is safe to use with most commercially available non-abrasive toilet cleaning liquids which include hypochlorous cleaning agents and bleach of up to 12.5 pH.



WALL-HUNG WCs (RIM-EX WC pan



MEMORIA




PRODUCT CODE:

- 5885B403-0075 White
- 5885B401-0075 Matt white
- 5885B483-0075 Matt black
- 5885B420-0075 Matt taupe

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:

- 106-003-009 Toilet seat, soft closing, white
- 106-001-009 Toilet seat, soft closing, matt white
- 106-083-009 Toilet seat, soft closing, matt black
- 106-020-009 Toilet seat, soft closing, matt taupe



Additional pipe may be required due to wall thickness



T4




PRODUCT CODE:

7743B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:

- 96-003-001 Toilet seat
- 96-003-009 Toilet seat, soft closing



SHIFT




PRODUCT CODE:

7742B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:

- 91-003-001 Toilet seat
- 91-003-009 Toilet seat, soft closing



M-LINE




PRODUCT CODE:
7672B003-0075
7672B003-1086 with Vitra Fresh

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:
90-003-001 Toilet seat
90-003-009 Toilet seat, soft closing
102-003-009 Slim toilet seat, soft closing



Image shown without
Vitra Fresh





NEST

PRODUCT CODE:
7744B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex




COMPATIBLE WITH:
74-003-001 Toilet seat
74-003-009 Toilet seat, soft closing



V-CARE

PRODUCT CODE:
5674B003-6103 Essential
5674B003-6104 Comfort

PRODUCT DESCRIPTION:
V-care WC, Rim-ex including
toilet seat



Additional pipe may be required
due to wall thickness

WALL-HUNG WCs (RIM-EX WC pan






SENTO

PRODUCT CODE:
7748B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:
86-003-001 Toilet seat
86-003-009 Toilet seat, soft closing
100-003-009 Slim toilet seat, soft closing






Additional pipe may be required due to wall thickness

SENTO COMPACT

PRODUCT CODE:
7747B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, short projection, Rim-ex

COMPATIBLE WITH:
86-003-00 Toilet seat
86-003-009 Toilet seat, soft closing
100-003-009 Slim toilet seat, soft closing





S50

PRODUCT CODE:
7740B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:
72-003-301 Toilet seat
72-003-309 Toilet seat, soft closing




ARKITEKT

PRODUCT CODE:
7741B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, Rim-ex

COMPATIBLE WITH:
05-003-001 Toilet seat




ISTANBUL

PRODUCT CODE:
4254B403-0075 White
4254B470-0075 Black

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
66-003-109 Toilet seat, soft closing, white
66-070-109 Toilet seat, soft closing, black




SHIFT COMPACT

PRODUCT CODE:
4379B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, 48cm, short projection

COMPATIBLE WITH:
91-003-001 Toilet seat
91-003-009 Toilet seat, soft closing




WALL-HUNG WCs

SHIFT

PRODUCT CODE:
4392B003-1295

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
91-003-001 Toilet seat
91-003-009 Toilet seat, soft closing




M-LINE COMPACT

PRODUCT CODE:
5671B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, 48cm,
short projection

COMPATIBLE WITH:
90-003-001 Toilet seat
90-003-009 Toilet seat, soft closing
102-003-009 Slim toilet seat, soft closing



M-LINE


PRODUCT CODE:
5676B003-0075
5676B003-1086 with Vitra Fresh

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
90-003-001 Toilet seat
90-003-009 Toilet seat, soft closing
102-003-009 Slim toilet seat, soft closing



Image shown with Vitra Fresh





NEST COMPACT

PRODUCT CODE:
5216B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, 48.5cm,
short projection

COMPATIBLE WITH:
43-003-001 Toilet seat





NEST

PRODUCT CODE:
5160B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
74-003-001 Toilet seat
74-003-009 Toilet seat, soft closing





MATRIX

PRODUCT CODE:
5173B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
30-003-001 Toilet seat
89-003-009 Toilet seat, soft closing



WALL-HUNG WCs






SENTO

PRODUCT CODE:
4448B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
86-003-001 Toilet seat
86-003-009 Toilet seat, soft closing
100-003-003 Slim toilet seat, soft closing






SENTO COMPACT

PRODUCT CODE:
4337B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, short projection

COMPATIBLE WITH:
86-003-001 Toilet seat
86-003-009 Toilet seat, soft closing
100-003-009 Slim toilet seat, soft closing





S50 COMPACT

PRODUCT CODE:
5320L003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, 48cm, short projection

COMPATIBLE WITH:
72-003-301 Toilet seat
72-003-309 Toilet seat, soft closing





S50

PRODUCT CODE:
5318L003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
72-003-301 Toilet seat
72-003-309 Toilet seat, soft closing






ZENTRUM

PRODUCT CODE:
5785L003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
94-003-001 Toilet seat
94-003-009 Toilet seat, soft closing





S20 COMPACT

PRODUCT CODE:
5505L003-0101

PRODUCT DESCRIPTION:
Wall-hung WC pan, 48cm,
short projection

COMPATIBLE WITH:
77-003-001 Toilet seat
77-003-009 Toilet seat, soft closing






S20

PRODUCT CODE:
5507L003-0101

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
77-003-001 Toilet seat
77-003-009 Toilet seat, soft closing






CONFORMA

PRODUCT CODE:
5813B003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, accessible, 70cm

COMPATIBLE WITH:
115-003-506 Toilet seat, ring only
115-003-006 Toilet seat
84-003-019 Toilet seat, soft closing




WALL-HUNG WCs

ARKITEKT COMPACT

PRODUCT CODE:
6105L003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan, 48cm,
short projection

COMPATIBLE WITH:
25-003-001 Toilet seat




ARKITEKT

PRODUCT CODE:
6107L003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
05-003-001 Toilet seat




ARKITEKT

PRODUCT CODE:
6855L003-0075

PRODUCT DESCRIPTION:
Wall-hung WC pan

COMPATIBLE WITH:
05-003-001 Toilet seat



VitrA

URINALS & URINAL FLUSHERS

VitrA's elegant easy-to-clean urinal flushers are perfect for public sanitary environments.

With hands-free flushing, the product maintains a hygienic and pristine finish. Ease of cleaning is met by reliable, functional and durable flushers available in a range of finishes.

URINAL FLUSHERS

MANUAL


PRODUCT CODE:
310-3310 Chrome

OPERATION:
Manual

PRODUCT DESCRIPTION:
Pressurised concealed
urinal flusher

WEIGHT:
1.5kg

COMPATIBLE:
Back inlet urinals



MAINS OPERATED


PRODUCT CODE:
311-2910 Chrome
311-2911 Matt chrome

OPERATION:
Mains operated

PRODUCT DESCRIPTION:
Infrared electronic urinal flusher

WEIGHT:
1.5kg

COMPATIBLE:
Back inlet urinals



BATTERY OPERATED


PRODUCT CODE:
311-2920 Chrome
311-2921 Matt chrome

OPERATION:
Battery operated

PRODUCT DESCRIPTION:
Infrared electronic urinal flusher

WEIGHT:
1.5kg

COMPATIBLE:
Back inlet urinals




URINALS

SYPHONIC URINAL WITH INTEGRATED SENSOR

PRODUCT CODE:
4106B003-5200


PRODUCT DESCRIPTION:
Syphonic urinal with integrated
infrared flush sensor – back inlet



SYPHONIC URINAL WITHOUT INTEGRATED SENSOR

PRODUCT CODE:
4106B003-0852


PRODUCT DESCRIPTION:
Syphonic urinal without
integrated infrared
flush sensor – back inlet



WATERSMART URINAL BATTERY OPERATED

PRODUCT CODE:
4339B003-7212
4339B003-7214




PRODUCT DESCRIPTION:
Watersmart urinal (automatic flush)
Watersmart urinal (with timer)



WATERSMART URINAL MAINS OPERATED

PRODUCT CODE:
4339B003-7213
4339B003-7215




PRODUCT DESCRIPTION:
Watersmart urinal (automatic flush)
Watersmart urinal (with timer)



S20 SYPHONIC URINAL

PRODUCT CODE:
5461B003-0199
5461B003-5330 Battery
5461B003-5331 Electronic



PRODUCT DESCRIPTION:
Syphonic urinal – back inlet



S20 SYPHONIC URINAL

PRODUCT CODE:
5462B003-0309



PRODUCT DESCRIPTION:
Syphonic urinal – back inlet



SYPHONIC URINAL

PRODUCT CODE:
6663B003-0199

PRODUCT DESCRIPTION:
Syphonic urinal with
concealed trap



URINALS

TOP INLET URINAL

PRODUCT CODE:
6564L003-0198

PRODUCT DESCRIPTION:
Standard urinal – top inlet



COMPATIBLE WITH:
6954 Urinal cistern (13.5 litre max)
Exposed cistern fitting pack
DSY9900 Auto syphon and
petcock pack

Exposed cistern fittings pack:

1. UFS6001 1 Urinal
2. UFS6011 2 Urinals
3. UFS6021 3 Urinals
4. UFS6031 4 Urinals
5. UFS6041 5 Urinals

PACK CONTAINS:

1. Chrome sparge pipes
2. Spreader
3. Domed waste
4. Urinal hangers



BACK INLET URINAL



PRODUCT CODE:
6564L003-0198

PRODUCT DESCRIPTION:
Standard urinal – back inlet

COMPATIBLE WITH:
UFS6500 Concealed cistern fitting pack
UFS6501 Exposed cistern fitting pack

PACK CONTAINS:

1. Spreader
2. Domed waste
3. Urinal hangers



TOP INLET-CONCEALED TRAP URINAL

PRODUCT CODE:
4319B003-0210

PRODUCT DESCRIPTION:
Concealed trap urinal – top inlet


COMPATIBLE WITH:
6954 Urinal cistern (13.5 litre max)
Exposed cistern fitting pack
DSY9900 Auto syphon and
petcock pack

Exposed cistern fittings pack:

1. UFS6001 1 Urinal
2. UFS6011 2 Urinals
3. UFS6021 3 Urinals
4. UFS6031 4 Urinals
5. UFS6041 5 Urinals

PACK CONTAINS:

1. Chrome sparge pipes
2. Spreader
3. Domed waste
4. Urinal hangers



BACK INLET-CONCEALED TRAP URINAL


PRODUCT CODE:
4319B003-0210

PRODUCT DESCRIPTION:
Concealed trap urinal – back inlet

COMPATIBLE WITH:
UFS6500 Concealed cistern fitting pack
UFS6501 Exposed cistern fitting pack

PACK CONTAINS:

1. Spreader
2. Domed waste
3. Urinal hangers



URINAL SEPARATOR – ARKITEKT

PRODUCT CODE:
6902L003-0155

PRODUCT DESCRIPTION:
Urinal separator



FURTHER INFORMATION

EXTENDED RANGE

VitrA offer an extensive range of product, which has a style to suit all.

If you would like to see VitrA's full range, please visit the website to view the brochures below or request your hard copy. Alternatively, please call 01235 750990



VitrA Designer Collection



VitrA Bathroom Collection



VitrA Commercial Collection



VitrA Essentials Collection

CONTACT DETAILS


VitrA (UK) Limited
Park 34, Collett, Didcot
Oxon, OX11 7WB
United Kingdom
Tel: +44 (0) 1235 750 990
Fax: +44 (0) 1235 750 980
Email: info@vitra.co.uk


www.vitra.co.uk

DISCLAIMER

VitrA is a registered trademark under no. 1515313. Every care has been taken to represent colour accurately, as the printing process may not convey perfect colour representation. Our policy is one of continuous product improvement. We reserve the right to alter product specification and colours and to make technical modifications without prior notice.

January 2017





VitrA

vitra.co.uk