

Pure Freude
an Wasser



SPECIFIERS' CATALOGUE 2019

EDITION FOR
PROFESSIONALS

PRICES VALID UNTIL 31ST MARCH 2019. | GROHE.CO.UK

GROHE

TABLE OF CONTENTS

Our brand			8
GROHE Rapido SmartControl			12
GROHE Sense			24
Bath Taps	Single Lever Mixers	Allure Brilliant	02
		Allure	03
		Atrio	04
		Grandera	05
		Lineare	06
		Eurocube Joy	07
		Eurocube	08
		Plus	09
		Europlus	10
		Essence	11
		Eurodisc Joy	12
		Eurodisc Cosmopolitan	13
		Concetto	14
		Eurostyle Cosmopolitan	15
		Eurostyle	16
		Eurosmart Cosmopolitan	17
		Eurosmart	18
		BauEdge	19
		BauLoop	20
		BauFlow	21
	Two Handle fittings	Costa L	22
	Bath Sets	Talentofill	23
	Accessories	Selection Cube	24
		Essentials	25
		Essentials Cube	26
		BauCosmopolitan	27
		Essentials Authentic	28
Thermostats		Grohtherm SmartControl	29

GROHE

TABLE OF CONTENTS

		Grohtherm 2 handle trim sets	30
		Grohtherm 3000 Cosmopolitan	31
		Grohtherm 2000	32
		Grohtherm Cube	33
		Grohtherm 1000 Cosmopolitan M	34
		Grohtherm 1000	35
		Grohtherm 800	36
Concealed Solutions		GROHE Rapido SmartBox	37
		GROHE Rapido C / stop valves	38
Showers	GROHE Digital	F-digital Deluxe	39
		F-digital Controllers	40
	Shower Systems	Rainshower System SmartControl	41
		Rainshower System	42
		Euphoria SmartControl System	43
		Euphoria Shower System	44
		Tempesta System	45
		Retro-fit Shower System	46
		Shower System Accessories	47
	Head Showers	Head Showers	48
	Showers	Sena	49
		Rainshower	50
		Power&Soul	51
		Relaxa	52
		Euphoria	53
		Tempesta	54
Sena Trigger Sprays		55	
Tempesta-F Trigger Sprays		56	
Shower Hoses		57	
Shower Accessories		58	
Kitchen Fittings	Water Systems	GROHE Blue Professional	59
		GROHE Blue Home	60

GROHE TABLE OF CONTENTS

		GROHE Blue Pure	61
		GROHE Blue Accessories	62
		GROHE Red	63
Premium Lines		K7	64
		Foot Control	65
		Minta / Minta Touch	66
		Zedra / Zedra Touch	67
		Atrio	68
		Essence	69
		Eurocube	70
Competence Lines		Ambi	71
		Parkfield	72
		Eurodisc Cosmopolitan	73
		Eurodisc	74
		Concetto	75
		Eurostyle Cosmopolitan	76
		Eurosmart Cosmopolitan	77
		Eurosmart	78
		Euroeco / Euroeco Special	79
		Costa	80
		Bau Lines	81
		Soap dispensers	82
Kitchen sinks		Stainless steel sinks	83
		Composite sinks	84
Commercial fittings	Electronic Fittings	Essence E	85
		Eurocube E	86
		Bluetooth monitoring	87
		Europlus E	88
		Eurosmart Cosmopolitan E	89
		Euroeco Cosmopolitan E	90
		Bau Cosmopolitan E	91

GROHE

TABLE OF CONTENTS

	Special Thermostats	Grohtherm Micro	92
		Grohtherm Special	93
		Grohtherm 2000 Special	94
		Grohtherm XL	95
	Single-Lever Mixers	Commercial Showers	96
		Euroeco Special	97
		Hospita	98
		Euroeco Single Sequential	99
	Self-closing Fittings	Eurodisc SE	100
		Eurosmart Cosmopolitan T	101
		Euroeco Cosmopolitan T	102
Shower Toilet		Sensia IGS	103
		Sensia Arena	104
Ceramics		Essence	105
		Cube Ceramic	106
		Euro Ceramic	107
		Bau Ceramic	108
		Acrylic shower trays	109
Installation Systems	Rapid SL	Rapid SL for WC	110
		Rapid SL for Urinal	111
		Rapid SL for Wash Basin and Bidet	112
		Rapid SL for the Disabled	113
		Rapid SL Fitting Supports	114
		Rapid SL Accessories	115
Flushing Systems	WC	Flushing Cisterns	116
		Accessories for Flushing Cisterns	117
		Electronic Actuators for WC	118
	Urinal	Electronic Actuators for Urinal	119
		Urinal Flush Valves	120
Actuations	WC	Flush Plates for WC	121
		GROHE Fresh	122

GROHE

TABLE OF CONTENTS

Urinal	Flush Plates for Urinal	123
Connection and Security Technology	Angle Valves	124
Spare Parts and Accessories	Cartridges	125.02
	Thermo elements and thermostatic cartridges	125.04
	Aquadimmer	125.07
	Head parts	125.08
	Extension sets	125.10
	Unions	125.11
	Flow straighteners	125.13
	Waste sets and traps	125.15
	Connections and non-return valves	125.17
	Spare parts for electronics	125.18
	Spare parts for showers	125.19
	Miscellaneous	125.20
	Special tools	125.21
	Cleaning and care	125.23
	Spare parts for sanitary systems	125.24
	Spare parts for shower toilet	125.25
	Spare parts for Ceramics	125.27
Survey of Contents		126
Discover the World of GROHE		127
A Globally Connected Company		127

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.







QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –
Fortune Magazine, 2017*



DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 350 design awards won since 2003




SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

THE UNIVERSAL SOLUTION FOR THE NEEDS OF TOMORROW



Exchangeable function units for single-lever mixers, thermostats and SmartControl, fully pre-configured and 100% factory tested



new

TWO-HANDLE THERMOSTATS

More space and more control with our new thermostats



SMARTCONTROL

Ultimate and intuitive control of every shower function, space-saving and slim design

All thermostats with retrofit service stops

Subsequently adjustable by up to six degrees: ensures that the wall plate is always in level and allows for perfect alignment with tile joints



new


SINGLE-LEVER MIXERS

Simple to operate, control up three functions with our new mixers

INSTALLER-FRIENDLY INSTALLATION

1

Few things count more in the installation business than efficiency and convenience. That makes the GROHE Rapido SmartBox System an obvious choice. One box offers unlimited options. And the easy installation is a huge plus: job-side mounting, shallow installation depth and with three outlets, only one rough-in needs to be installed, instead of the usual two. This is simply well thought through.




2




3

SLIMMED DOWN DESIGN FOR MORE SPACE IN THE SHOWER



GROHE SMARTCONTROL



43 mm

NEW TWO-HANDLE THERMOSTATS



43 mm



Creating a beautiful area for bathing and showering can often be a challenge, since the space available is frequently very limited. The GROHE Rapido SmartBox System offers the luxury of extra space thanks to our super slim trimsets. One great advantage is the extra flexibility that comes with our system, allowing you to install the box now and decide on the final design and look later on.

GROHE SMARTCONTROL FEATURES AT A GLANCE

Slim design,
overall outreach
only 43 mm,
all wall plates
only 10 mm high

All trims
subsequently
**adjustable by
up to 6°**

Perfect shower
experience with
GROHE SmartControl:
push, turn, shower

**Retrofit back-flow
protection combination**
for bath fill and
overflow unit



VARIANTS

- Mixer with 1, 2, 3-function
- Thermostat with 1, 2, 3-function
- Triple volume control trim
- Round and square design + colour options



**GROHE
TurboStrat**



**GROHE
QuickFix**



**GROHE
StarLight**



SafeStop



**SafeStop
Plus**

GROHE Turbostat, SafeStop and SafeStop Plus only for thermostats

Original Size 1:1



reddot award 2018
winner

#METROPOLISlikes



Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

**Available as a mixer
and thermostat**

38°C SafeStop Button
(thermostat)

Thermostats come
with optional
43°C temperature limiter

All plates are **metal
made**

Thermostat with **GROHE
TurboStat** technology
ensuring constant shower
temperature for comfort
and safety

Retrofit service stops

NEW TWO-HANDLE THERMOSTATS

FEATURES AT A GLANCE

new

Slim design, overall outreach **only 43 mm**, independent from installation depth
+ all plates only 10 mm high

new

All trims subsequently **adjustable by up to 6°**

Retrofit back-flow protection combination for bath fill and overflow unit

VARIANTS

- Volume control (shower)
- AquaDimmer (head/hand shower symbol)
- AquaDimmer (bath/shower symbol)
- Round, square, cube design
- Atrio design with wide range of colour options



GROHE TurboStrat



GROHE QuickFix



GROHE StarLight



SafeStop



SafeStop Plus

Original Size 1:1



new

Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

new

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

38°C SafeStop Button

Optional
43°C temperature
limiter included

new

All plates are **metal made**

Thermostat with **GROHE TurboStat** technology
ensuring constant shower
temperature for comfort
and safety

new

Retrofit service stops

NEW SINGLE-LEVER MIXERS

FEATURES AT A GLANCE

new

Slim design, **all plates**
10 mm high*

new

All trims
subsequently
adjustable by
up to 6°

Retrofit back-flow
protection combination
for 2-way diverter trims
in combination with bath
fill and overflow unit

VARIANTS

- Volume control (shower)
- 2-way diverter trims
- 3-way diverter trims for selected designs



GROHE
SilkMove



GROHE
QuickFix



GROHE
StarLight

Original Size 1:1



new

Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

new

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

new

3-way diverter variants
to operate:
- 2-spray head shower +
hand shower
- head shower + hand
shower + bath spout

2-way diverter –
only 43 mm total outreach*,
3-way diverter –
only 30 mm total outreach*
(independent of rough-in
installation depth)

new

All plates are **metal made**

Design variants for all
GROHE bath lines

* with exception of Allure Brillant due to special design



BEFORE A DRIP
BECOMES A FLOOD.

DETECT TO TAKE CARE WITH GROHE SENSE.



GROHE








CONNECTION









WATER ON/OFF

GROHE SENSE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 505 LNO	4005176411779	white	43.74
<p>GROHE Sense Smart water sensor for wireless LAN, battery powered automatic flooding alarm and frost risk alarm senses room temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, audible alarm and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected including 3 x AAA batteries CE approved Made in Germany</p>				
 	22 506 LNO	4005176411786	white	21.66
<p>GROHE Sense Extension set for difficult to reach locations for installing GROHE Sense smart water sensor on the wall sensor extension cable 1.2 m length including rawl and screw set GROHE Sense smart water sensor not included CE approved</p>				
	22 517 LNO	4005176416729	white	474.17
<p>GROHE Sense kit 1 x GROHE Sense Guard smart water controller + 3 x GROHE Sense smart water sensor CE approved Made in Germany</p> <p>1 x GROHE Sense Guard for Wifi, mains powered, 230 V for single-family houses cold water only detects pipe breaks, micro leaks, frost risk and unusual water flow automatic, manual or remote shut off function to limit water damage senses flow rate, water pressure and system temperature tracks water consumption receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and push notifications wireless LAN 2.4 GHz, WPA/WPA2 protected for horizontal or vertical installation right downstream the water meter including mounting nuts R3/4" and extendable power cable 0.7 m, plug type G use of wall mounting set 22 501 000 with G1" connection recommended, sold separately noise classification 1 in accordance with DIN4109 to be installed on cold water pipes only</p> <p>3 x GROHE Sense smart water sensor for wireless LAN, battery powered automatic flooding alarm and frost risk alarm senses room temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, audible alarm and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected including 9 x AAA batteries</p>				

GROHE SENSE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 513 LN0	4005176416484	white	365.83
<p>GROHE Sense Guard Smart water controller for Wifi, mains powered, 230 V for single-family houses detects pipe breaks, micro leaks, frost risk and unusual water flow automatic, manual or remote shut off function to limit water damage senses flow rate, water pressure and system temperature tracks water consumption receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and push notifications wireless LAN 2.4 GHz, WPA/WPA2 protected for horizontal or vertical installation right downstream the water meter including mounting nuts R3/4" and extendable power cable 0.7 m, plug type G use of wall mounting set 22 501 000 with G1" connection recommended, sold separately noise classification 1 in accordance with DIN4109 to be installed on cold water pipes only CE approved Made in Germany</p>				
 	22 521 LN0	4005176437151	white	14.58
<p>GROHE Sense Guard Power extension cable cable length 3 m</p>				
 	22 501 000	4005176409318		58.33
<p>GROHE Sense Guard Wall mounting set for installation on the wall easy and stable installation mounting nuts with G1" connection for use with 22 513 LN0, 22 517 LN0</p>				

GROHE
BATH TAPS













CONTENTS

Single Lever Mixers	Allure Brilliant	02
	Allure	03
	Atrio	04
	Grandera	05
	Lineare	06
	Eurocube Joy	07
	Eurocube	08
	Plus	09
	Europlus	10
	Essence	11
	Eurodisc Joy	12
	Eurodisc Cosmopolitan	13
	Concetto	14
	Eurostyle Cosmopolitan	15
	Eurostyle	16
	Eurosmart Cosmopolitan	17
	Eurosmart	18
	BauEdge	19
	BauLoop	20
	BauFlow	21
Two Handle fittings	Costa L	22
Bath Sets	Talentofill	23
Accessories	Selection Cube	24
	Essentials	25
	Essentials Cube	26
	BauCosmopolitan	27
	Essentials Authentic	28






GROHE ALLURE BRILLIANT



GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 029 000	4005176898709	Chrome	532.41
	23 029 DC0	4005176489471	supersteel	725.00
	23 029 A00	4005176338335	hard graphite	868.18
	23 029 AL0	4005176353154	Brushed Hard Graphite	868.18
	Allure Brilliant Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter GROHE QuickFix installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses			
	23 033 000	4005176898716	Chrome	532.41
	23 033 DC0	4005176489488	supersteel	725.00
	23 033 A00	4005176489631	hard graphite	868.18
	23 033 AL0	4005176489648	Brushed Hard Graphite	868.18
	Ditto, smooth body			
	23 109 000	4005176898754	Chrome	668.39
	23 109 DC0	4005176489860	supersteel	902.00
	Allure Brilliant Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter GROHE QuickFix installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses			
	23 112 000	4005176898778	Chrome	668.39
	23 112 A00	4005176489778	hard graphite	971.00
	23 112 AL0	4005176489785	Brushed Hard Graphite	971.00
	Ditto, smooth body			
	23 114 000	4005176898792	Chrome	825.29
	23 114 DC0	4005176489914	supersteel	1,117.00
	23 114 A00	4005176352690	hard graphite	1,203.00
	23 114 AL0	4005176353178	Brushed Hard Graphite	1,203.00
	Allure Brilliant Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter GROHE QuickFix installation system spout with integrated mousseur smooth body flexible connection hoses			
	29 086 000	4005176935497		218.61
	Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug			
				





GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 344 000	4005176898884	Chrome	783.45
	20 344 DC0	4005176489815	supersteel	1,058.00
	20 344 A00	4005176338342	hard graphite	1,267.75
	20 344 AL0	4005176353185	Brushed Hard Graphite	1,212.00
	20 342 000	4005176898860	Chrome	657.93
	20 342 DC0	4005176490071	supersteel	887.00
	20 342 A00	4005176490125	hard graphite	955.00
	20 342 AL0	4005176490064	Brushed Hard Graphite	955.00
	20 346 000	4005176898907	Chrome	678.85
	20 346 DC0	4005176490217	supersteel	921.00
	20 346 A00	4005176490262	hard graphite	992.00
	20 346 AL0	4005176490200	Brushed Hard Graphite	992.00
	20 348 000	4005176898921	Chrome	720.69
	20 348 DC0	4005176490309	supersteel	980.00
	20 348 A00	4005176490354	hard graphite	1,055.00
	20 348 AL0	4005176490293	Brushed Hard Graphite	1,055.00
	Allure Brilliant Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 29 025 000 valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur projection 161 mm			
	29 025 000	4005176841927		229.07
	Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device			










GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 781 000	4005176898822	Chrome	647.47
	19 781 DC0	4005176490392	supersteel	882.00
	19 781 A00	4005176490446	hard graphite	950.00
	19 781 AL0	4005176490385	Brushed Hard Graphite	950.00
	Allure Brilliant 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm			
 	19 783 000	4005176898846	Chrome	689.31
	19 783 DC0	4005176490484	supersteel	941.00
	19 783 A00	4005176490538	hard graphite	1,013.00
	19 783 AL0	4005176490477	Brushed Hard Graphite	1,013.00
	Ditto, projection 210 mm			
 	23 200 000	4005176908354		218.61
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
 	23 117 000	4005176898938	Chrome	605.63
	23 117 DC0	4005176490576	supersteel	823.00
	23 117 A00	4005176490620	hard graphite	887.00
	23 117 AL0	4005176490569	Brushed Hard Graphite	887.00
	Allure Brilliant Bidet mixer 1/2" M-Size 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	24 071 000	4005176465901	Chrome	348.00
	Allure Brilliant Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 072 000	4005176465932	Chrome	383.00
	<p>Allure Brilliant Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	24 099 000	4005176480744	Chrome	406.00
	24 099 DC0	4005176480751	supersteel	527.00
	24 099 A00	4005176564758	hard graphite	569.00
	24 099 AL0	4005176480768	Brushed Hard Graphite	568.00
	<p>Allure Brilliant Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	19 789 000	4005176899058	Chrome	406.89
	<p>Allure Brilliant Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>			
	19 785 000	4005176898969	Chrome	448.73
	19 785 A00	4005176338649	hard graphite	662.12
	<p>Allure Brilliant Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>			







GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 787 001	4005176429057	Chrome	1,493.00
	19 787 DC1	4005176489570	supersteel	1,940.00
	19 787 A01	4005176495427	hard graphite	2,089.00
	19 787 AL1	4005176489563	Brushed Hard Graphite	2,089.00
	Allure Brilliant 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing single lever mixer operating element bath spout with integrated mousseur diverter bath/shower hand shower Euphoria Cube+ 6.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000			
	29 037 000	4005176865749		720.69
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water			
	45 388 000	4005176212758		74.10
	Supporting legs for baseframe			
	23 119 000	4005176899027	Chrome	2,404.75
	23 119 DC0	4005176489679	supersteel	3,253.00
	23 119 A00	4005176338601	hard graphite	3,541.76
	23 119 AL0	4005176353208	Brushed Hard Graphite	3,541.76
	Allure Brilliant Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube+ metal shower hose 1250 mm protected against backflow			
	13 301 000	4005176899041	Chrome	1,354.02
	13 301 DC0	4005176490804	supersteel	1,940.00
	13 301 A00	4005176490859	hard graphite	2,089.00
	13 301 AL0	4005176490798	Brushed Hard Graphite	2,089.00
	Allure Brilliant Bath spout, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with integrated mousseur total height 1070 mm projection 270 mm			
	45 984 001	4005176992056		333.67
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material			













GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		29 086 000	4005176935497	218.61	
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>					
		13 319 000 13 319 DC0 13 319 A00 13 319 AL0	4005176912627 4005176490651 4005176352782 4005176353284	Chrome supersteel hard graphite Brushed Hard Graphite	699.77 943.00 1,016.00 1,016.00
<p>Allure Brilliant Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm</p>					
		13 299 000 13 299 DC0 13 299 A00 13 299 AL0	4005176899003 4005176490712 4005176490767 4005176490705	Chrome supersteel hard graphite Brushed Hard Graphite	302.29 408.00 439.00 439.00
<p>Allure Brilliant Bath spout wall mounted GROHE StarLight chrome finish projection 161 mm spout with integrated mousseur</p>					
		19 798 000 19 798 DC0 19 798 A00 19 798 AL0	4005176899157 4005176489969 4005176352614 4005176353079	Chrome supersteel hard graphite Brushed Hard Graphite	249.99 334.00 359.00 359.00
<p>Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE StarLight chrome finish installation depth adjustable 66 - 113 mm</p>					
		29 033 000	4005176845338	239.53	
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>					
		19 796 000 19 796 DC0 19 796 A00 19 796 AL0	4005176899133 4005176490019 4005176352607 4005176353062	Chrome supersteel hard graphite Brushed Hard Graphite	176.77 240.00 258.00 258.00
<p>Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p>					







GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 032 000	4005176845277		30.33
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
	27 707 000	4005176908446	Chrome	40.79
	27 707 DC0	4005176490897	supersteel	64.00
	27 707 A00	4005176490941	hard graphite	69.00
	27 707 AL0	4005176490880	Brushed Hard Graphite	69.00
	Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow metal GROHE StarLight chrome finish			
	27 706 000	4005176908439	Chrome	30.33
	27 706 DC0	4005176490989	supersteel	40.00
	27 706 A00	4005176491030	hard graphite	43.00
	27 706 AL0	4005176490972	Brushed Hard Graphite	43.00
	Allure Brilliant Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish			

GROHE ALLURE BRILLIANT

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		40 494 000	4005176899263	Chrome	299.17
		40 494 DC0	4005176491078	supersteel	399.00
		40 494 A00	4005176491122	hard graphite	429.00
		40 494 AL0	4005176491061	Brushed Hard Graphite	429.00
		Allure Brilliant Holder with soap dispenser GROHE StarLight chrome finish			
		40 493 000	4005176899256	Chrome	199.17
		40 493 DC0	4005176491160	supersteel	269.00
		40 493 A00	4005176491214	hard graphite	289.00
		40 493 AL0	4005176491153	Brushed Hard Graphite	289.00
		Allure Brilliant Holder with tumbler GROHE StarLight chrome finish			
		40 503 000	4005176900068	Chrome	232.50
		40 503 DC0	4005176491252	supersteel	289.00
		40 503 A00	4005176491306	hard graphite	309.00
		40 503 AL0	4005176491245	Brushed Hard Graphite	309.00
		Allure Brilliant Shelf with tumbler GROHE StarLight chrome finish			
		40 504 000	4005176900075	Chrome	232.50
		40 504 DC0	4005176491436	supersteel	299.00
		40 504 A00	4005176491481	hard graphite	329.00
		40 504 AL0	4005176491429	Brushed Hard Graphite	329.00
		Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish			
		40 496 000	4005176899287	Chrome	162.49
		40 496 DC0	4005176491887	supersteel	249.00
		40 496 A00	4005176491931	hard graphite	269.00
		40 496 AL0	4005176491870	Brushed Hard Graphite	269.00
		Allure Brilliant Towel bar Two arms GROHE StarLight chrome finish length 431 mm non swivelling			
		40 497 000	4005176899294	Chrome	182.50
		40 497 DC0	4005176491528	supersteel	269.00
		40 497 A00	4005176491573	hard graphite	289.00
		40 497 AL0	4005176491511	Brushed Hard Graphite	289.00
		Allure Brilliant Towel rail 600 mm GROHE StarLight chrome finish			











GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 498 000	4005176899300	Chrome	77.08
	40 498 DC0	4005176491344	supersteel	99.00
	40 498 A00	4005176491399	hard graphite	109.00
	40 498 AL0	4005176491337	Brushed Hard Graphite	109.00
	Allure Brilliant Robe hook GROHE StarLight chrome finish			
 	40 499 000	4005176899317	Chrome	158.33
	40 499 DC0	4005176491610	supersteel	249.00
	40 499 A00	4005176491665	hard graphite	269.00
	40 499 AL0	4005176491603	Brushed Hard Graphite	269.00
	Allure Brilliant Toilet roll holder GROHE StarLight chrome finish			
 	40 500 000	4005176899324	Chrome	257.50
	40 500 DC0	4005176491979	supersteel	299.00
	40 500 A00	4005176492020	hard graphite	329.00
	40 500 AL0	4005176491962	Brushed Hard Graphite	329.00
	Allure Brilliant Toilet brush set GROHE StarLight chrome finish			

GROHE ALLURE








GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 757 000	4005176870897	Chrome	375.51
				
		<p>Allure Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>		
	32 146 000	4005176821622	Chrome	480.11
				
		<p>Allure Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>		
	23 076 000	4005176890505	Chrome	480.11
		Ditto, smooth body		
	32 760 000	4005176870927	Chrome	637.01
				
		<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm</p>		
	23 403 000	4005176941627	Chrome	637.01
				
		<p>Allure Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter GROHE QuickFix Plus installation system smooth body projection 180 mm flexible connection hoses temperature limiter</p>		
	32 249 000	4005176832383	Chrome	678.85
				
		<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>		











GROHE ALLURE







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 143 000	4005176832581	Chrome	595.17
<p>Allure Three-hole basin mixer 1/2" M-Size with metal plate GROHE StarLight chrome finish ceramic headpart 1/2", 180° flow limiter 8 l/min. spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	20 188 000	4005176875724	Chrome	595.17
<p>Allure Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4"</p>				
 	20 190 000	4005176875748	Chrome	532.41
<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted, without concealed body set for final installation for 32 706 000 with metal plate valves hot/cold with Carborund ceramic headparts 1/2" - 180° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm,</p>				
	20 192 000	4005176875991	Chrome	563.79
<p>Ditto, projection 220 mm</p>				
 	32 706 000	4005176855092		229.07
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set</p>				
 	20 189 000	4005176875731	Chrome	532.41
<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted, without concealed body set for final installation for 29 025 000 with lever handles with metal plate valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur projection 172 mm,</p>				
	20 193 000	4005176876004	Chrome	563.79
<p>Ditto, projection 220 mm</p>				









GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 025 000	4005176841927		229.07
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>			
 	19 309 000	4005176820656	Chrome	532.41
	<p>Allure 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 33 769 000 with metal plate GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur centre distance 110 mm projection 172 mm</p>			
	19 386 000	4005176876011	Chrome	574.25
	<p>Ditto, projection 220 mm</p>			
 	33 769 000	4005176819605		229.07
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter</p>			
 	32 147 000	4005176821653	Chrome	375.51
	<p>Allure Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
 	32 846 000	4005176882432	Chrome	663.47
	<p>Allure Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow</p>			

GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 826 000	4005176882425	Chrome	793.91
<p>Allure Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>				
 	24 069 000	4005176465888	Chrome	321.00
<p>Allure Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 070 000	4005176465895	Chrome	353.00
<p>Allure Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	19 317 000	4005176821806	Chrome	344.13
<p>Allure Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
 	19 315 000	4005176821677	Chrome	385.97
<p>Allure Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 123 000	4005176413292	Chrome	470.70
				<p>Grohtherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>
	35 600 000	4005176413469		125.00
				GROHE Rapido SmartBox universal rough-in box for concealed installation
 	29 124 000	4005176413308	Chrome	512.54
				<p>Grohtherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>
	35 600 000	4005176413469		125.00
				GROHE Rapido SmartBox universal rough-in box for concealed installation
 	29 125 000	4005176413315	Chrome	615.05
				<p>Grohtherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>
	35 600 000	4005176413469		125.00
				GROHE Rapido SmartBox universal rough-in box for concealed installation







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 126 000	4005176413322	Chrome	554.38
<p>Grohtherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 127 000	4005176413339	Chrome	337.86
<p>Grohtherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	34 706 000	4005176413797	Chrome	1,295.99
<p>Grohtherm SmartControl Perfect shower set with Rainshower 310 SmartActive Cube Consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>				
 	19 316 000	4005176821783	Chrome	1,201.85
<p>Allure 3-hole single-lever bath combination trim set for 33 339 000 without baseframe single lever mixer operating element bath inlet with automatic diverter bath/shower hand shower (28 034 000) metal shower hose 2000 mm</p>				

GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 317 000	4005176912603	Chrome	699.77
<p>Allure Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm</p>				
 	13 264 000	4005176882449	Chrome	218.61
<p>Allure Bath spout 3/4" wall mounted GROHE StarLight chrome finish projection 172 mm mousseur</p>				
 	19 590 000	4005176890529	Chrome	187.23
<p>Allure 5-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE StarLight chrome finish</p>				
 	29 033 000	4005176845338		239.53
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 334 000	4005176823800	Chrome	134.93
<p>Allure Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>				
 	35 028 000	4005176908316		124.47
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				

GROHE ALLURE





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 811 000	4005176062711		49.00
	<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			
	19 384 000	4005176875755	Chrome	134.93
	<p>Allure Concealed stop-valve trim with lever handle set for final installation for 29 032 000 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>			
	35 028 000	4005176908316		124.47
	GROHE Rapido C rough-in box for single volume control			
	29 032 000	4005176845277		30.33
	<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>			
	26 070 000	4005176937248	Chrome	438.27
	<p>Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 060 000	4005176937149	Chrome	438.27
	ditto, with non-restricted flow			
	26 071 000	4005176937255	Chrome	438.27
	<p>Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 061 000	4005176937156	Chrome	438.27
	ditto, with non-restricted flow			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 054 000	4005176937088	Chrome	501.03
	<p>Rainshower Allure 230 Head shower set 286 mm, 1 spray Rainshower Allure 230 metal head shower (27 479) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
 	26 065 000	4005176937194	Chrome	459.19
	<p>Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 055 000	4005176937095	Chrome	490.57
	ditto, with non-restricted flow			
 	27 271 000	4005176860690	Chrome	417.35
	<p>Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm Ball joint +/- 20° rotatable connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			

GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 278 000	4005176824081	Chrome	75.83
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 254 000	4005176211065		25.83
<p>Glass</p>				
 	40 278 000	4005176824081	Chrome	75.83
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 256 000	4005176211089		36.24
<p>Soap dish</p>				
 	40 339 000	4005176824111	Chrome	99.99
<p>Allure Towel ring GROHE StarLight chrome finish</p>				
 	40 342 000	4005176824142	Chrome	149.99
<p>Allure Towel bar Two arms swivelling GROHE StarLight chrome finish length 426 mm</p>				
 	40 341 000	4005176824135	Chrome	149.99
<p>Allure Towel rail 600 mm GROHE StarLight chrome finish</p>				
 	40 284 000	4005176824104	Chrome	41.66
<p>Allure Robe hook GROHE StarLight chrome finish</p>				






GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 279 000	4005176824098	Chrome	99.99
<p>Allure Toilet roll holder without cover GROHE StarLight chrome finish</p>				
 	40 340 000	4005176824128	Chrome	162.49
<p>Allure Toilet brush set wall model GROHE StarLight chrome finish</p>				

GROHE ATRIO









GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new	32 043 003	4005176454479	Chrome	293.00
		<p>Atrio Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses</p>		
new	32 042 003	4005176454448	Chrome	338.00
	32 042 DC3	4005176454455	supersteel	440.00
	32 042 GL3	4005176492143	cool sunrise	544.00
	32 042 DA3	4005176492167	warm sunset	544.00
	32 042 AL3	4005176454462	Brushed Hard Graphite	474.00
	<p>Atrio Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses</p>			
new	32 647 003	4005176454707	Chrome	474.00
	32 647 DC3	4005176454714	supersteel	615.00
	32 647 GL3	4005176492280	cool sunrise	762.00
	32 647 DA3	4005176492303	warm sunset	762.00
	32 647 AL3	4005176454721	Brushed Hard Graphite	663.00
	<p>Atrio Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses</p>			
new	19 287 003	4005176454738	Chrome	338.00
	19 287 DC3	4005176454745	supersteel	440.00
	19 287 GL3	4005176492358	cool sunrise	544.00
	19 287 DA3	4005176492372	warm sunset	544.00
	19 287 AL3	4005176454752	Brushed Hard Graphite	474.00
	<p>Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 185 mm</p>			

GROHE ATRIO



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	19 918 003	4005176454769	Chrome	383.00
	19 918 DC3	4005176454776	supersteel	498.00
	19 918 GL3	4005176492426	cool sunrise	617.00
	19 918 DA3	4005176492440	warm sunset	617.00
	19 918 AL3	4005176454783	Brushed Hard Graphite	537.00
	<p>Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 221 mm</p>			
 	23 429 000	4005176993695		218.61
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>			
<p>new</p>  	32 108 003	4005176454790	Chrome	383.00
	32 108 DC3	4005176454806	supersteel	498.00
	32 108 GL3	4005176492495	cool sunrise	617.00
	32 108 DA3	4005176492518	warm sunset	617.00
	32 108 AL3	4005176454813	Brushed Hard Graphite	537.00
	<p>Atrio Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
<p>new</p>  	32 650 003	4005176454820	Chrome	406.00
	32 650 DC3	4005176454837	supersteel	528.00
	32 650 GL3	4005176492563	cool sunrise	653.00
	32 650 DA3	4005176492587	warm sunset	653.00
	32 650 AL3	4005176454844	Brushed Hard Graphite	568.00
	<p>Atrio Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>			
<p>new</p>  	32 652 003	4005176454851	Chrome	474.00
	32 652 DC3	4005176454868	supersteel	615.00
	32 652 GL3	4005176492631	cool sunrise	762.00
	32 652 DA3	4005176492655	warm sunset	762.00
	32 652 AL3	4005176454875	Brushed Hard Graphite	663.00
	<p>Atrio Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>			

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 065 003	4005176465741	Chrome	298.00
	24 065 DC3	4005176465758	supersteel	387.00
	24 065 GL3	4005176564574	cool sunrise	416.00
	24 065 AL3	4005176465765	Brushed Hard Graphite	416.00
	Atrió Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 066 003	4005176465772	Chrome	327.00
	24 066 DC3	4005176465789	supersteel	425.00
	24 066 GL3	4005176564642	cool sunrise	459.00
	24 066 AL3	4005176465796	Brushed Hard Graphite	458.00
	Atrió Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 096 003	4005176480669	Chrome	350.00
	24 096 DC3	4005176480676	supersteel	455.00
	24 096 GL3	4005176564710	cool sunrise	489.00
	24 096 AL3	4005176480683	Brushed Hard Graphite	490.00
	Atrió Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			


GROHE ATRIO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
24 134 003	4005176480959	Chrome	574.00
24 134 DC3	4005176480973	supersteel	747.00
24 134 GL3	4005176564369	cool sunrise	799.00
24 134 AL3	4005176480997	Brushed Hard Graphite	804.00
Atrio Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° metal handles flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			
24 135 003	4005176480966	Chrome	614.00
24 135 DC3	4005176480980	supersteel	799.00
24 135 GL3	4005176564437	cool sunrise	859.00
24 135 AL3	4005176481000	Brushed Hard Graphite	860.00
Atrio Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve metal handles flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			



GROHE ATRIO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
24 138 003	4005176481017	Chrome	614.00
24 138 DC3	4005176481024	supersteel	799.00
24 138 GL3	4005176564505	cool sunrise	859.00
24 138 AL3	4005176481031	Brushed Hard Graphite	860.00



Atrio

Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed shower and bath symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set

35 600 000 4005176413469

125.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

new



32 653 003	4005176454912	Chrome	1,307.00
32 653 DC3	4005176454929	supersteel	1,699.00
32 653 GL3	4005176492709	cool sunrise	1,830.00
32 653 DA3	4005176492723	warm sunset	1,830.00
32 653 AL3	4005176454936	Brushed Hard Graphite	1,830.00

Atrio

Single-lever bath mixer, floor mounted

set for final installation for
45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

spout with mousseur

projection 301 mm

integrated non-return valve

in the shower outlet 1/2"

with shower holder


hand shower Sena Stick (26 465)

Silverflex shower hose 1250 mm

protected against backflow

45 984 001 4005176992056

333.67



Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath

mixers/spouts, depth compensation 104 mm

installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

Can take a single mixed supply

fixing material









GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 021 003	4005176455193	Chrome	226.00
	20 021 DC3	4005176455209	supersteel	293.00
	20 021 GL3	4005176493393	cool sunrise	316.00
	20 021 DA3	4005176493416	warm sunset	316.00
	20 021 AL3	4005176455216	Brushed Hard Graphite	316.00
	Aerio Pillar tap 1/2" XS-Size headpart 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system mousseur fixed spout flexible connection hoses with lever handle			
	21 022 003	4005176454943	Chrome	361.00
	21 022 DC3	4005176454950	supersteel	469.00
	21 022 GL3	4005176492778	cool sunrise	505.00
	21 022 DA3	4005176492792	warm sunset	505.00
	21 022 AL3	4005176454967	Brushed Hard Graphite	505.00
	Aerio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.			
	21 019 003	4005176455223	Chrome	361.00
	21 019 DC3	4005176455230	supersteel	469.00
	21 019 GL3	4005176493461	cool sunrise	505.00
	21 019 DA3	4005176493485	warm sunset	505.00
	21 019 AL3	4005176455247	Brushed Hard Graphite	505.00
	Aerio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.			
	21 044 003	4005176455254	Chrome	496.00
	21 044 DC3	4005176455261	supersteel	619.00
	21 044 GL3	4005176493539	cool sunrise	694.00
	21 044 DA3	4005176493553	warm sunset	694.00
	21 044 AL3	4005176455278	Brushed Hard Graphite	694.00
	Aerio Basin mixer, 1/2" XL-Size for free-standing basins ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.			











GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 009 003	4005176454974	Chrome	361.00
	20 009 DC3	4005176454981	supersteel	469.00
	20 009 GL3	4005176492839	cool sunrise	505.00
	20 009 DA3	4005176492853	warm sunset	505.00
	20 009 AL3	4005176454998	Brushed Hard Graphite	505.00
	<p>Atrio Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses between spout and side valves with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	20 008 003	4005176455285	Chrome	451.00
	20 008 DC3	4005176455292	supersteel	586.00
	20 008 GL3	4005176493607	cool sunrise	631.00
	20 008 DA3	4005176493621	warm sunset	631.00
	20 008 AL3	4005176455308	Brushed Hard Graphite	631.00
	<p>Atrio Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	20 169 003	4005176455001	Chrome	383.00
	20 169 DC3	4005176455018	supersteel	498.00
	20 169 GL3	4005176492907	cool sunrise	537.00
	20 169 DA3	4005176492921	warm sunset	537.00
	20 169 AL3	4005176455025	Brushed Hard Graphite	537.00
	<p>Atrio Three-hole basin mixer 1/2" S-Size wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	20 164 003	4005176455315	Chrome	383.00
	20 164 DC3	4005176455322	supersteel	498.00
	20 164 GL3	4005176493676	cool sunrise	537.00
	20 164 DA3	4005176493690	warm sunset	537.00
	20 164 AL3	4005176455339	Brushed Hard Graphite	537.00
	<p>Atrio 3-hole basin mixer wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			





GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 025 000	4005176841927		229.07
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>			
new	24 027 003	4005176455346	Chrome	383.00
	24 027 DC3	4005176455353	supersteel	498.00
	24 027 GL3	4005176493744	cool sunrise	537.00
	24 027 DA3	4005176493768	warm sunset	537.00
	24 027 AL3	4005176455360	Brushed Hard Graphite	537.00
	<p>Atrio Bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
new	26 003 003	4005176455377	Chrome	406.00
	26 003 DC3	4005176455384	supersteel	528.00
	26 003 GL3	4005176493812	cool sunrise	568.00
	26 003 DA3	4005176493836	warm sunset	568.00
	26 003 AL3	4005176455391	Brushed Hard Graphite	568.00
	<p>Atrio Shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
new	25 010 003	4005176455407	Chrome	541.00
	25 010 DC3	4005176455414	supersteel	703.00
	25 010 GL3	4005176493881	cool sunrise	757.00
	25 010 DA3	4005176493904	warm sunset	757.00
	25 010 AL3	4005176455421	Brushed Hard Graphite	757.00
	<p>Atrio Bath / shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower tubular spout with stop restriction mousseur covered S-unions protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			




GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	25 044 003	4005176455438	Chrome	1,690.00
	25 044 DC3	4005176455445	supersteel	2,197.00
	25 044 GL3	4005176493959	cool sunrise	2,366.00
	25 044 DA3	4005176493973	warm sunset	2,366.00
	25 044 AL3	4005176455452	Brushed Hard Graphite	2,366.00
	<p>Atrio Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower Sena Stick (26 465) with shower holder Silverflex shower hose 1250 mm (28 362) protected against backflow, with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
 	45 984 001	4005176992056		333.67
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	19 088 003	4005176455162	Chrome	102.00
	19 088 DC3	4005176455179	supersteel	132.00
	19 088 GL3	4005176493324	cool sunrise	142.00
	19 088 DA3	4005176493348	warm sunset	142.00
	19 088 AL3	4005176455186	Brushed Hard Graphite	142.00
	<p>Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	19 069 003	4005176455469	Chrome	79.00
	19 069 DC3	4005176455476	supersteel	103.00
	19 069 GL3	4005176494017	cool sunrise	111.00
	19 069 DA3	4005176494031	warm sunset	111.00
	19 069 AL3	4005176455483	Brushed Hard Graphite	111.00
	<p>Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with cross handle</p>			
 	35 028 000	4005176908316		124.47
	<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>			

GROHE ATRIO


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 032 000	4005176845277		30.33
	<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>			
	19 922 003	4005176455568	Chrome	1,166.00
	19 922 DC3	4005176455575	supersteel	1,515.00
	19 922 GL3	4005176494673	cool sunrise	1,632.00
	19 922 DA3	4005176494697	warm sunset	1,632.00
	19 922 AL3	4005176455582	Brushed Hard Graphite	1,632.00
	<p>Atrio 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing with lever handles bath spout with mousseur and diverter bath/shower Sena hand shower 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 001 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	19 923 003	4005176455537	Chrome	1,166.00
	19 923 DC3	4005176455544	supersteel	1,515.00
	19 923 GL3	4005176494611	cool sunrise	1,632.00
	19 923 DA3	4005176494635	warm sunset	1,632.00
	19 923 AL3	4005176455551	Brushed Hard Graphite	1,632.00
	<p>Atrio 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing with cross handles bath spout with mousseur and diverter bath/shower Sena hand shower 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 001 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	29 037 001	4005176455490		n.A.
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>			

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	new			
	13 139 003	4005176455131	Chrome	n.A.
	13 139 DC3	4005176455148	supersteel	264.00
	13 139 GL3	4005176493263	cool sunrise	284.00
	13 139 DA3	4005176493287	warm sunset	284.00
	13 139 AL3	4005176455155	Brushed Hard Graphite	284.00
<p>Atrio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 171 mm</p>				
	29 118 000	4005176412240	Chrome	450.00
	29 118 DC0	4005176455032	supersteel	606.00
	29 118 GL0	4005176492976	cool sunrise	653.00
	29 118 DA0	4005176492990	warm sunset	653.00
	29 118 AL0	4005176455049	Brushed Hard Graphite	653.00
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
	29 119 000	4005176412257	Chrome	519.00
	29 119 DC0	4005176455056	supersteel	641.00
	29 119 GL0	4005176493041	cool sunrise	711.00
	29 119 DA0	4005176493065	warm sunset	711.00
	29 119 AL0	4005176455063	Brushed Hard Graphite	711.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE ATRIO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 120 000	4005176412264	Chrome	588.00
29 120 DC0	4005176455070	supersteel	792.00
29 120 GL0	4005176493119	cool sunrise	853.00
29 120 DA0	4005176493133	warm sunset	853.00
29 120 AL0	4005176455087	Brushed Hard Graphite	853.00



Grohtherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"

without roughing-in-set

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 121 000	4005176412271	Chrome	530.00
29 121 DC0	4005176455094	supersteel	714.00
29 121 GL0	4005176493188	cool sunrise	769.00
29 121 DA0	4005176493201	warm sunset	769.00
29 121 AL0	4005176455100	Brushed Hard Graphite	769.00

Grohtherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min


outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min


outlet A + B + C = 36 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			



GROHE ATRIO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 122 000	4005176412288	Chrome	323.00
29 122 DC0	4005176455117	supersteel	436.00
29 122 GL0	4005176515194	cool sunrise	469.00
29 122 DA0	4005176515217	warm sunset	469.00
29 122 AL0	4005176455124	Brushed Hard Graphite	469.00



Grohtherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow

exchangeable symbols

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:


outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			



34 705 000	4005176413285	Chrome	1,306.45
------------	---------------	--------	----------

Grohtherm SmartControl Perfect shower set with Rainshower 310 SmartActive

Consisting of:

concealed thermostat with 3 valves

Grohtherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 head shower set (26 475) including head shower with 2 sprays,

horizontal shower arm 400 mm and head shower rough-in (26 483 000)

Euphoria Cosmopolitan Stick handshower (27 367 000)

Rainshower wall holder (27 074 000)








Rainshower wall union 1/2" (27 057 000)

Silverflex shower hose 1.500 mm (28 364)

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 304 003	4005176461576	Chrome	97.00
	40 304 DC3	4005176461583	supersteel	126.00
	40 304 GL3	4005176494130	cool sunrise	106.00
	40 304 DA3	4005176494154	warm sunset	106.00
	40 304 AL3	4005176462399	Brushed Hard Graphite	135.00
<p>Atrio Glass/soap dish holder for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 306 003	4005176461545	Chrome	138.00
	40 306 DC3	4005176461552	supersteel	179.00
	40 306 GL3	4005176494079	cool sunrise	106.00
	40 306 DA3	4005176494093	warm sunset	106.00
	40 306 AL3	4005176461569	Brushed Hard Graphite	193.00
<p>Atrio Soap dispenser material: glass / metal fits in the following holder: Atrio (40 304) GROHE StarLight chrome finish</p>				
 	40 305 003	4005176462412	Chrome	97.00
	40 305 DC3	4005176462429	supersteel	126.00
	40 305 GL3	4005176494185	cool sunrise	106.00
	40 305 DA3	4005176494208	warm sunset	106.00
	40 305 AL3	4005176462436	Brushed Hard Graphite	135.00
<p>Atrio Glass/soap dish holder for Atrio soap dish (40 256 003) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 256 003	4005176462443		152.00
<p>Atrio Soap dish material: glass fits in the following holder: Atrio (40 305 xx3)</p>				
 	40 307 003	4005176462450	Chrome	116.00
	40 307 DC3	4005176462467	supersteel	151.00
	40 307 GL3	4005176494246	cool sunrise	142.00
	40 307 DA3	4005176494260	warm sunset	142.00
	40 307 AL3	4005176462474	Brushed Hard Graphite	162.00
<p>Atrio Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 308 003	4005176462481	Chrome	195.00
	40 308 DC3	4005176462498	supersteel	253.00
	40 308 GL3	4005176494307	cool sunrise	236.00
	40 308 DA3	4005176494321	warm sunset	236.00
	40 308 AL3	4005176462504	Brushed Hard Graphite	272.00
<p>Atrio Towel bar material: metal concealed fastening 2 arms, pivotable length 489 mm GROHE StarLight chrome finish</p>				



GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 309 003	4005176462511	Chrome	218.00
	40 309 DC3	4005176462528	supersteel	283.00
	40 309 GL3	4005176494369	cool sunrise	225.00
	40 309 DA3	4005176494383	warm sunset	225.00
	40 309 AL3	4005176462627	Brushed Hard Graphite	305.00
<p>Atrio Towel rail material: metal concealed fastening 600 mm GROHE StarLight chrome finish</p>				
 	40 312 003	4005176462535	Chrome	75.00
	40 312 DC3	4005176462542	supersteel	97.00
	40 312 GL3	4005176494420	cool sunrise	73.00
	40 312 DA3	4005176494444	warm sunset	73.00
	40 312 AL3	4005176462559	Brushed Hard Graphite	105.00
<p>Atrio Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 313 003	4005176462566	Chrome	135.00
	40 313 DC3	4005176462573	supersteel	176.00
	40 313 GL3	4005176494482	cool sunrise	160.00
	40 313 DA3	4005176494505	warm sunset	160.00
	40 313 AL3	4005176462580	Brushed Hard Graphite	189.00
<p>Atrio Toilet roll holder material: metal concealed fastening without cover GROHE StarLight chrome finish</p>				
 	40 314 003	4005176462597	Chrome	241.00
	40 314 DC3	4005176462603	supersteel	314.00
	40 314 GL3	4005176494543	cool sunrise	318.00
	40 314 DA3	4005176494567	warm sunset	318.00
	40 314 AL3	4005176462610	Brushed Hard Graphite	338.00
<p>Atrio Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				

GROHE GRANDERA



GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 303 000	4005176924088	Chrome	333.67
	23 303 IGO	4005176924095	chrome/gold	438.27
	23 303 GLO	4005176338625	cool sunrise	493.71
	23 303 DA0	4005176327094	warm sunset	493.71
	23 303 A00	4005176338663	hard graphite	493.71
	23 303 ALO	4005176338670	Brushed Hard Graphite	493.71
	23 310 000	4005176930331	Chrome	333.67
	23 310 IGO	4005176930348	chrome/gold	438.27
	23 310 DA0	4005176327100	warm sunset	313.00
	21 107 000	4005176930393	Chrome	396.43
	21 107 IGO	4005176930409	chrome/gold	521.95
	23 313 000	4005176930614	Chrome	438.27
23 313 IGO	4005176930621	chrome/gold	574.25	



Grandera
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses

Grandera
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses


Grandera
Two-handle basin mixer, 1/2"
L-Size
monobloc installation
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses

Grandera
Basin mixer 1/2"
XL-Size
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses





GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 417 000	4005176930553	Chrome	469.65
	20 417 IGO	4005176930560	chrome/gold	616.09
	<p>Grandera Three-hole basin mixer 1/2" S-Size valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 389 000	4005176924101	Chrome	521.95
	20 389 IGO	4005176924118	chrome/gold	678.85
	20 389 GLO	4005176338687	cool sunrise	768.81
	20 389 DAO	4005176327131	warm sunset	768.81
	20 389 A00	4005176338694	hard graphite	768.81
	20 389 AL0	4005176338700	Brushed Hard Graphite	768.81
	<p>Grandera Three-hole basin mixer 1/2" M-Size valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 414 000	4005176930492	Chrome	385.97
	20 414 IGO	4005176930508	chrome/gold	479.16
	<p>Grandera Three-hole basin mixer 1/2" S-Size wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 200 mm projection 177 mm</p>			
	20 415 000	4005176930515	Chrome	408.07
	20 415 IGO	4005176930522	chrome/gold	563.79
	<p>20 415 000 4005176930515 Chrome 408.07 20 415 IGO 4005176930522 chrome/gold 563.79 Ditto, projection 234 mm</p>			
	29 025 000	4005176841927		229.07
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>			


GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 929 000	4005176930430	Chrome	379.12
	19 929 IGO	4005176930447	chrome/gold	521.95
	Grandera 2-hole basin mixer S-Size wall mounted set for final installation for 23 319 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 110 mm projection 177 mm			
	19 930 000	4005176930454	Chrome	438.27
	19 930 IGO	4005176930461	chrome/gold	574.25
	Ditto, projection 234 mm			
	23 319 000	4005176931192		218.61
	Grandera Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device			
	23 315 000	4005176930652	Chrome	375.51
	23 315 IGO	4005176930669	chrome/gold	490.57
	Grandera Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	23 316 000	4005176930690	Chrome	368.58
	23 316 IGO	4005176930706	chrome/gold	479.16
	Grandera Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow			
	23 317 000	4005176930799	Chrome	490.57
	23 317 IGO	4005176930805	chrome/gold	598.95
	Grandera Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow			

GROHE GRANDERA











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 067 000	4005176465802	Chrome	283.00
	24 067 IGO	4005176465819	chrome/gold	340.00
	24 067 GLO	4005176465826	cool sunrise	396.00
	24 067 DAO	4005176465833	warm sunset	396.00
	Grandera Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 068 000	4005176465840	Chrome	312.00
	24 068 IGO	4005176465857	chrome/gold	374.00
	24 068 GLO	4005176465864	cool sunrise	436.00
	24 068 DAO	4005176465871	warm sunset	436.00
	Grandera Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 932 000	4005176930713	Chrome	291.83
	19 932 IGO	4005176930720	chrome/gold	359.37
	Grandera Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing			
	19 920 000	4005176924149	Chrome	302.76
	19 920 IGO	4005176924156	chrome/gold	393.59
	19 920 DAO	4005176327186	warm sunset	472.79
	Grandera Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing			

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 936 000	4005176930812	Chrome	1,034.49
	19 936 IGO	4005176930829	chrome/gold	1,337.83
	19 936 GL0	4005176338717	cool sunrise	1,519.84
	19 936 DA0	4005176327193	warm sunset	1,519.84
	19 936 A00	4005176338724	hard graphite	1,519.84
	19 936 AL0	4005176338731	Brushed Hard Graphite	1,519.84
		Grandera 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7.6 l/min metal shower hose flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000		
	19 919 000	4005176924125	Chrome	1,097.25
	19 919 IGO	4005176924132	chrome/gold	1,431.97
	19 919 DA0	4005176327209	warm sunset	1,499.00
		Grandera 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7.6 l/min metal shower hose flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000		
	29 037 000	4005176865749		720.69
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water			
	45 388 000	4005176212758		74.10
	Supporting legs for baseframe			
	23 318 000	4005176930874	Chrome	1,567.95
	23 318 IGO	4005176930881	chrome/gold	2,028.19
	23 318 GL0	4005176338748	cool sunrise	2,304.34
	23 318 DA0	4005176327216	warm sunset	2,304.34
	23 318 A00	4005176338755	hard graphite	2,304.34
	23 318 AL0	4005176338762	Brushed Hard Graphite	2,304.34
		Grandera Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 320 mm integrated non-return valves in the shower outlet 1/2" with shower holder Grandera hand shower 7.6 l/min Silverflex shower hose 1250 mm protected against backflow		

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		45 984 001	4005176992056		333.67
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>					
		29 086 000	4005176935497		218.61
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>					
		13 341 000 13 341 IGO 13 341 DA0	4005176931000 4005176931017 4005176327223	Chrome chrome/gold warm sunset	218.61 291.83 329.00
<p>Grandera Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 177 mm</p>					
		19 942 000 19 942 IGO	4005176931048 4005176931055	Chrome chrome/gold	134.93 171.14
<p>Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish</p>					
		29 708 000	4005176102653		279.00
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>					
		19 944 000 19 944 IGO	4005176931086 4005176931093	Chrome chrome/gold	103.55 124.47
<p>Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p>					

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 032 000	4005176845277		30.33
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
	29 811 000	4005176062711		49.00
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
	27 976 000	4005176932816	Chrome	406.89
	Rainshower Grandera 210 Head shower 1 spray Rain 210 x 210 mm metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 974 000	4005176932793	Chrome	406.89
	27 974 IGO	4005176933486	chrome/gold	532.41
	27 974 DAO	4005176327278	warm sunset	549.00
	ditto, with non-restricted flow			
	27 986 000	4005176933011	Chrome	93.09
	27 986 IGO	4005176933547	chrome/gold	124.47
	27 986 DAO	4005176327315	warm sunset	149.00
	Rainshower Grandera Shower arm 286 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers			
	27 982 000	4005176932878	Chrome	82.63
	27 982 IGO	4005176933523	chrome/gold	103.55
	Rainshower Grandera Shower ceiling arm 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers			
	27 978 000	4005176932830	Chrome	72.17
	27 978 IGO	4005176933509	chrome/gold	93.09
	ditto, 142 mm length			







GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 037 000	4005176935381	Chrome	103.55
	26 037 IGO	4005176936210	chrome/gold	134.93
	26 037 DA0	4005176327285	warm sunset	147.00
	Grandera Stick Hand shower 1 spray Rain spray pattern metal GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	27 993 000	4005176933080	Chrome	145.39
	27 993 IGO	4005176933585	chrome/gold	187.23
	Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969) Rotaflex shower hose 1500 mm (28 417 000) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 970 000	4005176931154	Chrome	114.01
	27 970 IGO	4005176931161	chrome/gold	155.85
	27 970 BE0	4005176431760	polished nickel	174.68
	27 970 EN0	4005176431746	brushed nickel	174.68
	27 970 GL0	4005176431739	cool sunrise	174.68
	27 970 GN0	4005176431722	brushed cool sunrise	174.68
	27 970 DA0	4005176327292	warm sunset	174.68
	27 970 DL0	4005176431753	brushed warm sunset	174.68
	27 970 A00	4005176431784	hard graphite	174.68
	27 970 AL0	4005176431777	Brushed Hard Graphite	174.68
		Grandera Shower outlet elbow, 1/2" metal male thread protected against backflow GROHE StarLight chrome finish		
	27 969 000	4005176931123	Chrome	82.63
	27 969 IGO	4005176931130	chrome/gold	103.55
	27 969 BE0	4005176431494	polished nickel	117.15
	27 969 EN0	4005176931147	brushed nickel	117.15
	27 969 GL0	4005176431463	cool sunrise	117.15
	27 969 GN0	4005176431456	brushed cool sunrise	117.15
	27 969 DA0	4005176327308	warm sunset	117.15
	27 969 DL0	4005176431470	brushed warm sunset	117.15
	27 969 A00	4005176431517	hard graphite	117.15
	27 969 AL0	4005176431500	Brushed Hard Graphite	117.15
		Grandera Wall hand Shower holder metal GROHE StarLight chrome finish		

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 627 000	4005176927768	Chrome	149.99
	40 627 IG0	4005176927775	chrome/gold	190.83
<p>Grandera holder with ceramic soap dispenser GROHE StarLight chrome finish</p> 				
	40 626 000	4005176927737	Chrome	116.66
	40 626 IG0	4005176927744	chrome/gold	149.99
<p>Grandera holder with ceramic tumbler GROHE StarLight chrome finish</p> 				
	40 628 000	4005176927898	Chrome	141.66
	40 628 IG0	4005176927904	chrome/gold	182.50
<p>Grandera soap dish with holder GROHE StarLight chrome finish</p> 				
	40 630 000	4005176927959	Chrome	95.83
	40 630 IG0	4005176927966	chrome/gold	124.99
	40 630 EN0	4005176927973	brushed nickel	137.49
	40 630 DA0	4005176327520	warm sunset	137.49
<p>Grandera Towel ring Ø 205 mm GROHE StarLight chrome finish</p> 				
	40 629 000	4005176927928	Chrome	158.33
	40 629 IG0	4005176927935	chrome/gold	207.50
	40 629 EN0	4005176927942	brushed nickel	224.17
	40 629 DA0	4005176327513	warm sunset	224.17
<p>Grandera Towel rail 600 mm GROHE StarLight chrome finish</p> 				
	40 631 000	4005176927980	Chrome	45.83
	40 631 IG0	4005176927997	chrome/gold	59.99
	40 631 BE0	4005176430787	polished nickel	64.58
	40 631 EN0	4005176928000	brushed nickel	64.58
	40 631 GL0	4005176352034	cool sunrise	64.58
	40 631 GN0	4005176430763	brushed cool sunrise	64.58
	40 631 DA0	4005176327537	warm sunset	64.58
	40 631 DL0	4005176430770	brushed warm sunset	64.58
	40 631 A00	4005176352515	hard graphite	64.58
	40 631 AL0	4005176352966	Brushed Hard Graphite	64.58
	<p>Grandera Robe hook GROHE StarLight chrome finish</p> 			











GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 633 000	4005176928048	Chrome	108.33
	40 633 IG0	4005176928055	chrome/gold	141.66
	40 633 EN0	4005176928062	brushed nickel	149.99
	Grandera Bath grip length 385 mm GROHE StarLight chrome finish			
 	40 625 000	4005176927706	Chrome	120.83
	40 625 IG0	4005176927713	chrome/gold	158.33
	40 625 EN0	4005176927720	brushed nickel	166.66
	40 625 DA0	4005176327551	warm sunset	166.66
	Grandera Toilet roll holder GROHE StarLight chrome finish			
 	40 632 000	4005176928017	Chrome	166.66
	40 632 IG0	4005176928024	chrome/gold	215.83
	Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish			

GROHE LINEARE



GROHE LINEARE

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		32 109 001	4005176408373	Chrome supersteel	208.15
		32 109 DC1	4005176412691		255.22
<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 791 001	4005176409097	Chrome supersteel	208.15
		23 791 DC1	4005176412707		260.45
<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 790 001	4005176408380	Chrome	208.15
<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		32 114 001	4005176409103	Chrome supersteel	197.69
		32 114 DC1	4005176412714		255.22
<p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 106 001	4005176409110	Chrome supersteel	218.61
		23 106 DC1	4005176412721		270.91
<p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>					

GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 296 001	4005176409127	Chrome supersteel	281.37
	23 296 DC1	4005176412738		349.36
	23 405 001	4005176409134	Chrome supersteel	260.45
	23 405 DC1	4005176412745		312.75
	20 304 001	4005176409141	Chrome	333.67
	19 409 001	4005176409158	Chrome supersteel	260.45
	19 409 DC1	4005176412752		333.67










Lineare
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses





Lineare
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
smooth body
flexible connection hoses

Lineare
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10,5 mm











Lineare
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 149 mm











GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 444 001	4005176411977	Chrome supersteel	260.45
	23 444 DC1	4005176412769		333.67
	<p>Lineare 2-hole basin mixer L-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 207 mm</p>			
	23 571 000	4005176334276		208.15
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
	33 848 001	4005176409172	Chrome supersteel	239.53
	33 848 DC1	4005176412776		291.83
	<p>Lineare Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 865 001	4005176409202	Chrome supersteel	270.91
	33 865 DC1	4005176412790		349.36
	<p>Lineare Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>			
	33 849 001	4005176409189	supersteel supersteel	270.91
	33 849 DC1	4005176412783		349.36
	<p>Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow pillar installation optional with pillar unions 12 030 000</p>			









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 850 001	4005176409196	Chrome	313.80
	<p>Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Sena Stick (26 465) wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364)</p>			
	24 063 001	4005176465703	Chrome	180.00
	24 063 DC1	4005176465727	supersteel	234.00
	<p>Lineare Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 064 001	4005176465710	Chrome	198.00
	24 064 DC1	4005176465734	supersteel	257.00
	<p>Lineare Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 095 001	4005176480645	Chrome	221.00
	24 095 DC1	4005176480652	supersteel	287.00
	<p>Lineare Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			









GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 296 001	4005176409219	Chrome	208.15
	19 296 DC1	4005176412806	supersteel	255.22
	<p>Lineare Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing</p>			
	19 297 001	4005176409226	Chrome	208.15
	19 297 DC1	4005176412813	supersteel	255.22
	<p>Lineare Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>			
	25 113 000	4005176881862	Chrome	417.35
	<p>Lineare Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valves in the shower outlet 1/2" recommended pressure 0.2-5.0 bar GROHE StarLight chrome finish</p>			
	25 104 000	4005176881794	Chrome	385.97
	<p>Lineare Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" recommended pressure 0.2-5.0 bar GROHE StarLight chrome finish</p>			
	19 577 001	4005176409233	Chrome	626.55
	19 577 DC1	4005176412820	supersteel	814.83
	19 577 EN1	4005176413018	brushed nickel	n.A.
	<p>Lineare 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Sena Stick (26 465) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000</p>			













	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 965 001	4005176409240	Chrome	459.19
	<p>Lineare 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish single lever mixer operating element diverter bath/shower hand shower Sena Stick (26 465) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991</p>			
	29 037 000	4005176865749		720.69
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>			
	45 388 000	4005176212758		74.10
	<p>Supporting legs for baseframe</p>			
	23 792 001	4005176409257	Chrome	1,547.03
	23 792 DC1	4005176412837	supersteel	1,881.75
	23 792 EN1	4005176413001	brushed nickel	n.A.
	<p>Lineare Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 271 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Sena Stick (26 465) Silverflex shower hose 1250 mm (28 362) protected against backflow</p>			
	45 984 001	4005176992056		333.67
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
	29 086 000	4005176935497		218.61
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			

GROHE LINEARE


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 383 001 13 383 DC1	4005176418167 4005176418174	Chrome supersteel	187.23 229.07
<p>Lineare Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				
 	34 065 DC2	4005176374432	supersteel	281.37
<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>				
 	19 468 000	4005176847981	Chrome	365.05
<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>				
 	26 066 000 26 066 DC0	4005176937200 4005176371172	Chrome supersteel	490.57 668.39
<p>Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 067 000	4005176937217	Chrome	490.57
	26 067 DC0	4005176371189	supersteel	668.39
	<p>Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>			
	26 075 000	4005176937606	Chrome	772.99
	26 075 DC0	4005176371219	supersteel	1,118.17
	<p>Euphoria System 310 Shower system with thermosttic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life SpeedClean anti-limescale system Twistfree preventing the hose from twisting GROHE MetalGrip ergonomically shaped metal handles suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar optional upgrade: GROHE EasyReach tray (26 362)</p>			
	27 226 DC1	4005176374456	supersteel	155.85
	<p>Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 057 000	4005176830457	Chrome	51.25
	27 057 DC0	4005176371196	supersteel	61.71
	<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>			

GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 074 000	4005176833083	Chrome	30.33
<p>Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish</p>				
 	28 388 000	4005176295362	Chrome	17.08
<p>Silverflex Shower hose Twistfree 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				
 	28 362 000	4005176295225	Chrome	13.33
<p>Silverflex Shower hose Twistfree 1250 1250 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				
 	19 952 000	4005176174230	Chrome	46.02
<p>Talentofill Inlet, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	19 025 000	4005176209154	Chrome	51.25
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	28 912 000	4005176266751	Chrome	218.61
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 601 000	4005176416057	Chrome	69.25
37 601 DC0	4005176416088	supersteel	78.01













Nova Cosmopolitan S
Flush plate
 for dual flush or start & stop actuation
 for pneumatic drop valve AV1
 compatible with Rapid SL/GD2 1.13 m
 vertical installation
 130 x 172 mm
 made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
 flush plate with magnetic holder and fixing brackets included











GROHE EUROCUBE JOY









GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 654 000	4005176342080	Chrome	218.61
	<p>Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 656 000	4005176342103	Chrome	197.69
	<p>Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	23 657 000	4005176342110	Chrome	270.91
	<p>Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 658 000	4005176342127	Chrome	208.15
	<p>Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	23 661 000	4005176342158	Chrome	281.37
	<p>Eurocube Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			









GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 997 000	4005176342189	Chrome	229.07
	<p>Eurocube Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm</p>			
	19 998 000	4005176342196	Chrome	260.45
	<p>ditto, projection 230 mm</p>			
 	23 429 000	4005176993695		218.61
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>			
 	23 664 000	4005176342202	Chrome	229.07
	<p>Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
 	23 665 000	4005176342219	Chrome	249.99
	<p>Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow</p>			
 	23 666 000	4005176342226	Chrome	291.83
	<p>Eurocube Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE XL Waterfall integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>			



GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 061 000	4005176465680	Chrome	173.00
	<p>Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			125.00
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 094 000	4005176480638	Chrome	213.00
	<p>Eurocube Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			125.00
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 153 000	4005176481178	Chrome	453.00
	<p>Grohtherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermoelement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			125.00
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 154 000	4005176481185	Chrome	505.00
	<p>Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 155 000	4005176481192	Chrome	505.00
	<p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 898 000	4005176901300	Chrome	166.31
	<p>Eurocube Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>			
	19 896 000	4005176901201	Chrome	176.77
	<p>Eurocube Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>			

GROHE EUROCUBE JOY










	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 741 000	4005176481208	Chrome	1,196.00
<p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p>				
	45 984 001	4005176992056		333.67
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>				

GROHE EUROCUBE








GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 137 000	4005176901096	Chrome	155.85
<p>Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	4005176901591	Chrome	208.15
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 127 000	4005176900341	Chrome	208.15
<p>ditto, with non-restricted flow</p>				
 	23 132 00E	4005176906725	Chrome	197.69
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
	23 132 000	4005176900990	Chrome	197.69
<p>ditto, with non-restricted flow</p>				
 	23 390 00E	4005176938436	Chrome	208.15
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 392 00E	4005176938450	Chrome	208.15
<p>Ditto, smooth body</p>				
 	23 445 000	4005176998706	Chrome	218.61
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 446 000	4005176998720	Chrome	208.15
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	23 135 00E	4005176906732	Chrome	218.61
<p>Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 135 000	4005176901027	Chrome	229.07
<p>ditto, with non-restricted flow</p>				
 	23 406 000	4005176941658	Chrome	260.45
<p>Eurocube Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	20 351 000	4005176901041	Chrome	281.37
<p>Eurocube Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix Plus installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				
 	19 895 000	4005176901072	Chrome	239.53
<p>Eurocube 2-hole basin mixer S-Size wall mounted set for final installation for without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>				
	23 447 000	4005176998737	Chrome	239.53
<p>Ditto, projection 231 mm</p>				

GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 200 000	4005176908354		218.61
	23 138 000	4005176901133	Chrome	197.69
	23 145 000	4005176901270	Chrome	229.07
	23 140 000	4005176901157	Chrome	249.99
	23 141 000	4005176901164	Chrome	312.75









Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

Eurocube
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses




Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)



Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)

Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)
Hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 061 000	4005176465680	Chrome	173.00
	<p>Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 094 000	4005176480638	Chrome	213.00
	<p>Eurocube Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 898 000	4005176901300	Chrome	166.31
	<p>Eurocube Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>			
	19 896 000	4005176901201	Chrome	176.77
	<p>Eurocube Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>			

GROHE EUROCUBE





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 153 000	4005176481178	Chrome	453.00
	<p>Grotherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 154 000	4005176481185	Chrome	505.00
	<p>Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 155 000	4005176481192	Chrome	505.00
	<p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 741 000	4005176481208	Chrome	1,196.00
	<p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p>			
	25 137 000	4005176906770	Chrome	333.67
	<p>Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>			
	25 136 000	4005176906763	Chrome	291.83
	<p>Eurocube Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>			
	29 037 000	4005176865749		720.69
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>			
	45 388 000	4005176212758		74.10
	<p>Supporting legs for baseframe</p>			
	45 984 001	4005176992056		333.67
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
	29 086 000	4005176935497		218.61
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			

GROHE EUROCUBE









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 303 000	4005176906350	Chrome	114.01
<p>Eurocube Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				
 	13 304 000	4005176906367	Chrome	124.47
<p>Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p>				
 	19 910 000	4005176987014	Chrome	51.25
<p>Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE StarLight chrome finish</p>				
 	35 028 000	4005176908316		124.47
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	22 012 000	4005176906343	Chrome	40.79
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				









GROHE EUROCUBE









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 013 000	4005176909689	Chrome	40.79
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	37 535 000	4005176416019	Chrome	60.47
<p>Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				











GROHE PLUS













	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 848 003	4005176496790	Chrome	n.A.
	<p>Plus Single-lever basin mixer 1/2" with temperature display M-Size LED water temperature display monobloc installation metal lever 6 V alkaline mono battery, 4 x mono cell external battery 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 850 003	4005176496813	Chrome	n.A.
	<p>Plus Single-lever basin mixer 1/2" with temperature display L-Size LED water temperature display monobloc installation metal lever 6 V alkaline mono battery, 4 x mono cell external battery 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 612 003	4005176529696	Chrome	n.A.
	<p>Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 612 30L	4005176529979	Chrome	n.A.
	<p>Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar</p>			









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 163 003	4005176529702	Chrome	n.A.
				
	Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 870 003	4005176529719	Chrome	n.A.
				
	Plus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 871 003	4005176529726	Chrome	249.00
				
	Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses			
	23 872 003	4005176529733	Chrome	249.00
				
	Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 851 003	4005176496523	Chrome	279.00
				
	<p>Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 873 003	4005176529986	Chrome	279.00
				
	<p>Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 843 003	4005176496547	Chrome	329.00
				
	<p>Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 844 003	4005176496554	Chrome	n.A.
				
	<p>Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 618 003	4005176529740	Chrome	299.00
	<p>Plus Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses</p>			
	20 301 003	4005176529757	Chrome	299.00
	<p>Plus Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pop-up waste set 1 1/4" GROHE QuickFix installation system pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>			
	29 303 003	4005176529764	Chrome	249.00
	<p>Plus 2-hole basin mixer M-Size wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 147 mm min. recommended pressure 1 bar</p>			
	29 306 003	4005176529771	Chrome	259.00
	<p>Plus 2-hole basin mixer L-Size wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm min. recommended pressure 1 bar</p>			
	23 200 000	4005176908354		218.61
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>			









GROHE PLUS



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 241 003	4005176529849	Chrome	199.00
<p>Plus Bidet mixer 1/2" monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar</p>				
 	33 577 003	4005176529801	Chrome	239.00
<p>Plus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1 bar</p>				
 	33 553 003	4005176529795	Chrome	n.A.
<p>Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1 bar</p>				
 	33 547 003	4005176529818	Chrome	339.00
<p>Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1 bar</p>				
 	40 954 000	4005176496844	Chrome	99.00
<p>Plus Tray suitable for 33 553 003 33 547 003 33 577 003</p>				



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	24 059 003	4005176529832	Chrome	189.00
<p>Plus Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 060 003	4005176529825	Chrome	199.00
<p>Plus Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 093 003	4005176530050	Chrome	219.00
<p>Plus Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	25 132 003	4005176529870	Chrome	369.00
<p>Plus Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" recommended pressure 0.2 - 5.0 bar GROHE StarLight finish</p>				

GROHE PLUS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 133 003	4005176529887	Chrome	399.00
<p>Plus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" recommended pressure 0.2 - 5.0 bar GROHE StarLight finish</p>				
 	29 307 003	4005176529993	Chrome	799.00
<p>Plus 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 001 min. recommended pressure 1 bar</p>				
 	23 845 003	4005176496677	Chrome	679.00
<p>Plus 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower 7.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 001 for combination with 28 990 / 28 991 min. recommended pressure 1 bar</p>				
 	29 037 001	4005176455490		n.A.
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				
	45 388 000	4005176212758		74.10
<p>Supporting legs for baseframe</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 846 003	4005176496684	Chrome	1,499.00
	<p>Plus Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower spout with laminar mousseur projection 282 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube 6.6 l/min Silverflex shower hose 1250 mm (28 362) protected against backflow min. recommended pressure 1 bar</p>			
	45 984 001	4005176992056		333.67
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
	29 086 000	4005176935497		218.61
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
	13 404 003	4005176529788	Chrome	139.00
	<p>Plus Bath spout wall mounted GROHE StarLight chrome finish laminar mousseur male thread 1/2" projection 168 mm</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 507 000 26 507 LSO	4005176457586 4005176457609	Chrome moon white	1,034.49 1,191.39
<p>Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting Consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Rainshower 310 SmartActive, spray plate chrome GROHE PureRain and Centered Jet spray hand shower Euphoria 110 Massage, spray plate white (27 221 001) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow - GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				
	26 508 000 26 508 LSO	4005176457593 4005176457616	Chrome moon white	1,034.49 1,191.39
<p>Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting Consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Rainshower 310 SmartActive Cube, spray plate chrome GROHE PureRain and Centered Jet spray hand shower Euphoria Cube Stick (27 698 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish - GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 509 000	4005176457623	Chrome	898.51
	26 510 000	4005176457630	Chrome	1,044.95

Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting
 Consisting of:
 horizontal 450 mm shower arm
 upper bracket adjustable for minimal adaption to existing drilling holes
 exposed SmartControl thermostat
 allows change between:
 head shower Euphoria 260 (26 455)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage, spray plate white (27 221 001)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
 - GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
 upper bracket adjustable for minimal adaption to existing drilling holes
 exposed SmartControl bath thermostat
 allows change between:
 head shower Euphoria 260 (26 455)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 hand shower Euphoria 110 Massage, spray plate white (27 221 001)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
 - GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar









GROHE PLUS











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 952 000	4005176174230	Chrome	46.02
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	19 025 000	4005176209154	Chrome	51.25
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set</p> <p>in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	40 564 000	4005176912740	Chrome	239.53
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>				
 	28 912 000	4005176266751	Chrome	218.61
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				
 	37 535 000	4005176416019	Chrome	60.47
<p>Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				
 	37 624 000	4005176416095	Chrome	69.25
<p>Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				

GROHE EUROPLUS























GROHE EUROPLUS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 156 002	4005176865930	Chrome	176.77
				
	<p>Europlus Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system adjustable mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 612 002	4005176865886	Chrome	176.77
				
	<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 163 002	4005176865909	Chrome	166.31
				
	<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur smooth body flexible connection hoses</p>			
	33 163 20L	4005176917073	Chrome	159.00
				
	<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur smooth body flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 155 002	4005176865947	Chrome	239.53
<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish rapid installation system pull out spout with mousseur integrated non-return valve pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 618 002	4005176866029	Chrome	239.53
<p>Europlus Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 241 002	4005176865954	Chrome	176.77
<p>Europlus Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	20 301 000	4005176896422	Chrome	291.83
<p>Europlus Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	33 577 002	4005176866074	Chrome	208.15
<p>Europlus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow</p>				

GROHE EUROPLUS









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 553 002	4005176865978	Chrome	218.61
<p>Europlus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower SpeedClean mousseur integrated non-return valve in the shower outlet 1/2" S-unions, protected against backflow</p>				
 	33 547 002	4005176866081	Chrome	270.91
<p>Europlus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower SpeedClean mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow with shower set hand shower euphoria 110 Champagne (27 222) wall shower holder (28 622 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				
 	24 059 002	4005176465666	Chrome	153.00
<p>Europlus Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
<p>35 600 000 4005176413469</p>				125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 060 002	4005176465673	Chrome	168.00
<p>Europlus Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
<p>35 600 000 4005176413469</p>				125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 537 002	4005176868412	Chrome	155.85
<p>Europlus Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	19 536 002	4005176866067	Chrome	155.85
<p>Europlus Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	25 133 002	4005176905254	Chrome	239.53
<p>Europlus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	25 132 002	4005176905247	Chrome	270.91
<p>Europlus Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	19 025 000	4005176209154	Chrome	51.25
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	37 624 000	4005176416095	Chrome	69.25
<p>Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				

GROHE ESSENCE










GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)		
	23 589 001	4005176339172	Chrome	150.62		
	23 589 DC1	4005176369919	supersteel	176.77		
	23 589 BE1	4005176419638	polished nickel	218.61		
	23 589 EN1	4005176425844	brushed nickel	218.61		
	23 589 GL1	4005176407321	cool sunrise	218.61		
	23 589 GN1	4005176419614	brushed cool sunrise	218.61		
	23 589 DA1	4005176407314	warm sunset	218.61		
	23 589 DL1	4005176419621	brushed warm sunset	218.61		
	23 589 A01	4005176407338	hard graphite	218.61		
	23 589 AL1	4005176407345	Brushed Hard Graphite	218.61		
		Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses				
		23 590 001	4005176339189	Chrome	140.16	
23 590 DC1		4005176369926	supersteel	176.77		
23 590 BE1		4005176426018	polished nickel	203.97		
23 590 EN1		4005176426025	brushed nickel	203.97		
23 590 GL1		4005176425851	cool sunrise	203.97		
23 590 GN1		4005176425868	brushed cool sunrise	203.97		
23 590 DA1		4005176425875	warm sunset	203.97		
23 590 DL1		4005176425882	brushed warm sunset	203.97		
23 590 A01		4005176426001	hard graphite	203.97		
		Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system smooth body flexible connection hoses				
		23 591 001	4005176339196	Chrome	124.47	
			Essence Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		32 898 001	4005176306860	Chrome	145.39	
			Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			







	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		34 294 001	4005176306877	Chrome	134.93
<p>Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>					
		23 379 001	4005176306891	Chrome	155.85
<p>Essence Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 462 001	4005176306907	Chrome	176.77
		23 462 DC1	4005176369933	supersteel	218.61
		23 462 BE1	4005176426087	polished nickel	246.86
		23 462 EN1	4005176426094	brushed nickel	246.86
		23 462 GL1	4005176426032	cool sunrise	246.86
		23 462 GN1	4005176426049	brushed cool sunrise	246.86
		23 462 DA1	4005176426056	warm sunset	246.86
		23 462 DL1	4005176426063	brushed warm sunset	246.86
		23 462 A01	4005176425325	hard graphite	246.86
		23 462 AL1	4005176426070	Brushed Hard Graphite	246.86
<p>Essence Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 463 001	4005176306914	Chrome	166.31
<p>Essence Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses</p>					




GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	32 628 001	4005176306983	Chrome	187.23	
	32 628 DC1	4005176369940	supersteel	239.53	
	32 628 BE1	4005176419669	polished nickel	270.91	
	32 628 EN1	4005176426100	brushed nickel	270.91	
	32 628 GL1	4005176407369	cool sunrise	270.91	
	32 628 GN1	4005176419645	brushed cool sunrise	270.91	
	32 628 DA1	4005176407352	warm sunset	270.91	
	32 628 DL1	4005176419652	brushed warm sunset	270.91	
	32 628 A01	4005176407376	hard graphite	270.91	
	32 628 AL1	4005176407383	Brushed Hard Graphite	270.91	
		<p>Essence Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 541 001	4005176313912	Chrome	176.77
<p>Essence Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses</p>					
		32 901 001	4005176306969	Chrome	249.99
		32 901 DC1	4005176369957	supersteel	333.67
		32 901 BE1	4005176426131	polished nickel	365.05
		32 901 EN1	4005176426148	brushed nickel	365.05
		32 901 GL1	4005176407505	cool sunrise	365.05
		32 901 GN1	4005176426117	brushed cool sunrise	365.05
		32 901 DA1	4005176407499	warm sunset	365.05
		32 901 DL1	4005176426124	brushed warm sunset	365.05
		32 901 A01	4005176407512	hard graphite	365.05
		32 901 AL1	4005176407529	Brushed Hard Graphite	365.05
		<p>Essence Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus rapid installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses</p>			




	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 296 001	4005176307072	Chrome	239.53
<p>Essence Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				
 	20 299 001	4005176307096	Chrome	302.29
<p>Essence 3-hole basin mixer L-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				
	19 408 001	4005176307133	Chrome	176.77
	19 408 DC1	4005176369964	supersteel	229.07
	19 408 BE1	4005176426216	polished nickel	270.91
	19 408 EN1	4005176426223	brushed nickel	270.91
	19 408 GL1	4005176426155	cool sunrise	270.91
	19 408 GN1	4005176426162	brushed cool sunrise	270.91
	19 408 DA1	4005176426179	warm sunset	270.91
	19 408 DL1	4005176426186	brushed warm sunset	270.91
	19 408 A01	4005176426209	hard graphite	270.91
	19 408 AL1	4005176426193	Brushed Hard Graphite	270.91
 				
<p>Essence 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 183 mm</p>				
	19 967 001	4005176307140	Chrome	197.69
	19 967 DC1	4005176369971	supersteel	270.91
	19 967 BE1	4005176426292	polished nickel	305.43
	19 967 EN1	4005176426308	brushed nickel	305.43
	19 967 GL1	4005176426230	cool sunrise	305.43
	19 967 GN1	4005176426247	brushed cool sunrise	305.43
	19 967 DA1	4005176426254	warm sunset	305.43
	19 967 DL1	4005176426261	brushed warm sunset	305.43
	19 967 A01	4005176426285	hard graphite	305.43
	19 967 AL1	4005176426278	Brushed Hard Graphite	305.43
	ditto, projection 230 mm			
 	23 571 000	4005176334276		208.15
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				





GROHE ESSENCE




	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	32 935 001	4005176307171	Chrome	145.39	
	32 935 DC1	4005176369988	supersteel	208.15	
	32 935 BE1	4005176426377	polished nickel	218.61	
	32 935 EN1	4005176426384	brushed nickel	218.61	
	32 935 GL1	4005176426315	cool sunrise	218.61	
	32 935 GN1	4005176426322	brushed cool sunrise	218.61	
	32 935 DA1	4005176426339	warm sunset	218.61	
	32 935 DL1	4005176426346	brushed warm sunset	218.61	
	32 935 A01	4005176426360	hard graphite	218.61	
	32 935 AL1	4005176426353	Brushed Hard Graphite	218.61	
	Essence Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses				
	 	33 636 001	4005176307287	Chrome	155.85
		33 636 DC1	4005176371141	supersteel	218.61
33 636 BE1		4005176426674	polished nickel	239.53	
33 636 EN1		4005176426681	brushed nickel	239.53	
33 636 GL1		4005176426612	cool sunrise	239.53	
33 636 GN1		4005176426629	brushed cool sunrise	239.53	
33 636 DA1		4005176426636	warm sunset	239.53	
33 636 DL1		4005176426643	brushed warm sunset	239.53	
33 636 A01		4005176426667	hard graphite	239.53	
33 636 AL1		4005176426650	Brushed Hard Graphite	239.53	
Essence Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow					
 		33 624 001	4005176990786	Chrome	187.23
		33 624 DC1	4005176371097	supersteel	229.07
	33 624 BE1	4005176426452	polished nickel	286.60	
	33 624 EN1	4005176426469	brushed nickel	286.60	
	33 624 GL1	4005176426391	cool sunrise	286.60	
	33 624 GN1	4005176426407	brushed cool sunrise	286.60	
	33 624 DA1	4005176426414	warm sunset	286.60	
	33 624 DL1	4005176426421	brushed warm sunset	286.60	
	33 624 A01	4005176426445	hard graphite	286.60	
	33 624 AL1	4005176426438	Brushed Hard Graphite	286.60	
	Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow				







	Ref. No.	EAN code	Colour	Retail Guide Price (€)
	33 628 001	4005176990793	Chrome	229.07
	<p>Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow with shower set Consisting of: hand shower Euphoria Cosmopolitan Stick (27 400 000) 6.6 l/min wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364)</p>			
	24 057 001	4005176465468	Chrome	157.00
	24 057 DC1	4005176465482	supersteel	204.00
	24 057 BE1	4005176465628	polished nickel	220.00
	24 057 EN1	4005176465642	brushed nickel	220.00
	24 057 GL1	4005176465505	cool sunrise	220.00
	24 057 GN1	4005176465529	brushed cool sunrise	220.00
	24 057 DA1	4005176465543	warm sunset	220.00
	24 057 DL1	4005176465567	brushed warm sunset	220.00
	24 057 A01	4005176465581	hard graphite	220.00
	24 057 AL1	4005176465604	Brushed Hard Graphite	220.00
	<p>Essence Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 058 001	4005176465475	Chrome	173.00
	24 058 DC1	4005176465499	supersteel	225.00
	24 058 BE1	4005176465635	polished nickel	242.00
	24 058 EN1	4005176465659	brushed nickel	242.00
	24 058 GL1	4005176465512	cool sunrise	242.00
	24 058 GN1	4005176465536	brushed cool sunrise	242.00
	24 058 DA1	4005176465550	warm sunset	242.00
	24 058 DL1	4005176465574	brushed warm sunset	242.00
	24 058 A01	4005176465598	hard graphite	242.00
	24 058 AL1	4005176465611	Brushed Hard Graphite	242.00
	<p>Essence Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			




GROHE ESSENCE




	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 092 001	4005176480522	Chrome	196.00
	24 092 DC1	4005176480539	supersteel	254.00
	24 092 BE1	4005176480607	polished nickel	274.00
	24 092 EN1	4005176480614	brushed nickel	274.00
	24 092 GL1	4005176480546	cool sunrise	274.00
	24 092 GN1	4005176480553	brushed cool sunrise	274.00
	24 092 DA1	4005176480560	warm sunset	274.00
	24 092 DL1	4005176480577	brushed warm sunset	274.00
	24 092 A01	4005176481291	hard graphite	274.00
	24 092 AL1	4005176481307	Brushed Hard Graphite	274.00
		<p>Essence Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever</p> <p>3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>		
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 286 001	4005176307294	Chrome	124.47
	19 286 DC1	4005176371158	supersteel	166.31
	19 286 BE1	4005176426759	polished nickel	201.88
	19 286 EN1	4005176426766	brushed nickel	201.88
	19 286 GL1	4005176426698	cool sunrise	201.88
	19 286 GN1	4005176426704	brushed cool sunrise	201.88
	19 286 DA1	4005176426711	warm sunset	201.88
	19 286 DL1	4005176426728	brushed warm sunset	201.88
	19 286 A01	4005176426742	hard graphite	201.88
	19 286 AL1	4005176426735	Brushed Hard Graphite	201.88
		<p>Essence Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever</p> <p>GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing</p>		
	19 285 001	4005176307225	Chrome	134.93
	19 285 DC1	4005176371110	supersteel	197.69
	19 285 BE1	4005176426568	polished nickel	219.66
	19 285 EN1	4005176426575	brushed nickel	219.66
	19 285 GL1	4005176407543	cool sunrise	219.66
	19 285 GN1	4005176426544	brushed cool sunrise	219.66
	19 285 DA1	4005176407536	warm sunset	219.66
	19 285 DL1	4005176426551	brushed warm sunset	219.66
	19 285 A01	4005176407550	hard graphite	219.66
	19 285 AL1	4005176407567	Brushed Hard Graphite	219.66
		<p>Essence Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever</p> <p>GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>		

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	19 578 001	4005176307195	Chrome	699.77	
	19 578 DC1	4005176371103	supersteel	877.59	
	19 578 BE1	4005176426537	polished nickel	975.92	
	19 578 EN1	4005176374463	brushed nickel	975.92	
	19 578 GL1	4005176426476	cool sunrise	975.92	
	19 578 GN1	4005176426483	brushed cool sunrise	975.92	
	19 578 DA1	4005176426490	warm sunset	975.92	
	19 578 DL1	4005176426506	brushed warm sunset	975.92	
	19 578 A01	4005176426520	hard graphite	975.92	
	19 578 AL1	4005176426513	Brushed Hard Graphite	975.92	
		Essence 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower for chrome: hand shower 27 806, for other colours: hand shower 26 465 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000			
19 976 001		4005176307218	Chrome	417.35	
Essence 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish single lever mixer operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991					
		29 037 000	4005176865749		720.69
		4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water			
		45 388 000	4005176212758		74.10
		Supporting legs for baseframe			









	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	23 741 001	4005176371509	Chrome	1,620.25	
	23 741 DC1	4005176371516	supersteel	2,122.33	
	23 491 001	4005176307263	Chrome	1,076.33	
	23 491 DC1	4005176371127	supersteel	1,379.67	
	23 491 BE1	4005176426605	polished nickel	1,540.76	
	23 491 EN1	4005176371134	brushed nickel	1,540.76	
	23 491 GL1	4005176407581	cool sunrise	1,540.76	
	23 491 GN1	4005176426582	brushed cool sunrise	1,540.76	
	23 491 DA1	4005176407574	warm sunset	1,540.76	
	23 491 DL1	4005176426599	brushed warm sunset	1,540.76	
	23 491 A01	4005176407598	hard graphite	1,540.76	
	23 491 AL1	4005176407604	Brushed Hard Graphite	1,540.76	
	45 984 001	4005176992056		333.67	
	<p>Essence Single lever free standing shower mixer 1/2" floor-mounted set for final installation for 45 984 001 29 038 001 29 086 000 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter head shower/hand shower 360° horizontal swivable shower arm integrated non-return valve in the shower outlet 1/2" with shower holder Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000) with ball joint rotation angle ± 15° GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system for chrome: hand shower 27 806, for other colours: hand shower 26 465 Silverflex shower hose 1750 mm (28 388 000) protected against backflow</p>				
	<p>Essence Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 277 mm integrated non-return valve in the shower outlet 1/2" with shower holder for chrome: hand shower 27 806, for other colours: hand shower 26 465 Silverflex shower hose 1250 mm (28 362) protected against backflow</p>				
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>					

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		29 086 000	4005176935497		218.61
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>					
		37 601 000	4005176416057	Chrome	69.25
		37 601 DC0	4005176416088	supersteel	78.01
		37 601 BE0	4005176529009	polished nickel	133.00
		37 601 EN0	4005176529047	brushed nickel	133.00
		37 601 GL0	4005176524271	cool sunrise	133.00
		37 601 GN0	4005176529016	brushed cool sunrise	133.00
		37 601 DA0	4005176524288	warm sunset	133.00
		37 601 DL0	4005176529023	brushed warm sunset	133.00
		37 601 A00	4005176528996	hard graphite	133.00
		37 601 AL0	4005176529030	Brushed Hard Graphite	133.00
<p>Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>					
		34 065 DC2	4005176374432	supersteel	281.37
		34 065 BE2	4005176426834	polished nickel	344.13
		34 065 EN2	4005176426841	brushed nickel	344.13
		34 065 GL2	4005176426773	cool sunrise	344.13
		34 065 GN2	4005176426780	brushed cool sunrise	344.13
		34 065 DA2	4005176426797	warm sunset	344.13
		34 065 DL2	4005176426803	brushed warm sunset	344.13
		34 065 A02	4005176426827	hard graphite	344.13
		34 065 AL2	4005176426810	Brushed Hard Graphite	344.13
<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>					

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 468 000	4005176847981	Chrome	365.05
	19 468 BE0	4005176426919	polished nickel	580.53
	19 468 EN0	4005176426926	brushed nickel	580.53
	19 468 GL0	4005176426858	cool sunrise	580.53
	19 468 GN0	4005176426865	brushed cool sunrise	580.53
	19 468 DA0	4005176426872	warm sunset	580.53
	19 468 DL0	4005176426889	brushed warm sunset	580.53
	19 468 A00	4005176426902	hard graphite	580.53
	19 468 AL0	4005176426896	Brushed Hard Graphite	580.53
		<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>		
	26 066 000	4005176937200	Chrome	490.57
	26 066 DC0	4005176371172	supersteel	668.39
	26 066 BE0	4005176427244	polished nickel	705.00
	26 066 EN0	4005176427251	brushed nickel	705.00
	26 066 GL0	4005176427183	cool sunrise	705.00
	26 066 GN0	4005176427190	brushed cool sunrise	705.00
	26 066 DA0	4005176427206	warm sunset	705.00
	26 066 DL0	4005176427213	brushed warm sunset	705.00
	26 066 A00	4005176427237	hard graphite	705.00
	26 066 AL0	4005176427220	Brushed Hard Graphite	705.00
	<p>Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>			
	26 067 000	4005176937217	Chrome	490.57
	26 067 DC0	4005176371189	supersteel	668.39
	26 067 BE0	4005176427329	polished nickel	705.00
	26 067 EN0	4005176427336	brushed nickel	705.00
	26 067 GL0	4005176427268	cool sunrise	705.00
	26 067 GN0	4005176427275	brushed cool sunrise	705.00
	26 067 DA0	4005176427282	warm sunset	705.00
	26 067 DL0	4005176427299	brushed warm sunset	705.00
	26 067 A00	4005176427312	hard graphite	705.00
	26 067 AL0	4005176427305	Brushed Hard Graphite	705.00
	<p>Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	26 075 000	4005176937606	Chrome	772.99	
	26 075 DC0	4005176371219	supersteel	1,118.17	
	26 075 BE0	4005176428593	polished nickel	1,567.95	
	26 075 EN0	4005176428609	brushed nickel	1,567.95	
	26 075 GL0	4005176425332	cool sunrise	1,567.95	
	26 075 GN0	4005176425349	brushed cool sunrise	1,567.95	
	26 075 DA0	4005176425356	warm sunset	1,567.95	
	26 075 DL0	4005176425363	brushed warm sunset	1,567.95	
	26 075 A00	4005176425387	hard graphite	1,567.95	
	26 075 AL0	4005176425370	Brushed Hard Graphite	2,095.14	
		Euphoria System 310 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life SpeedClean anti-limescale system Twistfree preventing the hose from twisting GROHE MetalGrip ergonomically shaped metal handles suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar optional upgrade: GROHE EasyReach tray (26 362)			
		27 226 DC1	4005176374456	supersteel	155.85
27 226 EN1		4005176427176	brushed nickel	176.77	
27 226 BE1		4005176427169	polished nickel	176.77	
27 226 GL1		4005176427107	cool sunrise	176.77	
27 226 GN1		4005176427114	brushed cool sunrise	176.77	
27 226 DA1		4005176427121	warm sunset	176.77	
27 226 DL1		4005176427138	brushed warm sunset	176.77	
27 226 A01		4005176427152	hard graphite	176.77	
27 226 AL1		4005176427145	Brushed Hard Graphite	176.77	
		Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
	27 400 000	4005176877292	Chrome	40.79	
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar				

GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	27 057 000	4005176830457	Chrome	51.25	
	27 057 DC0	4005176371196	supersteel	61.71	
	27 057 BE0	4005176426957	polished nickel	78.45	
	27 057 EN0	4005176426964	brushed nickel	78.45	
	27 057 GL0	4005176338946	cool sunrise	78.45	
	27 057 GN0	4005176426933	brushed cool sunrise	78.45	
	27 057 DA0	4005176338939	warm sunset	78.45	
	27 057 DL0	4005176426940	brushed warm sunset	78.45	
	27 057 A00	4005176338953	hard graphite	78.45	
	27 057 AL0	4005176338960	Brushed Hard Graphite	78.45	
Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish					
 	27 074 000	4005176833083	Chrome	30.33	
	27 074 BE0	4005176834325	polished nickel	56.48	
	27 074 EN0	4005176834301	brushed nickel	56.48	
	27 074 GL0	4005176338984	cool sunrise	56.48	
	27 074 GN0	4005176427084	brushed cool sunrise	56.48	
	27 074 DA0	4005176338977	warm sunset	56.48	
	27 074 DL0	4005176427091	brushed warm sunset	56.48	
	27 074 A00	4005176338991	hard graphite	56.48	
	27 074 AL0	4005176339004	Brushed Hard Graphite	56.48	
	Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish				
 	28 388 000	4005176295362	Chrome	17.08	
	28 388 BE0	4005176295386	polished nickel	23.74	
	28 388 EN0	4005176427718	brushed nickel	23.74	
	28 388 GL0	4005176427657	cool sunrise	23.74	
	28 388 GN0	4005176427664	brushed cool sunrise	23.74	
	28 388 DA0	4005176427671	warm sunset	23.74	
	28 388 A00	4005176427701	hard graphite	23.74	
	28 388 AL0	4005176427695	Brushed Hard Graphite	23.74	
	Silverflex Shower hose Twistfree 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging				
	 	28 362 000	4005176295225	Chrome	13.33
28 362 BE0		4005176295249	polished nickel	18.74	
28 362 EN0		4005176427640	brushed nickel	18.74	
28 362 GL0		4005176427589	cool sunrise	18.74	
28 362 GN0		4005176427596	brushed cool sunrise	18.74	
28 362 DA0		4005176427602	warm sunset	18.74	
28 362 DL0		4005176427619	brushed warm sunset	18.74	
28 362 A00		4005176427633	hard graphite	18.74	
28 362 AL0		4005176427626	Brushed Hard Graphite	18.74	
Silverflex Shower hose Twistfree 1250 1250 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging					










GROHE EURODISC JOY






GROHE EURODISC JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 425 000	4005176993596	Chrome	166.31
	23 425 LSO	4005176993602	moon white	218.61
<p>Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 427 000	4005176993619	Chrome	187.23
	23 427 LSO	4005176993626	moon white	239.53
<p>Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 428 000	4005176993633	Chrome	281.37
	23 428 LSO	4005176993640	moon white	365.05
<p>Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
	19 968 000	4005176993657	Chrome	197.69
	19 968 LSO	4005176993664	moon white	312.75
<p>Eurodisc Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm</p>				
	19 969 000	4005176993671	Chrome	218.61
	19 969 LSO	4005176993688	moon white	239.53
<p>Eurodisc Joy 2-hole basin mixer L-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm</p>				

GROHE EURODISC JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 429 000	4005176993695		218.61
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>			
	24 036 000 24 036 LSO	4005176993701 4005176993718	Chrome moon white	197.69 229.07
	<p>Eurodisc Joy Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 430 000 23 430 LSO	4005176993725 4005176993732	Chrome moon white	208.15 229.07
	<p>Eurodisc Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow</p>			
	23 431 000 23 431 LSO	4005176993749 4005176993756	Chrome moon white	208.15 239.53
	<p>Eurodisc Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove Joystick cartridge GROHE StarLight chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>			
	24 055 002	4005176465420	Chrome	148.00
	<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			









GROHE EURODISC JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 056 002	4005176465437	Chrome	162.00
	<p>Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	19 549 002	4005176887758	Chrome	155.85
	19 549 LS2	4005176998942	moon white	197.69
<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	19 548 002	4005176887840	Chrome	166.31
	19 548 LS2	4005176998959	moon white	197.69
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				









GROHE EURODISC COSMOPOLITAN












GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 051 002	4005176887567	Chrome	93.09
	Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
	23 049 002	4005176887536	Chrome	176.77
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
	33 190 20E	4005176887482	Chrome	176.77
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	32 469 20E	4005176908835	Chrome	166.31
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109			











GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 469 20L	4005176917110	Chrome	159.00
	<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE QuickFix Plus installation system with centering support GROHE StarLight chrome finish mousseur smooth body flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar</p> <p>includes: optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>			
 	23 448 002	4005176998744	Chrome	176.77
	<p>Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
 	23 449 002	4005176998768	Chrome	166.31
	<p>Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system smooth body flexible connection hoses</p>			
 	23 054 003	4005176472596	Chrome	176.77
	<p>Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix Plus installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar optional temperature limiter (46 375 000)</p>			







GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 432 000	4005176993763	Chrome	270.91
	<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>			
	23 055 002	4005176887680	Chrome	218.61
	<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	19 573 002	4005176887659	Chrome	197.69
	<p>Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide NEW centre distance 110 mm projection 170 mm</p>			
	19 974 002	4005176305948	Chrome	208.15
	ditto, projection 225 mm			
	23 571 000	4005176334276		208.15
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
	33 244 002	4005176888779	Chrome	166.31
	<p>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			

GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 569 002	4005176887734	Chrome	176.77
	<p>Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>			
	33 390 002	4005176887796	Chrome	197.69
	<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>			
	24 055 002	4005176465420	Chrome	148.00
	<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 056 002	4005176465437	Chrome	162.00
	<p>Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 549 002	4005176887758	Chrome	155.85
	19 549 LS2	4005176998942	moon white	197.69
	<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			











GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 548 002 19 548 LS2	4005176887840 4005176998959	Chrome moon white	166.31 197.69
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	13 278 002	4005176887871	Chrome	93.09
<p>Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				
 	37 624 000	4005176416095	Chrome	69.25
<p>Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				









GROHE CONCETTO



GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 204 10E	4005176887345	Chrome	139.00
				
				<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p>
	32 202 10L	4005176903960	Chrome	129.00
				
				<p>Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar</p> <p>includes:</p>
	32 240 10E	4005176906794	Chrome	129.00
				
				<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses</p>
	32 240 10L	4005176903977	Chrome	119.00
				
				<p>Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar</p> <p>includes: optional temperature limiter (46 375 000)</p>
	23 380 10E	4005176938245	Chrome	139.00
				
				<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>

GROHE CONCETTO











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 450 001	4005176998775	Chrome	149.00
				
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 451 001	4005176998799	Chrome	139.00
				
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 739 002	4005176472602	Chrome	199.00
				
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1 bar</p>			
	32 629 002	4005176472619	Chrome	169.00
				
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1 bar</p>			








GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 216 001	4005176888373	Chrome	219.00
<p>Concetto Three-hole basin mixer 1/2" L-Size ceramic headpart GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	19 575 001	4005176888366	Chrome	179.00
<p>Concetto 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon GROHE StarLight chrome finish centre distance 110 mm projection 147 mm</p>				
 	23 571 000	4005176334276		208.15
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				
 	32 208 001	4005176888908	Chrome	129.00
<p>Concetto Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 210 001	4005176888939	Chrome	149.00
<p>Concetto Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve, S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	18 391 001	4005176888533		29.00
				
	Concetto Plastic tray for 32 210 001			
	32 701 001	4005176889042	Chrome	169.00
				
	Concetto Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)			
	32 211 001	4005176889028	Chrome	169.00
				
	Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)			
	32 212 001	4005176889035	Chrome	199.00
				
	Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Consisting of: Euphoria Cosmopolitan hand shower (27 400) wall shower holder (27 056) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)			

GROHE CONCETTO






	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 053 001	4005176465406	Chrome	144.00
	Concetto Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 054 001	4005176465413	Chrome	158.00
	Concetto Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 345 001	4005176888953	Chrome	149.00
	Concetto Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing			
	19 346 001	4005176889080	Chrome	159.00
	Concetto Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling			
	25 102 000	4005176881671	Chrome	229.00
	Concetto Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2-5.0 bar			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 109 000	4005176881848	Chrome	259.00
<p>Concetto Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish</p>				
 	29 037 000	4005176865749		720.69
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				
	45 388 000	4005176212758		74.10
<p>Supporting legs for baseframe</p>				
 	13 280 001	4005176888687	Chrome	89.00
<p>Concetto Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2"</p>				

GROHE EUROSTYLE COSMOPOLITAN



GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 039 002	4005176886881	Chrome	82.63
	23 037 002	4005176886355	Chrome	134.93
	23 387 20E	4005176938382	Chrome	114.01
	33 552 20E	4005176886300	Chrome	114.01
	32 468 20E	4005176906886	Chrome	114.01

Eurostyle Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
mousseur







Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses











Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
noise classification 1 in accordance
with DIN4109

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109













GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 468 20L	4005176917097	Chrome	109.00
<p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur, smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)</p>				
 	23 043 003	4005176472732	Chrome	176.77
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar optional temperature limiter (46 375 000)</p>				
 	20 208 002	4005176886980	Chrome	239.53
<p>Eurostyle Cosmopolitan 3-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	19 571 002	4005176886973	Chrome	208.15
<p>Eurostyle Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>				
 	23 571 000	4005176334276		208.15
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 565 002	4005176887000	Chrome	114.01
<p>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	33 590 002	4005176887048	Chrome	124.47
<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	33 591 002	4005176887123	Chrome	145.39
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	24 051 002	4005176465383	Chrome	142.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 052 002	4005176465390	Chrome	156.00
<p>Eurostyle Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				









GROHE EUROSTYLE COSMOPOLITAN











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 507 002	4005176887079	Chrome	145.39
	<p>Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
	19 506 002	4005176887185	Chrome	145.39
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
	23 048 003	4005176429132	Chrome	n.A.
	<p>Eurostyle Cosmopolitan 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing, single lever mixer operating element diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>			
	29 037 000	4005176865749		720.69
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>			
	45 388 000	4005176212758		74.10
	<p>Supporting legs for baseframe</p>			
	13 276 002	4005176887246	Chrome	93.09
	<p>Eurostyle Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>			

GROHE EUROSTYLE





















GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 558 003	4005176334139	Chrome	114.01
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 707 003 23 707 LS3	4005176364778 4005176364785	Chrome moon white	103.55 145.39
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 374 003 23 374 LS3	4005176334153 4005176334450	Chrome moon white	114.01 155.85
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 709 003 23 709 LS3	4005176365003 4005176365010	Chrome moon white	103.55 134.93
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			






	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 565 30L	4005176333620	Chrome	114.01
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar</p>			
	23 712 30L	4005176365034	Chrome	93.09
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar</p>			
	32 468 003	4005176334207	Chrome	103.55
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 715 003	4005176365065	Chrome	93.09
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 567 003	4005176334214	Chrome	114.01
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			









GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 568 30L	4005176333637	Chrome	124.47
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar</p>			
	23 717 30L	4005176365089	Chrome	93.09
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar</p>			
	23 569 003	4005176334238	Chrome	197.69
	23 569 LS3	4005176334467	moon white	n.A.
<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 718 003	4005176365096	Chrome	176.77
	23 718 LS3	4005176365102	moon white	208.15
<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4"</p>				

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		23 570 003 23 570 LS3	4005176334245 4005176334474	Chrome moon white	218.61 260.45
<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>					
		23 719 003 23 719 LS3	4005176365119 4005176365126	Chrome moon white	208.15 239.53
<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>					
		19 571 003 19 571 LS3	4005176334269 4005176334498	Chrome moon white	208.15 260.45
<p>Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>					
		23 571 000	4005176334276		208.15
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>					
		33 565 003	4005176334283	Chrome	93.09
<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>					

GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 720 003	4005176365157	Chrome	103.55
	23 720 LS3	4005176365164	moon white	145.39
<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				
	33 590 003	4005176334306	Chrome	155.85
	33 590 LS3	4005176334511	moon white	166.31
<p>Eurostyle Single-lever shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>				
	23 722 003	4005176365188	Chrome	155.85
	23 722 LS3	4005176365195	moon white	155.85
<p>Eurostyle Single-lever shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>				
	33 591 003	4005176334351	Chrome	166.31
	33 591 LS3	4005176334535	moon white	208.15
<p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>				
	23 726 003	4005176365256	Chrome	155.85
	23 726 LS3	4005176365263	moon white	208.15
<p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions protected against backflow metal wall escutcheon</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 048 003	4005176465345	Chrome	130.00
	24 048 LS3	4005176465352	moon white	169.00
	Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	24 046 003	4005176465307	Chrome	124.00
	24 046 LS3	4005176465314	moon white	161.00
	Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	24 049 003	4005176465369	Chrome	143.00
	24 049 LS3	4005176465376	moon white	186.00
	Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	24 047 003	4005176465321	Chrome	137.00
	24 047 LS3	4005176465338	moon white	177.00
	Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 507 003 19 507 LS3	4005176334337 4005176334528	Chrome moon white	114.01 n.A.
		<p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body loop metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>		
	29 098 003	4005176365225	Chrome	114.01
		<p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>		
	23 725 003	4005176365249	Chrome	145.39
		<p>Eurostyle Single-lever shower mixer 1/2" wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish metal wall escutcheon escutcheon- and shaft-sealing GROHE QuickFix covered fixing optional temperature limiter (46 308 000)</p>		
	19 506 003 19 506 LS3	4005176334399 4005176334542	Chrome moon white	134.93 176.77
		<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>		
	29 099 003 29 099 LS3	4005176365300 4005176365317	Chrome moon white	134.93 166.10
		<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing</p>		

Ref. No.	EAN code	Colour	Retail Guide Price (£)
23 730 003	4005176365324	Chrome	155.85











Eurostyle
Single-lever bath/shower mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE QuickFix covered fixing
 Consisting of:
 compatible with
 (19 506 003)
 with concealed body
 adjustable flow rate limiter
 automatic diverter: bath/shower
 solid metal lever
 optional temperature limiter (46 308 000)
 metal wall escutcheons

GROHE EUROSMART COSMOPOLITAN













GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 825 00L	4005176917028	Chrome	109.00
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure 12mm bore recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>			
	32 824 00L	4005176917035	Chrome	103.55
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur smooth body flexible connection hoses for low pressure 12mm bore recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>			
	23 325 000	4005176933974	Chrome	124.47
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	23 327 000	4005176934094	Chrome	114.01
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>			











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 830 001	4005176472749	Chrome	145.39
				
	Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	20 187 000	4005176874680	Chrome	197.69
				
	Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling			
	19 381 000	4005176874673	Chrome	176.77
				
	Eurosmart Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm			
	23 571 000	4005176334276		208.15
				
	Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device			
	32 839 000	4005176874802	Chrome	103.55
				
	Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			





GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 837 000	4005176874772	Chrome	124.47
<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow</p>				
 	18 349 000	4005176874796		26.15
<p>Eurosmart Cosmopolitan Plastic tray for 32 837 000</p>				
 	32 831 000	4005176874703	Chrome	145.39
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	32 832 000	4005176874710	Chrome	166.31
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				
 	25 128 000	4005176905209	Chrome	197.69
<p>Eurosmart Cosmopolitan Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 129 000	4005176905216	Chrome	239.53
Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish min. recommended pressure 0.2 bar includes:				
 	24 044 000	4005176465185	Chrome	129.00
Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set 35 600 000 4005176413469 125.00 GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	24 045 000	4005176465291	Chrome	142.00
Eurosmart Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set 35 600 000 4005176413469 125.00 GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	25 219 001	4005176466373	Chrome	408.00
Eurosmart Cosmopolitan Perfect shower set with Tempesta 210 Consisting of: Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)				
 	19 383 000	4005176874765	Chrome	103.55
Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing				











GROHE EUROSMART COSMOPOLITAN











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 382 000	4005176874697	Chrome	124.47
	<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
 	13 261 000	4005176877384	Chrome	82.63
	<p>Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>			

GROHE EUROSMART













GROHE EUROSMART

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 265 002	4005176861543	Chrome	93.09
				
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 265 20L	4005176304729	Chrome	93.09
				
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure min. recommended pressure 0.2 bar</p>			
	33 188 002	4005176862052	Chrome	93.09
				
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses</p>			
	32 467 002	4005176862069	Chrome	82.63
				
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	32 467 20L	4005176304736	Chrome	82.63
				
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 926 002	4005176861567	Chrome	93.09
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 154 002	4005176862113	Chrome	94.14
	Ditto, with GROHE SilkMove ES			
	23 322 001	4005176934506	Chrome	103.55
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 323 001	4005176934513	Chrome	103.55
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses</p>			
	23 324 001	4005176934520	Chrome	93.09
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 537 002	4005176312212	Chrome	124.47
	<p>Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses</p>			

GROHE EUROSMART

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 929 002	4005176862366	Chrome	82.63
	Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	33 412 002	4005176862205	Chrome	103.55
	Eurosmart Single-lever bath/shower mixer 1/2" monobloc installation metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow			
	33 300 002	4005176862182	Chrome	103.55
	Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow			
	33 303 002	4005176862243	Chrome	187.23
	Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow			
	25 098 000	4005176881633	Chrome	176.77
	Eurosmart Bath filler deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 105 000	4005176881800	Chrome	208.15
<p>Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2"</p>				
 	24 042 002	4005176465161	Chrome	118.00
<p>Eurosmart Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 043 002	4005176465178	Chrome	130.00
<p>Eurosmart Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	19 451 002	4005176862335	Chrome	93.09
<p>Eurosmart Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>				
 	19 450 002	4005176862229	Chrome	103.55
<p>Eurosmart Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>				

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

29 708 000	4005176102653		279.00
------------	---------------	--	--------


















5-way diverter
concealed body, 1/2"
without finishing trim set
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
installation depth adjustable
24-60 mm

GROHE BAUEDGE







GROHE BAUEDGE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 421 000	4005176934353	Chrome	49.00
	<p>BauEdge Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>			
	20 421 00M	4005176986932	Chrome	97.00
	<p>BauEdge Basin tap 1/2" metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow mousseur 2 pieces</p>			
	23 356 000	4005176934131	Chrome	74.00
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system metal pop up waste set flexible connection hoses</p>			
	23 330 000	4005176934278	Chrome	64.00
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>			
	23 758 000	4005176388460	Chrome	86.00
	<p>BauEdge Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 759 000	4005176388477	Chrome	86.00
				
			<p>BauEdge Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>	
	23 760 000	4005176388484	Chrome	98.00
				
			<p>BauEdge Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>	
	23 761 000	4005176388491	Chrome	116.00
				
			<p>BauEdge Basin mixer 1/2" XL-Size monobloc installation for free-standing basins metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>	
	23 333 000	4005176934308	Chrome	69.00
				
			<p>BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>	
	23 334 000	4005176934322	Chrome	84.00
				
			<p>BauEdge Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>	











GROHE BAUEDGE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 217 000	4005176479786	Chrome	159.00
	BauEdge Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE StarLight chrome finish Min. recommended pressure 0.5 bar			
 	25 216 000	4005176479779	Chrome	129.00
	BauEdge Two-handed Bath filler 1/2" deck mounted metal handles Ceramic valves 3/4", 90° GROHE StarLight chrome finish			









GROHE BAULOOP



GROHE BAULOOP

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 422 000	4005176934490	Chrome	49.00
	<p>BauLoop Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2" min. recommended pressure 1 bar</p>			
	23 335 000	4005176934391	Chrome	79.00
	<p>BauLoop Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 337 000	4005176934414	Chrome	64.00
	<p>BauLoop Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses min. recommended pressure 1 bar</p>			
	23 762 000	4005176388538	Chrome	86.00
	<p>BauLoop Basin mixer 1/2\" M-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 763 000	4005176388545	Chrome	98.00
	<p>BauLoop Single-lever basin mixer 1/2\" L-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>			











GROHE BAULOOP







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 764 000	4005176388552	Chrome	116.00
<p>BauLoop Basin mixer 1/2" XL-Size monobloc installation for free-standing basins metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>				
 	23 338 000	4005176934421	Chrome	89.00
<p>BauLoop Bidet mixer 1/2" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 340 000	4005176934445	Chrome	69.00
<p>BauLoop Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>				
 	23 341 000	4005176934469	Chrome	79.00
<p>BauLoop Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>				

GROHE BAUFLOW



GROHE BAUFLOW











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 575 000	4005176388422	Chrome	51.25
<p>BauFlow Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>				
 	23 751 000	4005176388149	Chrome	71.13
<p>BauFlow Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 752 000	4005176388156	Chrome	66.94
<p>BauFlow Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>				
 	23 753 000	4005176388163	Chrome	102.51
<p>BauFlow Single-lever basin mixer 1/2\" L-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 754 000	4005176388170	Chrome	93.09
<p>BauFlow Bidet mixer 1/2\" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 755 000	4005176388187	Chrome	72.17
<p>BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>				
 	23 756 000	4005176388392	Chrome	82.63
<p>BauFlow Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				
	46 343 000	4005176189791		179.00
<p>ditto, extension set 50 mm</p>				









GROHE COSTA L



GROHE COSTA L

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 404 001	4005176842986	Chrome	51.25
	<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>			
	20 186 001	4005176874437	Chrome	61.71
	<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>			
	20 393 001	4005176842993	Chrome	67.99
	<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>			
	21 390 001	4005176843006	Chrome	134.93
	<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>			
	21 375 001	4005176843037	Chrome	93.09
	<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>			

GROHE COSTA L

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	21 374 001	4005176843013	Chrome	82.63
	<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur retractable chain flexible connection hoses GROHE StarLight chrome finish</p>			
 	26 330 001	4005176843112	Chrome	78.45
	<p>Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions GROHE StarLight chrome finish</p>			
 	25 450 001	4005176843372	Chrome	124.47
	<p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>			
 	35 028 000	4005176908316		124.47
	<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>			





GROHE TALENTOFILL



GROHE TALENTOFILL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 952 000	4005176174230	Chrome	46.02
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	28 990 000	4005176174025		124.47
<p>Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend</p>				
 	28 991 000	4005176174032		179.00
<p>Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set</p>				
 	14 055 000	4005176413520		152.72
<p>Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>				
 	19 025 000	4005176209154	Chrome	51.25
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set</p> <p>in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				

GROHE TALENTOFILL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 939 000	4005176209161		79.00
				
	28 943 000	4005176209178		89.00
				




GROHE SELECTION CUBE









GROHE SELECTION CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 865 000	4005176378140	Chrome	32.08
<p>Selection Cube Glass/soap dish holder for Selection Cube glass (40 789 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 805 000	4005176347924	Chrome	39.99
<p>Selection Cube Soap dispenser material: glass / metal GROHE StarLight finish fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 806 000	4005176347931		26.66
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 783 000	4005176347894		21.24
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 766 000	4005176347849	Chrome	45.41
<p>Selection Cube Towel ring material: metal concealed fastening GROHE StarLight finish</p>				
 	40 768 000	4005176347863	Chrome	129.16
<p>Selection Cube Double towel bar material: metal concealed fastening 2 arms, pivotable 400 mm GROHE StarLight finish</p>				

GROHE SELECTION CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 767 000	4005176347856	Chrome	87.49
Selection Cube Towel rail material: metal 500 mm (functional length 459 mm) concealed fastening GROHE StarLight finish				
 	40 804 000	4005176347917	Chrome	240.83
Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish				
 	40 782 000	4005176347887	Chrome	24.16
Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish				
 	40 807 000	4005176347948	Chrome	133.33
Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish				
 	40 781 000	4005176347870	Chrome	69.58
Selection Cube Toilet roll holder material: metal concealed fastening with cover GROHE StarLight finish				
 	40 784 000	4005176347900	Chrome	32.08
Selection Cube Spare toilet roll holder material: metal wall mounted concealed fastening GROHE StarLight finish				

GROHE SELECTION CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 857 000	4005176378393	Chrome	91.66
<p>Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight finish</p>				
 	40 809 000	4005176347962	Chrome	91.66
<p>Selection Cube Large corner basket material: metal for corner installation GROHE StarLight finish</p>				
 	40 808 000	4005176347955	Chrome	116.66
<p>Selection Cube Cosmetic mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE StarLight finish</p>				











GROHE ESSENTIALS













GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 369 001	4005176326196	Chrome	18.33
	40 369 BE1	4005176430176	polished nickel	25.41
	40 369 EN1	4005176326202	brushed nickel	25.41
	40 369 GL1	4005176429422	cool sunrise	25.41
	40 369 GN1	4005176429873	brushed cool sunrise	25.41
	40 369 DA1	4005176428975	warm sunset	25.41
	40 369 DL1	4005176430022	brushed warm sunset	25.41
	40 369 A01	4005176429576	hard graphite	25.41
	40 369 AL1	4005176429729	Brushed Hard Graphite	25.41
	<p>Essentials Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>			
	40 394 001	4005176326233	Chrome	14.99
	40 394 DC1	4005176421532	supersteel	19.16
	40 394 BE1	4005176430183	polished nickel	20.83
	40 394 EN1	4005176412646	brushed nickel	20.83
	40 394 GL1	4005176429439	cool sunrise	20.83
	40 394 GN1	4005176429880	brushed cool sunrise	20.83
	40 394 DA1	4005176428982	warm sunset	20.83
	40 394 DL1	4005176430039	brushed warm sunset	20.83
	40 394 A01	4005176429583	hard graphite	20.83
	40 394 AL1	4005176429736	Brushed Hard Graphite	20.83
<p>Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>				
	40 368 001	4005176326219		4.99
	<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>			
	40 372 001	4005176326226		5.99
	<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>			
	40 448 001	4005176328343	Chrome	33.74
	<p>Essentials Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>			











GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 444 001	4005176328336	Chrome	22.91
	<p>Essentials Soap dish with holder material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>			
	40 447 001	4005176328701	Chrome	22.49
	<p>Essentials Crystal glass with holder material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish</p>			
	40 365 001 40 365 BE1 40 365 EN1 40 365 GL1 40 365 GN1 40 365 DA1 40 365 DL1 40 365 A01 40 365 AL1	4005176326240 4005176430121 4005176326257 4005176429378 4005176429828 4005176428920 4005176429972 4005176429521 4005176429675	Chrome polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite Brushed Hard Graphite	18.33 25.41 25.41 25.41 25.41 25.41 25.41 25.41 25.41
	<p>Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>			
	40 371 001 40 371 BE1 40 371 EN1 40 371 GL1 40 371 GN1 40 371 DA1 40 371 DL1 40 371 A01 40 371 AL1	4005176326318 4005176430138 4005176430268 4005176429385 4005176429835 4005176428937 4005176429989 4005176429538 4005176429682	Chrome polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite Brushed Hard Graphite	32.08 44.99 44.99 44.99 44.99 44.99 44.99 44.99 44.99
	<p>Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>			
	40 688 001 40 688 BE1 40 688 EN1 40 688 GL1 40 688 GN1 40 688 DA1 40 688 DL1 40 688 A01 40 688 AL1	4005176326288 4005176430145 4005176326295 4005176429392 4005176429842 4005176428944 4005176429996 4005176429545 4005176429699	Chrome polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite Brushed Hard Graphite	26.24 37.08 37.08 37.08 37.08 37.08 37.08 37.08 37.08
	<p>Essentials Towel rail material: metal 504 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish</p>			






GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 366 001	4005176326264	Chrome	28.74
	40 366 BE1	4005176430152	polished nickel	40.41
	40 366 EN1	4005176326271	brushed nickel	40.41
	40 366 GL1	4005176429408	cool sunrise	40.41
	40 366 GN1	4005176429859	brushed cool sunrise	40.41
	40 366 DA1	4005176428951	warm sunset	40.41
	40 366 DL1	4005176430008	brushed warm sunset	40.41
	40 366 A01	4005176429552	hard graphite	40.41
	40 366 AL1	4005176429705	Brushed Hard Graphite	40.41
	Essentials Towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish			
 	40 386 001	4005176326301	Chrome	36.24
	40 386 BE1	4005176430169	polished nickel	50.83
	40 386 EN1	4005176430275	brushed nickel	50.83
	40 386 GL1	4005176429415	cool sunrise	50.83
	40 386 GN1	4005176429866	brushed cool sunrise	50.83
	40 386 DA1	4005176428968	warm sunset	50.83
	40 386 DL1	4005176430015	brushed warm sunset	50.83
	40 386 A01	4005176429569	hard graphite	50.83
	40 386 AL1	4005176429712	Brushed Hard Graphite	50.83
	Essentials Towel rail material: metal 854 mm (useable length 800 mm) concealed fastening GROHE StarLight chrome finish			
 	40 802 001	4005176328107	Chrome	49.58
	40 802 BE1	4005176430251	polished nickel	69.16
	40 802 EN1	4005176430329	brushed nickel	69.16
	40 802 GL1	4005176429507	cool sunrise	69.16
	40 802 GN1	4005176429958	brushed cool sunrise	69.16
	40 802 DA1	4005176429354	warm sunset	69.16
	40 802 DL1	4005176430107	brushed warm sunset	69.16
	40 802 A01	4005176429651	hard graphite	69.16
	40 802 AL1	4005176429804	Brushed Hard Graphite	69.16
	Essentials Double towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish			
 	40 800 001	4005176327988	Chrome	95.83
	40 800 BE1	4005176430244	polished nickel	137.49
	40 800 EN1	4005176430312	brushed nickel	137.49
	40 800 GL1	4005176429491	cool sunrise	137.49
	40 800 GN1	4005176429941	brushed cool sunrise	137.49
	40 800 DA1	4005176429347	warm sunset	137.49
	40 800 DL1	4005176430091	brushed warm sunset	137.49
	40 800 A01	4005176429644	hard graphite	137.49
	40 800 AL1	4005176429798	Brushed Hard Graphite	137.49
	Essentials Multi bath towel rack material: metal 604 mm (useable length 550 mm) concealed fastening GROHE StarLight chrome finish			
 	40 364 001	4005176326332	Chrome	9.99
	40 364 BE1	4005176430114	polished nickel	13.74
	40 364 EN1	4005176326349	brushed nickel	13.74
	40 364 GL1	4005176429361	cool sunrise	13.74
	40 364 GN1	4005176429811	brushed cool sunrise	13.74
	40 364 DA1	4005176428913	warm sunset	13.74
	40 364 DL1	4005176429965	brushed warm sunset	13.74
	40 364 A01	4005176429514	hard graphite	13.74
	40 364 AL1	4005176429668	Brushed Hard Graphite	13.74
	Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish			









GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 421 001	4005176326325	Chrome	28.74
	40 421 BE1	4005176430237	polished nickel	40.41
	40 421 EN1	4005176430305	brushed nickel	40.41
	40 421 GL1	4005176429484	cool sunrise	40.41
	40 421 GN1	4005176429934	brushed cool sunrise	40.41
	40 421 DA1	4005176429330	warm sunset	40.41
	40 421 DL1	4005176430084	brushed warm sunset	40.41
	40 421 A01	4005176429637	hard graphite	40.41
	40 421 AL1	4005176429781	Brushed Hard Graphite	40.41
	Essentials Grip bar material: metal 349 mm (useable length 295 mm) concealed fastening GROHE StarLight chrome finish			
 	40 793 001	4005176327599	Chrome	41.24
	Essentials Grip bar material: metal 507 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish			
 	40 794 001	4005176327605	Chrome	49.58
	Essentials Grip bar material: metal 657 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish			
 	40 797 001	4005176327636	Chrome	129.16
	Essentials Grip bar material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish			
 	40 799 001	4005176327971	Chrome	32.91
	Essentials Glass shelf material: glass / metal 530 mm (useable length 380 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 689 001	4005176326363	Chrome	21.66
	40 689 BE1	4005176430213	polished nickel	29.99
	40 689 EN1	4005176326370	brushed nickel	29.99
	40 689 GL1	4005176429460	cool sunrise	29.99
	40 689 GN1	4005176429910	brushed cool sunrise	29.99
	40 689 DA1	4005176429316	warm sunset	29.99
	40 689 DL1	4005176430060	brushed warm sunset	29.99
	40 689 A01	4005176429613	hard graphite	29.99
	40 689 AL1	4005176429767	Brushed Hard Graphite	29.99
	Essentials Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish			
	40 367 001	4005176326387	Chrome	23.74
	40 367 BE1	4005176430220	polished nickel	33.33
	40 367 EN1	4005176326394	brushed nickel	33.33
	40 367 GL1	4005176429477	cool sunrise	33.33
	40 367 GN1	4005176429927	brushed cool sunrise	33.33
	40 367 DA1	4005176429323	warm sunset	33.33
	40 367 DL1	4005176430077	brushed warm sunset	33.33
	40 367 A01	4005176429620	hard graphite	33.33
	40 367 AL1	4005176429774	Brushed Hard Graphite	33.33
	Essentials Toilet roll holder material: metal with cover concealed fastening GROHE StarLight chrome finish			
	40 385 001	4005176326356	Chrome	18.33
	40 385 BE1	4005176430206	polished nickel	25.41
	40 385 EN1	4005176430299	brushed nickel	25.41
	40 385 GL1	4005176429453	cool sunrise	25.41
	40 385 GN1	4005176429903	brushed cool sunrise	25.41
	40 385 DA1	4005176429309	warm sunset	25.41
	40 385 DL1	4005176430053	brushed warm sunset	25.41
	40 385 A01	4005176429606	hard graphite	25.41
	40 385 AL1	4005176429750	Brushed Hard Graphite	25.41
	Essentials Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight chrome finish			
	40 374 001	4005176326400	Chrome	29.58
	40 374 DC1	4005176412486	supersteel	38.74
	40 374 BE1	4005176430190	polished nickel	41.66
	40 374 EN1	4005176430282	brushed nickel	41.66
	40 374 GL1	4005176429446	cool sunrise	41.66
	40 374 GN1	4005176429897	brushed cool sunrise	41.66
	40 374 DA1	4005176429293	warm sunset	41.66
	40 374 DL1	4005176430046	brushed warm sunset	41.66
	40 374 A01	4005176429590	hard graphite	41.66
	40 374 AL1	4005176429743	Brushed Hard Graphite	41.66
Essentials Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish				
	40 663 001	4005176327834	Chrome	40.41
BauCosmopolitan Large corner basket				

GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 664 001	4005176327841	Chrome	32.49
	BauCosmopolitan Corner Basket, small			
 	40 407 001	4005176328350	Chrome	57.08
	Essentials 3-in-1 WC set material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish			
 	40 775 001	4005176328626	Chrome	56.66
	Essentials 3-in-1 Guest bathroom accessories set material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish			
 	40 776 001	4005176328633	Chrome	72.91
	Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish			













GROHE ESSENTIALS CUBE















GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 508 001	4005176324413	Chrome	24.16
<p>Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	Chrome	14.99
<p>Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219		4.99
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001	4005176326226		5.99
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 756 001	4005176328381	Chrome	38.74
<p>Essentials Cube Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 755 001	4005176328374	Chrome	28.74
<p>Essentials Cube Crystal glass with holder material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE StarLight chrome finish</p>				



GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 754 001	4005176328367	Chrome	29.16
<p>Essentials Cube Soap dish with holder material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 510 001	4005176324420	Chrome	32.91
<p>Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 624 001	4005176324444	Chrome	46.24
<p>Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 509 001	4005176324437	Chrome	36.66
<p>Essentials Cube Towel rail material: metal 600 mm (useable length 558 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 512 001	4005176324451	Chrome	120.83
<p>Essentials Cube Multi-towel rack material: metal 600 mm (useable length 558 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 511 001	4005176324475	Chrome	13.74
<p>Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 514 001	4005176324468	Chrome	49.58
<p>Essentials Cube Grip bar material: metal 392 mm (useable length 340 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 507 001	4005176324598	Chrome	27.91
<p>Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 623 001	4005176324482	Chrome	23.33
<p>Essentials Cube Spare toilet paper holder material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 513 001	4005176324604	Chrome	47.91
<p>Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
 	40 757 001	4005176328497	Chrome	80.83
<p>Essentials Cube 3-in-1 WC set material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 777 001	4005176328640	Chrome	70.41
<p>Essentials Cube 3-in-1 Guest bathroom accessories set material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
40 778 001	4005176328657	Chrome	99.99
			
			
<p>Essentials Cube 4-in-1 Master bathroom accessories set material: metal Consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>			













GROHE BAUCOSMOPOLITAN



GROHE BAUCOSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 585 001	4005176327797	Chrome	14.16
<p>BauCosmopolitan Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	Chrome	14.99
<p>Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219		4.99
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001	4005176326226		5.99
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 460 001	4005176327803	Chrome	14.16
<p>BauCosmopolitan Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 459 001	4005176327810	Chrome	20.83
<p>BauCosmopolitan Towel rail material: metal 522 mm (useable length 430 mm) concealed fastening GROHE StarLight chrome finish</p>				

GROHE BAUCOSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 462 001	4005176327827	Chrome	76.24
BauCosmopolitan Multi-towel rack material: metal 564 mm (useable length 510 mm) concealed fastening GROHE StarLight chrome finish				
 	40 461 001	4005176327858	Chrome	8.74
BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish				
 	40 457 001	4005176327865	Chrome	17.91
BauCosmopolitan Toilet Roll Holder material: metal without cover concealed fastening GROHE StarLight chrome finish				
 	40 463 001	4005176327872	Chrome	23.33
BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish				
 	40 663 001	4005176327834	Chrome	40.41
BauCosmopolitan Large corner basket				
 	40 664 001	4005176327841	Chrome	32.49
BauCosmopolitan Corner Basket, small				







GROHE ESSENTIALS AUTHENTIC



GROHE ESSENTIALS AUTHENTIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 652 001	4005176324321	Chrome	18.33
	40 652 EN1	4005176324239	brushed nickel	25.41
	Essentials Authentic Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
	40 394 001	4005176326233	Chrome	14.99
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
	40 368 001	4005176326219		4.99
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001	4005176326226		5.99
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 655 001	4005176324338	Chrome	18.33
	40 655 EN1	4005176324246	brushed nickel	25.41
	Essentials Authentic Towel ring material: metal concealed fastening GROHE StarLight chrome finish			
	40 653 001	4005176324345	Chrome	28.74
	40 653 EN1	4005176324253	brushed nickel	36.66
	Essentials Authentic Towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 654 001	4005176324352	Chrome	49.58
	40 654 EN1	4005176324260	brushed nickel	69.16
<p>Essentials Authentic Double towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE StarLight chrome finish</p>				
	40 660 001	4005176324369	Chrome	95.83
	40 660 EN1	4005176324277	brushed nickel	137.49
<p>Essentials Authentic Multi-towel rack material: metal 586 mm (useable length 542 mm) concealed fastening GROHE StarLight chrome finish</p>				
	40 656 001	4005176324383	Chrome	9.99
	40 656 EN1	4005176324291	brushed nickel	13.74
<p>Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
	40 657 001	4005176324390	Chrome	21.66
	40 657 EN1	4005176324307	brushed nickel	29.99
<p>Essentials Authentic Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
	40 658 001	4005176324406	Chrome	29.58
	40 658 EN1	4005176324314	brushed nickel	41.66
<p>Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
	40 659 001	4005176324376	Chrome	32.49
	40 659 EN1	4005176324284	brushed nickel	42.08
<p>Essentials Authentic Corner Basket, small material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHTHERM
THERMOSTATS



CONTENTS

Grohtherm SmartControl	29
Grohtherm 2 handle trim sets	30
Grohtherm 3000 Cosmopolitan	31
Grohtherm 2000	32
Grohtherm Cube	33
Grohtherm 1000 Cosmopolitan M	34
Grohtherm 1000	35
Grohtherm 800	36

SAFETY NOTE**Avoiding scalding**

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.







In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.







GROHE GROHTHERM SMARTCONTROL









GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 123 000	4005176413292	Chrome	470.70
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 124 000	4005176413308	Chrome	512.54
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 125 000	4005176413315	Chrome	615.05
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>				
				125.00
<p>35 600 000 4005176413469 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 126 000	4005176413322	Chrome	554.38
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 127 000	4005176413339	Chrome	337.86
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 153 LS0	4005176413582	moon white	605.63
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 156 LS0	4005176413599	moon white	647.47
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	29 157 LS0	4005176413605	moon white	689.31
	<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	29 158 LS0	4005176413612	moon white	427.81
	<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE GROHTHERM SMARTCONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 118 000	4005176412240	Chrome	450.00
29 118 DC0	4005176455032	supersteel	606.00
29 118 BE0	4005176492952	polished nickel	653.00
29 118 EN0	4005176492969	brushed nickel	653.00
29 118 GL0	4005176492976	cool sunrise	653.00
29 118 GN0	4005176492983	brushed cool sunrise	653.00
29 118 DA0	4005176492990	warm sunset	653.00
29 118 DL0	4005176493003	brushed warm sunset	653.00
29 118 A00	4005176493010	hard graphite	653.00
29 118 AL0	4005176455049	Brushed Hard Graphite	653.00



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

without roughing-in-set


flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 119 000	4005176412257	Chrome	519.00
29 119 DC0	4005176455056	supersteel	641.00
29 119 BE0	4005176493027	polished nickel	711.00
29 119 EN0	4005176493034	brushed nickel	711.00
29 119 GL0	4005176493041	cool sunrise	711.00
29 119 GN0	4005176493058	brushed cool sunrise	711.00
29 119 DA0	4005176493065	warm sunset	711.00
29 119 DL0	4005176493072	brushed warm sunset	711.00
29 119 A00	4005176493089	hard graphite	711.00
29 119 AL0	4005176455063	Brushed Hard Graphite	711.00



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min


outlet C = 26 l/min

outlet B+C = 29 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE GROHTHERM SMARTCONTROL


Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 120 000	4005176412264	Chrome	588.00
29 120 DC0	4005176455070	supersteel	792.00
29 120 BE0	4005176493096	polished nickel	853.00
29 120 EN0	4005176493102	brushed nickel	853.00
29 120 GL0	4005176493119	cool sunrise	853.00
29 120 GN0	4005176493126	brushed cool sunrise	853.00
29 120 DA0	4005176493133	warm sunset	853.00
29 120 DL0	4005176493140	brushed warm sunset	853.00
29 120 A00	4005176493157	hard graphite	853.00
29 120 AL0	4005176455087	Brushed Hard Graphite	853.00



Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 121 000	4005176412271	Chrome	530.00
29 121 DC0	4005176455094	supersteel	714.00
29 121 BE0	4005176493164	polished nickel	769.00
29 121 EN0	4005176493171	brushed nickel	769.00
29 121 GL0	4005176493188	cool sunrise	769.00
29 121 GN0	4005176493195	brushed cool sunrise	769.00
29 121 DA0	4005176493201	warm sunset	769.00
29 121 DL0	4005176493218	brushed warm sunset	769.00
29 121 A00	4005176493225	hard graphite	769.00
29 121 AL0	4005176455100	Brushed Hard Graphite	769.00




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE GROHTHERM SMARTCONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 122 000	4005176412288	Chrome	323.00
29 122 DC0	4005176455117	supersteel	436.00
29 122 BE0	4005176493232	polished nickel	469.00
29 122 EN0	4005176413728	brushed nickel	469.00
29 122 GL0	4005176515194	cool sunrise	469.00
29 122 GN0	4005176515200	brushed cool sunrise	469.00
29 122 DA0	4005176515217	warm sunset	469.00
29 122 DL0	4005176515224	brushed warm sunset	469.00
29 122 A00	4005176515231	hard graphite	469.00
29 122 AL0	4005176455124	Brushed Hard Graphite	469.00



Grotherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow


exchangeable symbols
multiple outlets can be run simultaneously

without roughing-in-set

flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000 4005176413469 125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 150 LS0	4005176413544	moon white	605.63
------------	---------------	------------	--------



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow

exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement

GROHE SafeStop safety button at 38°C
(calibration required)







GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass

without roughing-in-set






flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 4005176413469 125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation









GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 151 LS0	4005176413551	moon white	647.47
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	29 904 LS0	4005176413568	moon white	689.31
	<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	29 152 LS0	4005176413575	moon white	427.81
	<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			







GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 742 000	4005176484094	Chrome	1,222.77
<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600 000 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p>				
	34 706 000	4005176413797	Chrome	1,295.99
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>				
	34 743 000	4005176484100	Chrome	1,139.09
<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p>				
	34 744 000	4005176484117	Chrome	957.09
<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm hand shower Euphoria Cosmopolitan Stick (27 400) Silverflex shower hose 1250 mm (28 362)</p>				
	34 705 000	4005176413285	Chrome	1,306.45
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>				

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 713 000	4005176409776	Chrome	835.75
	<p>Grotherm SmartControl Combi thermostatic shower mixer with 3 valves, exposed/concealed wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE EcoJoy technology for less water and perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow</p>			
	requires concealed body 26 449 000 – to be ordered separately			
 	34 714 000	4005176409783	Chrome	783.45
	<p>Grotherm SmartControl Combi thermostatic shower mixer with 2 valves, exposed/concealed wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE EcoJoy technology for less water and perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow</p>			
	requires concealed body 26 449 000 – to be ordered separately			
 	26 449 000	4005176409790		260.45
	<p>Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>			
 	34 719 000	4005176457654	Chrome	350.41
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>			




GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 718 000	4005176457647	Chrome	385.97
	<p>Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>			
	34 721 000	4005176457678	Chrome	455.01
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 900 mm (27 226 001)</p>			
	34 720 000	4005176457661	Chrome	448.73
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			





GROHE GROHTHERM 2 HANDLE TRIM SETS






GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 078 000	4005176466038	Chrome	349.00
	<p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermoelement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 079 000	4005176466045	Chrome	389.00
	<p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermoelement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 080 000	4005176466052	Chrome	389.00
	<p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermoelement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			






GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 728 000	4005176466069	Chrome	538.00
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>			
	34 729 000	4005176466076	Chrome	604.00
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>			
	34 730 000	4005176466342	Chrome	1,307.00
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1250 mm (28 362)</p>			
	34 734 000	4005176466403	Chrome	922.00
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)</p>			




GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 075 000	4005176465987	Chrome	349.00
	<p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 076 000	4005176465994	Chrome	389.00
	<p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 077 000	4005176466007	Chrome	389.00
	<p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 726 000	4005176466014	Chrome	528.00
	Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately			
	34 727 000	4005176466021	Chrome	591.00
	Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)			
	34 731 000	4005176466359	Chrome	1,307.00
	Grotherm Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)			
	34 732 000	4005176466366	Chrome	897.00
	Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)			
	34 735 000	4005176466410	Chrome	736.00
	Grotherm Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Cosmopolitan Headshower 160 mm (27 134) Rainshower shower arm 286 mm (28 576) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)			

GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	24 153 000	4005176481178	Chrome	453.00
	<p>Grotherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
	24 154 000	4005176481185	Chrome	505.00
	<p>Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
	24 155 000	4005176481192	Chrome	505.00
	<p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 741 000	4005176481208	Chrome	1,196.00











Grotherm Cube
Perfect shower set with Rainshower Allure 230
 Consisting of:
 Grotherm Cube set for final installation with Aquadimmer (24 154)
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
 Rainshower Allure 230 metal head shower (27 479)
 Rainshower shower arm (27 709)
 hand shower Euphoria Cube (27 699 000) 9.5 l/min.
 shower outlet elbow (26 370)
 Silverflex shower hose 1250 mm (28 362)

THERMOSTATS










GROHE GROHTHERM 3000 COSMOPOLITAN



GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 274 000	4005176847905	Chrome	406.89
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves, dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 276 000	4005176847929	Chrome	480.11
<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 277 000	4005176847936	Chrome	438.27
<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2", mousseur built-in non return valves, dirt strainers protected against backflow without connection unions for wall mounting</p>				
 	34 275 000	4005176847912	Chrome	595.17
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" with shower set Grotherm 3000 Cosmopolitan thermostat shower mixer (34 274 000) Rainshower Cosmopolitan shower set (28 757 000)</p>				







GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 470 000	4005176848018	Chrome	61.71
<p>Grohtherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve</p>				
 	35 028 000	4005176908316		124.47
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	29 813 000	4005176062735		79.00
<p>Concealed stop valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass</p>				
	47 175 000	4005176803895		149.00
<p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>				

GROHE GROHTHERM 2000



GROHE GROHTHERM 2000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 469 001	4005176926396	Chrome	312.75
		<p>Grotherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off GROHE TurboStat compact cartridge with wax thermoelement volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EasyReach shower tray removable for easy cleaning chrome GROHE EcoJoy technology for less water and perfect flow</p>	
34 446 001	4005176926402	Chrome	291.83
		<p>Grotherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE EcoJoy technology for less water and perfect flow integrated flow limiter 14 l/min in the shower outlet</p>	
34 170 001	4005176926471	Chrome	270.91
		<p>Grotherm 2000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting chrome plated union nuts GROHE EcoJoy technology for less water and perfect flow</p>	

GROHE GROHTHERM 2000







Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 464 001	4005176926433	Chrome	354.59
<p>Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EasyReach shower tray removable for easy cleaning chrome GROHE EcoJoy technology for less water and perfect flow</p>			



34 174 001	4005176926426	Chrome	354.59
<p>Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE EcoJoy technology for less water and perfect flow</p>			



GROHE GROHTHERM 2000



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 466 001	4005176926440	Chrome	365.05
 	34 484 001	4005176932519	Chrome	375.51
 	34 281 001	4005176926501	Chrome	459.19

Grotherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 shower bottom outlet 1/2"
 - diverter: bath/shower
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
 optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 1 bar
 integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

Grotherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

Grotherm 2000
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grotherm 2000 thermostat shower mixer (34 469)
 Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)

GROHE GROHTHERM 2000







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 195 001	4005176926631	Chrome	312.75
	Grotherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 2000 thermostat shower mixer (34 469) Euphoria 110 Massage shower set, 600 mm (27 231 001)			
	18 608 001	4005176985140	Chrome	40.79
	Grotherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE StarLight chrome finish suitable for Grotherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm			
	47 175 000	4005176803895		149.00
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm 2000, Grotherm Cube and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			

GROHE GROHTHERM CUBE







THERMOSTATS





GROHE GROHTHERM CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 509 000	4005176941801	Chrome	344.13
		<p>Grotherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) shower bottom outlet 1/2" ceramic headpart 1/2", 180° built-in non return valves dirt strainers protected against backflow covered S-unions integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>	
34 508 000	4005176941795	Chrome	448.73
		<p>Grotherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EcoJoy technology for less water and perfect flow</p>	
18 700 000	4005176940811	daVinci satin white	40.79
		<p>Grotherm Cube GROHE EasyReach tray for Grotherm Cube removable for easy cleaning Da Vinci satin white finish suitable for Grotherm Cube - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm</p>	

GROHE GROHTHERM CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
24 153 000	4005176481178	Chrome	453.00
		<p>Grotherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>	
35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			
24 154 000	4005176481185	Chrome	505.00
		<p>Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>	
35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			
24 155 000	4005176481192	Chrome	505.00
		<p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>	
35 600 000	4005176413469		125.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			







GROHE GROHTHERM CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 741 000	4005176481208	Chrome	1,196.00
 <p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: GROHE Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p>			
47 175 000	4005176803895		149.00
 <p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm 2000, Grotherm Cube and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>			







GROHE GROHTHERM 1000 COSMOPOLITAN M












GROHE GROHTHERM 1000 COSMOPOLITAN M

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 065 DC2	4005176374432	supersteel	281.37
	34 065 BE2	4005176426834	polished nickel	344.13
	34 065 EN2	4005176426841	brushed nickel	344.13
	34 065 GL2	4005176426773	cool sunrise	344.13
	34 065 GN2	4005176426780	brushed cool sunrise	344.13
	34 065 DA2	4005176426797	warm sunset	344.13
	34 065 DL2	4005176426803	brushed warm sunset	344.13
	34 065 A02	4005176426827	hard graphite	344.13
	34 065 AL2	4005176426810	Brushed Hard Graphite	344.13
				
				
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
	34 440 002	4005176311048	Chrome	239.53
				
				
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	34 268 002	4005176310997	Chrome	229.07
				
				
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			

GROHE GROHTHERM 1000 COSMOPOLITAN M

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 441 002	4005176311031	Chrome	281.37
	<p>Grotherm 1000 Cosmopolitan M Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	34 323 002	4005176311024	Chrome	270.91
	<p>Grotherm 1000 Cosmopolitan M Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			
	34 286 002	4005176311000	Chrome	281.37
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			







GROHE GROHTHERM 1000 COSMOPOLITAN M

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 321 002	4005176311017	Chrome	281.37
	Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002) Euphoria 110 Massage shower set, 900 mm (27 226 001)			
 	34 430 000	4005176917981	Chrome	239.53
	Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.5 - 5.0 bar max. pressure differential 5:1			
 	34 437 000	4005176918025	Chrome	281.37
	Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000) Euphoria Mono shower set (27 256 001) with GROHE DreamSpray recommended pressure 0.5 - 5.0 bar max. pressure differential 5:1 Euphoria Shower set (27 256 001)			
 	34 448 000	4005176919183	Chrome	354.59
	Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4" GROHE StarLight chrome finish chromed scale rings GROHE SafeStop Plus , removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.5 - 5.0 bar max. pressure differential 5:1			
	47 175 000	4005176803895		149.00
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm 2000, Grotherm Cube and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			







GROHE GROHTHERM 1000








GROHE GROHTHERM 1000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 143 003	4005176309618	Chrome	218.61
		<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>	
34 438 003	4005176309632	Chrome	218.61
		<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>	
34 146 003	4005176309625	Chrome	208.15
		<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>	

GROHE GROHTHERM 1000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 155 003	4005176310027	Chrome	270.91
		<p>Grotherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>	
34 439 003	4005176310041	Chrome	281.37
		<p>Grotherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>	
34 156 003	4005176310034	Chrome	281.37
		<p>Grotherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>	







GROHE GROHTHERM 1000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 256 004	4005176456671	Chrome	270.91
	Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003) Tempesta shower set II, 900 mm (27 646)			
	34 151 004	4005176456664	Chrome	266.73
	Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003) Tempesta shower rail set 2 sprays, 600 mm (27 598) min. recommended pressure 1 bar			
	34 557 001	4005176456688	Chrome	239.53
	Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 438 003) Tempesta shower rail set 2 sprays, 600 mm (27 598)			
	47 175 000	4005176803895		149.00
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm 2000, Grotherm Cube and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			



GROHE GROHTHERM 800



GROHE GROHTHERM 800

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 562 000	4005176310102	Chrome	197.69
<p>Grotherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 567 000	4005176310157	Chrome	239.53
<p>Grotherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 569 000	4005176310171	Chrome	239.53
<p>Grotherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>				

GROHE GROHTHERM 800

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 565 001	4005176456718	Chrome	208.15
	47 175 000	4005176803895		149.00

Grotherm 800
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grotherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 1 bar

GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm
 2000, Grotherm Cube and Grotherm 3000 exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings

GROHE
CONCEALED SOLUTIONS





CONTENTS

GROHE Rapido SmartBox

37

GROHE Rapido C / Concealed Valves

38




GROHE RAPIDO SMARTBOX



GROHE GROHE RAPIDO SMARTBOX


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation</p>				
 	14 055 000	4005176413520		152.72
<p>Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>				
 	14 053 00M	4005176413513		48.12
<p>Service stops fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox packaging unit: 2 pieces</p>				
 	14 048 000	4005176413483	Chrome	143.30
<p>GROHE Rapido SmartBox Universal extension set single-lever mixers, 25 mm 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox</p>				
 	14 056 000	4005176466298	Chrome	109.00
<p>Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>				
 	14 057 000	4005176466304	Chrome	141.00
<p>Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>				

GROHE GROHE RAPIDO SMARTBOX





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	14 058 000	4005176466311	Chrome	141.00
<p>Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox</p>				
	49 003 000	4005176413537	Chrome	197.00
<p>GROHE TurboStat cartridge 3/4" for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111</p>				
	38 652 000	4005176294778		109.10
<p>Rapid SL Mounting plate for fixing concealed fittings and room ventilation for studded walls for empty elements for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation</p>				

CONCEALED SOLUTIONS

GROHE RAPIDO C / STOP VALVES



GROHE RAPIDO C / STOP VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	35 028 000	4005176908316		124.47
	29 811 000	4005176062711		49.00
	29 813 000	4005176062735		79.00
	45 203 000	4005176052842		19.00

GROHE Rapido C / Concealed Valves
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 body of DR brass
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 installation depth 70 - 95 mm

Concealed stop valve 1/2"
 preassembled ceramic headpart 1/2"
 180°
 threaded union 1/2"
 installation depth adjustable
 25 - 80 mm
 DR-brass

ditto, 3/4"

Extension-set 200 mm
 for concealed valves, 1/2", 3/4"

GROHE
SHOWERS










CONTENTS

GROHE Digital	F-digital Deluxe	39
	F-digital Controllers	40
Shower Systems	Rainshower System SmartControl	41
	Rainshower System	42
	Euphoria SmartControl System	43
	Euphoria Shower System	44
	Tempesta System	45
	Retro-fit Shower System	46
	Shower System Accessories	47
Head Showers	Head Showers	48
Showers	Sena	49
	Rainshower	50
	Power&Soul	51
	Relaxa	52
	Euphoria	53
	Tempesta	54
	Sena Trigger Sprays	55
	Tempesta-F Trigger Sprays	56
	Shower Hoses	57
	Shower Accessories	58











GROHE F-DIGITAL DELUXE











GROHE F-DIGITAL DELUXE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 373 001	4005176415593	Chrome	19,611.95
 			
<p>Rainshower F-Series 40" AquaSymphony Ceiling shower 6+ sprays with light 1016 mm x 762 mm x 145 mm metal minimum flow rate 25 l/min min. recommended pressure 3.0 bar 1 x AquaCurtain 1 x Pure XL spray 1 x 2 cold mist spray 2 x GROHE PureRain spray 400 x 190 mm 2 x XL Waterfall (separately controlled) 1 x 4 Bokoma Spray with adjustment angle 20° and combinations full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved SpeedClean anti-limescale system GROHE DreamSpray perfect spray pattern GROHE StarLight finish</p> <p>requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p> <p>recommendation: configuration with Grohtherm F or Grohtherm SmartControl</p> <p>this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++</p>			
26 376 001	4005176415609	Chrome	1,867.11
 			
<p>Rainshower F-Series 40" Roughing-in set for floor mounted bath spout and bath/shower mixer for use with Rainshower F-Series 40" AquaSymphony ceiling shower 1000 mm x 745 mm x 152 mm min. installation depth: 167 mm Waterways: Brass 1/2" connections</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p>			
29 126 000	4005176413322	Chrome	554.38
 			
<p>Grohtherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>			
35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			








GROHE F-DIGITAL DELUXE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 370 000	4005176341380	Chrome	30.33
<p>Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish</p>				
 	27 888 000	4005176921179	Chrome	82.63
<p>Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	28 143 000	4005176601347	Chrome	20.83
<p>Relaxflex Metal Longlife Metal shower hose 1500 1500 mm metal Longlife, 7mm bore strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging</p>				
 	27 865 000	4005176918179	Chrome	3,987.60
<p>Rainshower F-Series 20" Ceiling shower with light, 1 spray Rain 508 x 508 x 59 mm full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation. this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>				
 	29 069 000	4005176918384		124.47
<p>Rainshower F-Series Cable connection for ceiling shower with light (27 865 000) Consisting of: 2 cable extensions (5 m each)</p>				







GROHE F-DIGITAL DELUXE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 359 000	4005176918414	Chrome	1,180.93
		<p>Rainshower F-Series Light set 127 x 127 mm per module full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection Consisting of: - 1 light module with two plug connections - 1 light module with one plug connection waterproof & corrosion protected supply voltage: 12 V DC CE approved GROHE StarLight chrome finish requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>	
		<p>29 072 000 4005176918421 229.07</p> <p>Rainshower F-Series Rough-in set light set for use with double light modules (36 359 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each)</p>	
		<p>36 360 000 4005176918438 Chrome 1,013.57</p> <p>Rainshower F-Series Sound set 127 x 127 mm per module full range stereo speaker Consisting of: 2 speakers with plug connections waterproof & corrosion protected GROHE StarLight chrome finish requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation For detailed planning and product information please contact your local GROHE Customer Service.</p>	
		<p>29 073 000 4005176918445 229.07</p> <p>Rainshower F-Series Rough-in set sound set for use with double sound modules (36 360 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each) - 1 Y-piece</p>	













GROHE F-DIGITAL DELUXE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 362 000	4005176918537	Chrome	3,095.11
<p>GROHE F-digital Deluxe Steam generator 2.2 kW with steam outlet and temperature sensor Consisting of: steam generator 415 x 445 x 130 mm suitable for steam rooms up to 2.5 m³ supply voltage 230 V AC, 50Hz power 2.2 kW water inlet 3/4" operating pressure 1 - 5 bar (above pressure reducer) automatic emptying water outlet 1/2" steam temperature: max. 55°C steam outlet 1/2" type of protection IP 23 CE approved with euro shockproof plug steam outlet module with indentation for fragranced oil 127 x 127 mm connection thread 1/2" temperature sensor module 60 x 60 x 12 mm SpeedClean anti-limescale system GROHE StarLight chrome finish requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation For detailed planning and product information please contact your local GROHE Customer Service.</p>				
 	29 074 000	4005176918469		365.05
<p>GROHE F-digital Deluxe Rough-in set steam generator for use with steam module (36 362 000 or 27 934 000) Consisting of: - 1 rough-in box for steam outlet (115 x 115 x 49-77 mm) - 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm) - 1 cable extension temperature sensor, 5 m - 1 cable extension steam generator, 5 m</p>				
	14 015 000	4005176932748	Chrome	129.00
<p>GROHE F-digital Deluxe Descaler 6 x 80 g to remove limescale from the water tank of the steam generator absolutely odorless and harmless to human beings and the natural environment 2 bags sufficient for one time descaling This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
 	26 374 000	4005176350825		846.21
<p>GROHE F-digital Deluxe Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0) to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower additional light, sound and steam modules can be connected and controlled Consisting of: - 2 plug connections, each for one pair of sound modules (36 360 000) - 1 plug connection for one pair of light modules (36 359 000) - 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000) - 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor - 2 plug connections for power supply (per power supply max. 4 devices light/sound) - 2 plug connections for Bluetooth unit (supply voltage and data line) CE approved must be accessible for service optional the base unit box can be placed into extra equipment 36 367 000 component to be ordered separately</p>				



GROHE F-DIGITAL DELUXE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 397 000	4005176999413		1,013.57
<p>GROHE F-digital Deluxe Base unit box 2.0 Bluetooth (BCU V2.0) for connecting light, sound and steam modules Consisting of: - 2 plug connections, each for one pair of sound modules (36 360 000) - 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light - 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor - 2 plug connections for power supply (per power supply max. 4 devices light/sound) - 2 plug connections for Bluetooth unit (supply voltage and data line) CE approved must be accessible for service optional the base unit box can be placed into extra equipment 36 367 000</p>				
 	42 429 000	4005176918520		103.55
<p>GROHE F-digital Deluxe Power supply base unit box power supply for base unit box (26 374 000 or 36 397 000) each power supply for 2 light/sound modules (36 359 000) or 1 ceiling shower with integrated light (27 865 000) total 2 power supplies max (8 devices max.) can be connected to the base unit box with one power supply 4 devices (light/sound modules) can be driven - ceiling shower with integrated light (27 865 000): 4 devices - per light module: 1 device - per sound module: 1 device input voltage: 90-240 V AC, 50-60Hz output voltage: 12 V DC CE approved</p>				
 	36 371 000	4005176928970		574.25
<p>GROHE F-digital Deluxe Bluetooth unit BT-01A for Apple and Android devices with integrated electronic for wireless data communication combinable with existing 36 365 000 docking station wall mounted 86 x 73 x 42 mm Features: reset switch status indicator (LED) stand alone/maximum configuration one-to-one connection with safety cut-off mechanism (1 user) safety shutdown in case of connection loss connection cable set for data communication and power supply (5 m each) CE approved Bluetooth transmitter power supply: 12 V Bluetooth transmitter frequency: 2.4 GHz Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary</p> <p>System requirements Android operating system: as of release 2.3.3 pixel density: 160 dpi minimum display resolution: 320 x 470 pixels per inch</p> <p>System requirements: Apple iPod touch 4/5, iPhone 4/5, iPad/ iPad mini** Apple operating system: as of release iOS 6.0 and above</p> <p>Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards</p> <p>*** Available for free via iTunes app or Google Play store.</p>				

GROHE F-DIGITAL DELUXE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 367 000	4005176923203		270.91
GROHE F-digital Deluxe Rough-in set base unit box for use with base unit box (26 374 000 or 36 397 000) 550 x 700 x 110 mm height (100 mm) and depth (50 mm) adjustable with adjustable front frame for installation in wall niches with adjustable front frame for installation in wall niches galvanized and powder coated (RAL 9010, pure white) steel plate 1 mm thick steel plate with two mounting rails and elbow for power outlets and mounting materials				
 	47 837 000	4005176918490		72.17
GROHE F-digital Deluxe Cable extension steam generator AquaSymphony, 5 m extension between base unit box (26 374 000 or 36 397 000) and steam generator (36 362 000 or 27 934 000) cable extension up to 10 m				
 	47 838 000	4005176918506		72.17
GROHE F-digital Deluxe Cable extension sound set, 5 m connection between base unit box (26 374 000 or 36 397 000) and sound modules (36 360 000) each music module needs a separate extension cable cable extension up to 10 m				
 	47 867 000	4005176923227		72.17
GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m				
 	47 868 000	4005176923234		72.17
GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m				
 	47 877 000	4005176923241		72.17
GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m				





GROHE F-DIGITAL DELUXE

Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	40 666 000	4005176935633	Chrome	499.00
Spare part LED set spare part for 27 865 000 Consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+				
	48 348 000	4005176408502	Chrome	20.00
Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key				









GROHE F-DIGITAL CONTROLLERS



GROHE F-DIGITAL CONTROLLERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 289 000	4005176894619	Chrome	1,390.13
  <p>F-digital Veris F-Digital Digital controller and digital diverter for bath includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached digital diverter for bath - Diverter: head-, hand shower and bath spout - LED ring (indication of outlet) digital thermostat unit (concealed body) - warm/cold-supplies 1/2" - 3 outlets 1/2" bath diverter default setting configurable during installation - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m GROHE TurboStat digitally controlled compact cartridge with wax thermoelement GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow requires: built-in power supply 36 078 000 min. recommended pressure 1 bar energy efficiency class illumination of control unit: not applicable</p>			
36 295 000	4005176894671	Chrome	1,567.95
  <p>F-digital Digital controller and digital diverter for shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached digital diverter for shower - Diverter: head-, side- and hand shower - LED ring (indication of outlet) digital thermostat unit (concealed body) - warm/cold-supplies 1/2" - 3 outlets 1/2" shower diverter default setting configurable during installation - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m GROHE TurboStat digitally controlled compact cartridge with wax thermoelement GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow requires: built-in power supply 36 078 000 energy efficiency class illumination of control unit: not applicable</p>			

GROHE F-DIGITAL CONTROLLERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 292 000	4005176894640	Chrome	971.73
		<p>F-digital Veris F-Digital Digital controller for bath or shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached <p>digital thermostat unit (concealed body)</p> <ul style="list-style-type: none"> - 1 outlet 1/2" - warm/cold-supplies 1/2" <p>default setting configurable during installation</p> <ul style="list-style-type: none"> - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C <p>transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m</p> <p>GROHE TurboStat digitally controlled compact cartridge with wax thermoelement</p> <p>GROHE StarLight chrome finish</p> <p>GROHE EcoJoy technology for less water and perfect flow requires:</p> <p>built-in power supply 36 078 000 energy efficiency class illumination of control unit: not applicable</p>	
36 309 000	4005176894794	Chrome	249.99
		<p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>GROHE StarLight chrome finish energy efficiency class illumination of control unit: not applicable</p>	
40 479 000	4005176894787	Chrome	93.09
		<p>Holder plate for Digital Controller & Digital Diverter vertical or horizontal installation</p> <p>GROHE StarLight chrome finish</p>	
40 548 000	4005176909832	Chrome	118.47
		<p>Holder plate for Digital Controller & Digital Diverter vertical or horizontal installation or combination with 36289000 and 36295000</p> <p>GROHE StarLight chrome finish</p>	

GROHE F-DIGITAL CONTROLLERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 298 000	4005176894701	Chrome	1,160.01
	36 078 000	4005176856532		103.55
	47 727 000	4005176884160		29.00
	36 356 000	4005176911347		155.85

Rainshower Solo F-digital Shower set
 includes digital thermostatic unit
 Digital Controller - intuitive multifunctional operating unit
 - Wireless technology
 - Temperature and flow control
 - Pause-function
 - Memory function
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached
 digital thermostatic unit (concealed body)
 - warm/cold-supplies 1/2"
 - 1 outlet 1/2"
 Rainshower Solo shower set (27 273 001)
 Rainshower wall union 1/2" (27 057 000)
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
 default setting configurable during installation
 - automatic safety shut-off after 20 min
 - GROHE SafeStop at 38°C
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

Plug power supply 110-240 V
 operating voltage 6V
 cable length 400 mm



Connection wire
 2-pin
 cable length 3 m

GROHE F-digital Transceiver
 optional accessory for digital mixing unit



GROHE RAINSHOWER SYSTEM SMARTCONTROL



GROHE RAINSHOWER SYSTEM SMARTCONTROL



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 250 000	4005176316999	Chrome	1,327.37
				

Rainshower System SmartControl 360 DUO
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal 500 mm shower arm
 exposed SmartControl thermostat
 allows change between:
 head shower Rainshower 360 DUO, spray plate chrome
 GROHE PureRain/GROHE Rain O² spray* and TrioMassage
 hand shower Power&Soul 115, spray plate white (27 671 LS0)
 hand shower wall holder (27 055 000)
 Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
 to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
 * to be decided during initial installation; factory default setting: GROHE PureRain



	26 250 LSO	4005176317002	moon white	1,306.45
				

Rainshower System SmartControl 360 DUO
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal 500 mm shower arm
 exposed SmartControl thermostat
 allows change between:
 head shower Rainshower 360 DUO, spray plate white
 GROHE PureRain/GROHE Rain O² spray* and TrioMassage
 hand shower Power&Soul 115, spray plate white (27 671 LSO)
 hand shower wall holder (27 055 000)
 Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
 to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
 * to be decided during initial installation; factory default setting: GROHE PureRain


GROHE RAINSHOWER SYSTEM SMARTCONTROL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 361 000	4005176347580	Chrome	1,212.31
				
	<p>Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting Consisting of: horizontal 500 mm shower arm exposed SmartControl thermostat allows change between: head shower Rainshower 360 MONO, spray plate chrome GROHE PureRain/GROHE Rain O² spray* Power&Soul 130 hand shower, spray plate white (27 673 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1750 mm (28 388 000) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h Twistfree preventing the hose from twisting * to be decided during initial installation; factory default setting: GROHE PureRain</p>			

SHOWERS









	26 361 LS0	4005176409707	moon white	1,201.85
				
	<p>Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting Consisting of: horizontal 500 mm shower arm exposed SmartControl thermostat allows change between: head shower Rainshower 360 MONO, spray plate white GROHE PureRain/GROHE Rain O² spray* Power&Soul 130 hand shower, spray plate white (27 673 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1750 mm (28 388 000) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h Twistfree preventing the hose from twisting * to be decided during initial installation; factory default setting: GROHE PureRain</p>			

GROHE RAINSHOWER SYSTEM SMARTCONTROL











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 443 000	4005176409875	Chrome	1,212.31
<p>Rainshower System SmartControl 360 DUO Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower 360 DUO with horizontal 450 mm shower arm, spray plate chrome GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>				

	26 443 LS0	4005176409882	moon white	1,201.85
<p>Rainshower System SmartControl 360 DUO Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower 360 DUO with horizontal 450 mm shower arm, spray plate white GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>				




GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
  	26 446 000	4005176409905	Chrome	1,298.09
	<p>Rainshower System SmartControl 360 MONO Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower 360 MONO with horizontal 450 mm shower arm, spray plate chrome GROHE PureRain/GROHE Rain O² spray* Power&Soul 130 hand shower, spray plate white (27 673 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
  	26 446 LS0	4005176409912	moon white	1,298.09
	<p>Rainshower System SmartControl 360 MONO Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower 360 MONO with horizontal 450 mm shower arm, spray plate white GROHE PureRain/GROHE Rain O² spray* Power&Soul 130 hand shower, spray plate white (27 673 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
 	26 254 000	4005176317026	Chrome	553.33
	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			

GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 254 LS0	4005176409806	moon white	657.93
	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 450 000	4005176409813	Chrome	513.59
	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 450 LS0	4005176409820	moon white	513.59
	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 264 001	4005176417108		187.23
	<p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>			
	26 449 000	4005176409790		260.45
	<p>Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>			







GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	48 349 000	4005176409851	Chrome	104.60
	Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish			
	48 350 000	4005176409868	Chrome	130.75
	Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI			
	48 348 000	4005176408502	Chrome	20.00
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key			

GROHE RAINSHOWER SYSTEM



GROHE RAINSHOWER SYSTEM







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 174 001	4005176877162	Chrome	1,191.39
 	27 472 000	4005176882814	Chrome	1,055.41
 	27 966 000	4005176929250	Chrome	1,055.41

Rainshower System 400
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint
rotation angle $\pm 20^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life







Rainshower System Veris 300
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower 310 (27 471 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Ondus (27 185 000)
adjustable height via gliding element
(12 140 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE StarLight chrome finish
Inner WaterGuide for a longer life

Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

GROHE RAINSHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 968 000	4005176929687	Chrome	1,055.41
 	27 469 000	4005176882593	Chrome	1,055.41
 	27 374 000	4005176877285	Chrome	1,295.99

GROHE RAINSHOWER SYSTEM





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 032 001	4005176877155	Chrome	929.89
 	27 967 000	4005176929670	Chrome	929.89
 	27 641 000	4005176901645	Chrome	1,055.41

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle $\pm 15^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

Rainshower System 210
Shower system with bath thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
with ball joint, rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life



GROHE RAINSHOWER SYSTEM



Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 175 000	4005176838507	Chrome	929.89
		<p>Rainshower System 400 Shower system with diverter for wall mounting horizontal swivable 450 mm projection shower arm Rainshower Cosmopolitan 400 head shower (28 778 000) with ball joint rotation angle $\pm 20^\circ$ hand shower (28 034 000) adjustable height via gliding element (12 140 000) connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union metal shower hose 1750 mm GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>	
27 058 000	4005176830464	Chrome	657.93
		<p>Rainshower System 210 Shower system with diverter for wall mounting horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter metal head shower Rainshower Cosmopolitan 210 (28 368 000) with ball joint rotation angle $\pm 15^\circ$ hand shower (28 034 000) adjustable height via gliding element (12 140 000) connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>	

GROHE EUPHORIA SMARTCONTROL SYSTEM



GROHE EUPHORIA SMARTCONTROL SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 507 000	4005176457586	Chrome	1,034.49
	26 507 LS0	4005176457609	moon white	1,191.39
	<p>Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting</p> <p>Consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Rainshower 310 SmartActive, spray plate chrome GROHE PureRain and Centered Jet spray hand shower Euphoria 110 Massage, spray plate white (27 221 001) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow - GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>			

	26 508 000	4005176457593	Chrome	1,034.49
	26 508 LS0	4005176457616	moon white	1,191.39
	<p>Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting</p> <p>Consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Rainshower 310 SmartActive Cube, spray plate chrome GROHE PureRain and Centered Jet spray hand shower Euphoria Cube Stick (27 698 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish - GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>			

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No. EAN code Colour Retail Guide Price (£)

26 509 000 4005176457623 Chrome 898.51



Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

26 510 000 4005176457630 Chrome 1,044.95



Euphoria SmartControl System 260 Mono

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h



minimum flow rate 7 l/min.

min. recommended pressure 1 bar



GROHE EUPHORIA SHOWER SYSTEM





GROHE EUPHORIA SHOWER SYSTEM



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 075 000	4005176937606	Chrome	772.99
	26 075 DC0	4005176371219	supersteel	1,118.17
	26 075 BE0	4005176428593	polished nickel	1,567.95
	26 075 EN0	4005176428609	brushed nickel	1,567.95
	26 075 GL0	4005176425332	cool sunrise	1,567.95
	26 075 GN0	4005176425349	brushed cool sunrise	1,567.95
	26 075 DA0	4005176425356	warm sunset	1,567.95
	26 075 DL0	4005176425363	brushed warm sunset	1,567.95
	26 075 A00	4005176425387	hard graphite	1,567.95
	26 075 AL0	4005176425370	Brushed Hard Graphite	2,095.14
		27 296 002	4005176417818	Chrome
Euphoria System 310 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life SpeedClean anti-limescale system Twistfree preventing the hose from twisting GROHE MetalGrip ergonomically shaped metal handles suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar optional upgrade: GROHE EasyReach tray (26 362)				
Euphoria System 260 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 455) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar optional upgrade: GROHE EasyReach tray (26 362)				

GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 615 001	4005176417825	Chrome	540.78
<div style="display: flex; justify-content: space-between;"> <div style="width: 25%;">  </div> <div style="width: 25%;">  </div> <div style="width: 45%;"> <p>Euphoria System 260 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar optional upgrade: GROHE EasyReach tray (26 362)</p> </div> </div>			

26 087 000	4005176940828	Chrome	1,149.55
<div style="display: flex; justify-content: space-between;"> <div style="width: 25%;">  </div> <div style="width: 25%;">  </div> <div style="width: 45%;"> <p>Euphoria Cube System 230 Shower system with thermosttic mixer for wall mounting shower arm projection 400 mm exposed thermostatic shower with Aquadimmer function allows change between: Rainshower Allure head shower (27 479 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria Cube (27 699) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy technology for less water and perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting minimum flow rate 7 l/min.</p> </div> </div>			





GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 363 000	4005176339264	Chrome	657.93
	27 964 000	4005176929595	Chrome	678.85


Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EasyReach tray (26 362 LN0)
 minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting


Euphoria System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 249 000	4005176317156	Chrome	553.33
	<p>Euphoria System 190 Shower system with thermostat for wall mounting horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower 190 1 spray (27 370) Rain with ball joint rotation angle $\pm 15^\circ$ hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574001) adjustable height via gliding element GROHE EasyReach shower tray Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow rate GROHE EcoJoy technology for less water and perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 296 001	4005176896293	Chrome	574.25
	<p>Euphoria System 180 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern with ball joint, rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)</p>			

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 475 001	4005176417863	Chrome	676.76
<p>Euphoria System 260 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ bath inlet separate diverter for hand shower hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				

	26 114 001	4005176417870	Chrome	663.16
<p>Euphoria System 260 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 455) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ bath inlet separate diverter for hand shower hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) distance between thermostat and upper bracket: 1016 mm GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				

GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 473 001	4005176417900	Chrome	486.39



Euphoria System 260 Shower system with single lever for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

SHOWERS



23 061 002	4005176417917	Chrome	513.59
------------	---------------	--------	--------





Euphoria Concetto System 260 Shower system with single lever for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 421 002	4005176417924	Chrome	432.00
	<p>Euphoria System 260 Shower system with diverter for wall mounting</p> <p>Consisting of: horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) Silverflex shower hose 800 mm connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>			

	27 911 000	4005176921902	Chrome	469.65
	<p>Euphoria Power&Soul System 190 Shower system with diverter for wall mounting</p> <p>Consisting of: horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter Power&Soul head shower (27 766 000) with ball joint rotation angle $\pm 15^\circ$ hand shower Power&Soul 115 (27 671 000) adjustable height via gliding element (12 140 000) Silverflex shower hose 1750 mm (28 388 000) Silverflex shower hose 800 mm connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting minimum flow rate 7 l/min.</p>			

GROHE TEMPESTA SYSTEM



GROHE TEMPESTA SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 922 001	4005176985348	Chrome	486.39
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 210 (26 408)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

26 302 001	4005176408137	Chrome	486.39
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 210 (26 408)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Relaxaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 922 000	4005176923364	Chrome	501.03
------------	---------------	--------	--------



Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower 1 spray (28 232 000)
 Rain
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

26 223 001	4005176408144	Chrome	622.37
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
 exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
 allows change between:
 head shower Tempesta 210 (26 408)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

26 224 001	4005176408168	Chrome	432.00
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210
Shower system with single lever for wall mounting

Consisting of:
horizontal swivable 390 mm projection shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 381 001	4005176451980	Chrome	239.53
------------	---------------	--------	--------







Tempesta System 210
Flex shower system with diverter for wall mounting

Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
chrome plated spray face with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta 100 (27 852)
Rain spray pattern adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE RETRO-FIT SHOWER SYSTEM








GROHE RETRO-FIT SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 190 001	4005176408267	Chrome	571.12
	<p>Retrofit System 210 Shower system with diverter for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm built-in diverter allows change between: head shower Tempesta 210 (26 410) Rain spray pattern GROHE EcoJoy 9.5 l/min flow limiter with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta Cosmopolitan 100 (27 571 001) 2 spray patterns: Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter adjustable height via gliding element Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) angle adapter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h min. recommended pressure 1 bar</p>			
	26 191 000	4005176305740	Chrome	29.00
	<p>Retro-fit spacer for GROHE Retro-fit shower system 26 190 000 GROHE StarLight chrome finish</p>			

GROHE SHOWER SYSTEM ACCESSORIES













GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	48 349 000	4005176409851	Chrome	104.60
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>				
	48 350 000	4005176409868	Chrome	130.75
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
	14 014 000	4005176929274	Chrome	51.25
<p>Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems</p>				
	26 191 000	4005176305740	Chrome	29.00
<p>Retro-fit spacer for GROHE Retro-fit shower system 26 190 000 GROHE StarLight chrome finish</p>				
	26 362 LN0	4005176339257	white	19.00
<p>GROHE EasyReach tray for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm</p>				











GROHE HEAD SHOWERS



GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 254 000	4005176317026	Chrome	553.33
	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
	26 254 LS0	4005176409806	moon white	657.93
	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
	26 450 000	4005176409813	Chrome	513.59
	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
	26 450 LS0	4005176409820	moon white	513.59
	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
	26 264 001	4005176417108		187.23
	<p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>			









GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 475 000	4005176423758	Chrome	491.62
	Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
 	26 475 LS0	4005176425899	moon white	645.38
	Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
 	26 477 000	4005176423772	Chrome	491.62
	Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
 	26 477 LS0	4005176425912	moon white	645.38
	Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately			
 	26 479 000	4005176425196	Chrome	517.77
	Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately head shower Rainshower 310 SmartActive Cube, spray plate chrome			

GROHE HEAD SHOWERS









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 479 LS0	4005176425936	moon white	671.53
	<p>Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
 	26 481 000	4005176425219	Chrome	517.77
	<p>Rainshower 310 SmartActive Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
 	26 481 LS0	4005176425950	moon white	671.53
	<p>Rainshower 310 SmartActive Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
 	26 483 000	4005176425103	Chrome	102.51
	<p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug without set for final installation</p>			
 	26 484 000	4005176425110	Chrome	102.51
	<p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE EcoJoy 9.5 l/min flow limiter per each water way without set for final installation</p>			

GROHE HEAD SHOWERS









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 558 000	4005176481727	Chrome	350.00
				
	Rainshower 310 Mono Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 557 000	4005176481710	Chrome	350.00
	ditto, with non-restricted flow			
	26 560 000	4005176481741	Chrome	350.00
				
	Rainshower 310 Mono Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 559 000	4005176481734	Chrome	350.00
	ditto, with non-restricted flow			
	26 564 000	4005176481789	Chrome	375.00
				
	Rainshower 310 Mono Cube Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 568) 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 563 000	4005176481772	Chrome	375.00
	ditto, with non-restricted flow			
	26 566 000	4005176482106	Chrome	375.00
				
	Rainshower 310 Mono Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 568) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 565 000	4005176482090	Chrome	375.00
	ditto, with non-restricted flow			

SHOWERS

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 255 000	4005176317415	Chrome	783.45
				
	Rainshower Cosmopolitan 400 Head shower set 422 mm, 1 spray Consisting of: metal head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar			
	26 256 000	4005176318597	Chrome	720.69
				
	Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar			
	26 257 000	4005176317927	Chrome	521.95
				
	Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1 bar			
	26 066 000	4005176937200	Chrome	490.57
	26 066 DC0	4005176371172	supersteel	668.39
	26 066 BE0	4005176427244	polished nickel	705.00
	26 066 EN0	4005176427251	brushed nickel	705.00
	26 066 GL0	4005176427183	cool sunrise	705.00
	26 066 GN0	4005176427190	brushed cool sunrise	705.00
	26 066 DA0	4005176427206	warm sunset	705.00
	26 066 DL0	4005176427213	brushed warm sunset	705.00
	26 066 A00	4005176427237	hard graphite	705.00
	26 066 AL0	4005176427220	Brushed Hard Graphite	705.00
	Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve			
	26 056 000	4005176937101	Chrome	490.57
	ditto, with non-restricted flow			









GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	26 067 000	4005176937217	Chrome	490.57	
	26 067 DC0	4005176371189	supersteel	668.39	
	26 067 BE0	4005176427329	polished nickel	705.00	
	26 067 EN0	4005176427336	brushed nickel	705.00	
	26 067 GL0	4005176427268	cool sunrise	705.00	
	26 067 GN0	4005176427275	brushed cool sunrise	705.00	
	26 067 DA0	4005176427282	warm sunset	705.00	
	26 067 DL0	4005176427299	brushed warm sunset	705.00	
	26 067 A00	4005176427312	hard graphite	705.00	
	26 067 AL0	4005176427305	Brushed Hard Graphite	705.00	
	Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve				
	26 057 000	4005176937118	Chrome	490.57	
ditto, with non-restricted flow					
 	26 068 000	4005176937224	Chrome	438.27	
	Rainshower Veris 300 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Veris (27 471 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
		26 058 000	4005176937125	Chrome	412.39
	ditto, with non-restricted flow				
		26 069 000	4005176937231	Chrome	438.27
 	Rainshower Veris 300 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Veris (27 471 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
		26 059 000	4005176937132	Chrome	438.27
	ditto, with non-restricted flow				
	 	26 070 000	4005176937248	Chrome	438.27
		Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
		26 060 000	4005176937149	Chrome	438.27
ditto, with non-restricted flow					

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 071 000	4005176937255	Chrome	438.27
<p>Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
<p>26 061 000 4005176937156 Chrome 438.27 ditto, with non-restricted flow</p>				
 	26 064 000	4005176937187	Chrome	501.03
<p>Rainshower Allure 230 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
<p>26 054 000 4005176937088 Chrome 501.03 ditto, with non-restricted flow</p>				
 	26 065 000	4005176937194	Chrome	459.19
<p>Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
<p>26 055 000 4005176937095 Chrome 490.57 ditto, with non-restricted flow</p>				
 	26 062 000	4005176937163	Chrome	354.59
<p>Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>				
<p>26 052 000 4005176937064 Chrome 354.59 ditto, with non-restricted flow</p>				

GROHE HEAD SHOWERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 063 000	4005176937170	Chrome	354.59
		<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>	
26 053 000	4005176937071	Chrome	354.59
ditto, with non-restricted flow			
26 053 LSO	4005176997334	moon white	450.83
		<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate white (28 368 LSO) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LSO) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>	
26 459 000	4005176416965	Chrome	209.20
		<p>Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>	
26 458 000	4005176416958	Chrome	209.20
ditto, with non-restricted flow			
26 461 000	4005176416989	Chrome	166.31
		<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>	
26 460 000	4005176416972	Chrome	166.31
ditto, with non-restricted flow			

SHOWERS

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 072 000	4005176937262	Chrome	176.77
<p>Euphoria Cosmopolitan 180 Head shower set 286 mm, 1 spray head shower Euphoria Cosmopolitan (27 492 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	26 073 000	4005176937279	Chrome	218.61
<p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	26 412 000	4005176390173	Chrome	151.67
<p>Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 414 000	4005176408090	Chrome	127.61
<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 413 000	4005176390180	Chrome	151.67
<p>ditto, with non-restricted flow</p>				
 	26 267 001	4005176444197	Chrome	54.39
<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure 12mm bore Min. recommended pressure 1.0 bar</p>				











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new	27 869 001	4005176444005	Chrome	73.22
			<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>	
	26 090 001	4005176443992	Chrome	67.99
			<p>Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>	
	26 089 001	4005176444067	Chrome	64.85
			<p>Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>	








GROHE HEAD SHOWERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 373 001	4005176415593	Chrome	19,611.95
 			
<p>Rainshower F-Series 40" AquaSymphony Ceiling shower 6+ sprays with light 1016 mm x 762 mm x 145 mm metal minimum flow rate 25 l/min min. recommended pressure 3.0 bar 1 x AquaCurtain 1 x Pure XL spray 1 x 2 cold mist spray 2 x GROHE PureRain spray 400 x 190 mm 2 x XL Waterfall (separately controlled) 1 x 4 Bokoma Spray with adjustment angle 20° and combinations full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved SpeedClean anti-limescale system GROHE DreamSpray perfect spray pattern GROHE StarLight finish</p> <p>requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p> <p>recommendation: configuration with Grohtherm F or Grohtherm SmartControl</p> <p>this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++</p>			
26 376 001	4005176415609	Chrome	1,867.11
 			
<p>Rainshower F-Series 40" Roughing-in set for floor mounted bath spout and bath/shower mixer for use with Rainshower F-Series 40" AquaSymphony ceiling shower 1000 mm x 745 mm x 152 mm min. installation depth: 167 mm Waterways: Brass 1/2" connections</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p>			
27 865 000	4005176918179	Chrome	3,987.60
 			
<p>Rainshower F-Series 20" Ceiling shower with light, 1 spray Rain 508 x 508 x 59 mm full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation. this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>			










GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 286 000	4005176860737	Chrome	1,672.55
<p>Rainshower F-Series 20" Ceiling shower 1 spray Rain 508 x 508 mm connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 939 001	4005176927287	Chrome	2,864.99
<p>Rainshower F-Series 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets</p>				
 	27 938 001	4005176927072	Chrome	2,864.99
<p>Rainshower F-Series 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min Requires Rough-in (26 042) - to be ordered separately head shower has to be controlled by 4 outlets</p>				
 	26 042 000	4005176935954		186.09
<p>Rainshower F-Series 15" Roughing-in set for floor mounted bath spout and bath/shower mixer for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less than 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections</p>				
 	27 467 000	4005176882609	Chrome	574.25
<p>Rainshower F-Series 10" 254 x 254 Ceiling shower 1 spray Rain 254 x 254 mm connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE HEAD SHOWERS









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 285 000	4005176860713	Chrome	417.35
	<p>Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 271 000	4005176860690	Chrome	417.35
	ditto, with non-restricted flow			
	27 251 000	4005176856327	Chrome	103.55
	<p>Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system</p>			
	27 253 000	4005176856365	Chrome	155.85
	<p>Rainshower F-Series 5" Head shower 1 spray wall mounted 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system</p>			
	26 569 000	4005176482175	Chrome	287.00
	26 569 ENO	4005176482182	brushed nickel	430.00
	<p>Rainshower 310 Mono Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 562 000	4005176481765	Chrome	287.00
	26 562 LSO	4005176482144	moon white	373.00
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
	26 561 000	4005176481758	Chrome	287.00
	26 561 LSO	4005176482137	moon white	373.00
	ditto, with non-restricted flow			

GROHE HEAD SHOWERS









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 570 000	4005176482199	Chrome	312.00
	26 570 EN0	4005176482205	brushed nickel	468.00
	Rainshower 310 Mono Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 568 000	4005176482120	Chrome	312.00
	26 568 LS0	4005176482168	moon white	406.00
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
	26 567 000	4005176482113	Chrome	312.00
	26 567 LS0	4005176482151	moon white	406.00
	ditto, with non-restricted flow			
	27 287 000	4005176842061	Chrome	521.95
	GROHE Ondus 210 Head shower 1 spray Ø 210 mm GROHE StarLight chrome finish SpeedClean anti-limescale system This headshower should only be used in conjunction with shower arm 28 497 000, 28 576 000, 28 361 000 or 28 982 000			
	27 861 000	4005176918131	Chrome	616.09
	Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 470 000	4005176882531	Chrome	438.27
	Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 863 000	4005176918155	Chrome	626.55
	Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			

SHOWERS











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 469 000	4005176423970	Chrome	469.00
	Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater			
	27 479 000	4005176883309	Chrome	448.73
	Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	28 778 000	4005176820526	Chrome	605.63
	Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			
	26 472 000	4005176424908	Chrome	484.00
	Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater			
	27 477 000	4005176883286	Chrome	459.19
	Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 368 00E	4005176867385	Chrome	312.75
	Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system			
	28 368 000	4005176267253	Chrome	208.15
	ditto, with non-restricted flow			
 	27 134 000	4005176836060	Chrome	114.01
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 474 000	4005176424939	Chrome	350.00
	26 474 BE0	4005176424953	polished nickel	455.00
	26 474 EN0	4005176424946	brushed nickel	455.00
	26 474 ZB0	4005176424960	antique bronze	455.00
	Rainshower Rustic 210 Head shower 1 spray Rain spray pattern normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system			
	28 375 000	4005176267338	Chrome	333.67
	Rainshower Rustic 210 Head shower 1 spray Rain normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system			
	28 369 000	4005176267260	Chrome	333.67
	ditto, with non-restricted flow			
 	27 128 000	4005176835995	Chrome	145.39
	Rainshower Rustic 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray ball joint with turning angle $15^\circ \pm 15^\circ$ connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system recommended for use with Rainshower shower arms			











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 370 000	4005176877773	Chrome	155.85
	<p>Rainshower Solo 190 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>			
	27 976 000	4005176932816	Chrome	406.89
	<p>Rainshower Grandera 210 Head shower 1 spray Rain 210 x 210 mm metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 974 000 27 974 IGO	4005176932793 4005176933486	Chrome chrome/gold	406.89 532.41
	<p>Grandera 210 Head shower 1 spray 221 x 221 mm metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 765 000	4005176913129	Chrome	134.93
	<p>Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	27 767 000	4005176913150	Chrome	124.47
	<p>Power&Soul 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 308 000	4005176254949	Chrome	119.00
	Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	27 530 000	4005176889219	Chrome	438.27
	Relexa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life			
 	27 062 000	4005176831669	Chrome	187.23
	Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.			
 	27 065 000	4005176832109	Chrome	155.85
	Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 067 000	4005176832123	Chrome	124.47
	Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			




GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 457 000	4005176416934	Chrome	125.52
	26 457 EN0	4005176416941	brushed nickel	175.73
	<p>Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 455 000	4005176416903	Chrome	125.52
	ditto, with non-restricted flow			
	27 492 000	4005176885556	Chrome	124.47
	<p>Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar</p>			
	28 233 000	4005176868016	Chrome	82.63
	<p>Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater</p>			
	28 737 000	4005176872983	Chrome	51.25
	<p>Euphoria Rustic 130 Head shower 1 spray Rain Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 468 000	4005176423963	Chrome	141.00
	<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 705 000	4005176907166	Chrome	134.93
				
	<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>			
	26 409 000	4005176390128	Chrome	85.77
	26 409 EN0	4005176390135	brushed nickel	120.29
	<p>Tempesta 210 Head shower 1 spray Rain \varnothing 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 410 000	4005176390142	Chrome	85.77
	26 410 EN0	4005176390159	brushed nickel	120.29
	ditto, with 9.5 l/min flow limiter			
	26 408 000	4005176390111	Chrome	85.77
	ditto, with non-restricted flow			
	27 606 001	4005176444180	Chrome	55.44
				
	<p>New Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	26 050 001	4005176444166	Chrome	43.93
				
	<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 591 001	4005176443985	Chrome	61.71
				
	<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 051 001	4005176443954	Chrome	49.16
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 610 001	4005176444050	Chrome	56.48
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 094 000	4005176601132	Chrome	49.00
<p>Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 189 000	4005176075650	Chrome	129.00
<p>Relaxa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 002 000	4005176858796	Chrome	176.77
<p>Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	Chrome	129.00
<p>Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 286 000	4005176198526	Chrome	93.09
<p>Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 146 000	4005176986017	Chrome	103.55
<p>Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
 	28 982 000	4005176829987	Chrome	124.47
<p>Rainshower Shower arm 378 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 361 000	4005176295157	Chrome	93.09
<p>Rainshower Shower arm, 380 mm metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
	28 576 000	4005176274022	Chrome	72.17
<p>Ditto, projection 286 mm</p>				
 	28 384 000	4005176267451	Chrome	166.31
<p>Rainshower Rustic Shower arm 272 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	27 488 000	4005176885525	Chrome	72.17
<p>Rainshower Shower arm 275 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
 	27 709 000	4005176909092	Chrome	103.55
<p>Rainshower Shower arm 286 mm metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 497 000	4005176270338	Chrome	61.71
	<p>Rainshower Shower ceiling arm 292 mm connection thread 1/2" can be used for all Rainshower head showers GROHE StarLight chrome finish</p>			
	28 724 000	4005176812644	Chrome	51.25
	<p>ditto, length 142 mm</p>			
	27 484 000	4005176885488	Chrome	61.71
	<p>Rainshower Shower ceiling arm 292 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE StarLight chrome finish</p>			
	27 485 000	4005176885495	Chrome	51.25
	<p>ditto, 142 mm length</p>			
	27 711 000	4005176909115	Chrome	82.63
	<p>Rainshower Shower arm ceiling 154 mm metal connection thread 1/2" GROHE StarLight chrome finish</p>			
	27 986 000	4005176933011	Chrome	93.09
	27 986 IGO	4005176933547	chrome/gold	124.47
	<p>Rainshower Grandera Shower arm 286 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>			
	27 982 000	4005176932878	Chrome	82.63
	27 982 IGO	4005176933523	chrome/gold	103.55
	<p>Rainshower Grandera Shower ceiling arm 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>			
	27 978 000	4005176932830	Chrome	72.17
	27 978 IGO	4005176933509	chrome/gold	93.09
	<p>ditto, 142 mm length</p>			








GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 541 000	4005176040528	Chrome	39.00
	Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish			
 	28 429 000	4005176601910	Chrome	49.00
	Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish			
	48 348 000	4005176408502	Chrome	20.00
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key			

GROHE SENA




GROHE SENA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 341 000	4005176259463	Chrome	134.93
	<p>Sena Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	28 034 000	4005176231810	Chrome	134.93
	ditto, with non-restricted flow			
	28 581 000	4005176276996	Chrome	189.00
	<p>Sena Shower rail set 1 spray hand shower Sena Stick (28 034 000) shower rail 600 mm (28 580 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) angle adapter (28 389 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	28 347 000	4005176262791	Chrome	209.00
	ditto, with non-restricted flow			
	28 348 000	4005176263262	Chrome	129.00
	<p>Sena Wall holder set 1 spray metal hand shower Sena Stick (28 034 000) wall shower holder (28 690) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	28 308 000	4005176254949	Chrome	119.00
	<p>Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 690 000	4005176256196	Chrome	89.00
	<p>Sena Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish</p>			

GROHE SENA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



28 389 000	4005176269837	Chrome	11.90
------------	---------------	--------	-------











Sena
Adapter 1/2" x 1/2"
metal
for use with hand shower holder
or shower rail
GROHE StarLight chrome finish

SHOWERS









GROHE RAINSHOWER



GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 756 000	4005176819667	Chrome	114.01
<p>Rainshower Cosmopolitan 160 Hand shower 4 sprays Rain / Jet / Pure / Champagne spray GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 755 000	4005176819650	Chrome	103.55
<p>Rainshower Cosmopolitan 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 758 001	4005176875533	Chrome	218.61
<p>Rainshower Cosmopolitan 160 Shower rail set 4 sprays hand shower Cosmopolitan (28 756 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) Twistfree preventing the hose from twisting</p>				
	28 763 001	4005176875557	Chrome	239.53
<p>ditto, 900 mm rail</p>				
 	28 757 001	4005176875526	Chrome	208.15
<p>Rainshower Cosmopolitan 130 Shower rail set 3 sprays hand shower Cosmopolitan (28 755 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes Twistfree preventing the hose from twisting</p>				
	28 762 001	4005176875540	Chrome	229.07
<p>ditto, 900 mm rail</p>				
 	27 134 000	4005176836060	Chrome	114.01
<p>Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				








GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 765 000	4005176820120	Chrome	103.55
				
	Rainshower Classic 160 Hand shower 4 sprays Rain / Jet / Pure / Champagne spray GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.			
	28 764 000	4005176820113	Chrome	93.09
				
	Rainshower Classic 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	28 768 001	4005176875571	Chrome	197.69
				
	Rainshower Classic 160 Shower rail set 4 sprays Hand shower Classic (28 765 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes Twistfree preventing the hose from twisting			
	28 770 001	4005176875595	Chrome	218.61
	ditto, 900 mm rail			
	28 767 001	4005176875564	Chrome	187.23
				
	Rainshower Classic 130 Shower rail set 3 sprays hand shower Classic (28 764 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish Twistfree preventing the hose from twisting GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes			
	28 769 001	4005176875588	Chrome	208.15
	ditto, 900 mm rail			




GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 127 000	4005176835988	Chrome	114.01
<p>Rainshower Rustic 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 139 000	4005176836688	Chrome	239.53
<p>Rainshower Rustic 130 Shower rail set 3 sprays hand shower Rustic 130 (27 127 000) shower rail, 600 mm (28 666 000) Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410) soap dish GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 128 000	4005176835995	Chrome	145.39
<p>Rainshower Rustic 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray ball joint with turning angle 15° ± 15° connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system recommended for use with Rainshower shower arms</p>				
 	28 369 000	4005176267260	Chrome	333.67
<p>Rainshower Rustic 210 Head shower 1 spray metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 283 000	4005176861444	Chrome	103.55
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 276 000	4005176861437	Chrome	82.63
<p>ditto, with non-restricted flow</p>				

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 637 000	4005176900808	chrome/misty slate	82.63
	27 377 000	4005176877476	Chrome	61.71
	27 375 000	4005176877452	Chrome	61.71
	26 115 DU0 26 115 DP0 26 115 YF0 26 115 TY0	4005176982309 4005176982316 4005176982293 4005176982323	purple pink yellow blue	72.17 72.17 72.17 72.17
	26 115 YR0 26 115 DG0	4005176982286 4005176982170	orange red	72.17 72.17
	27 402 001	4005176877919	Chrome	197.69
	27 277 001	4005176875489	Chrome	197.69

GROHE RAINSHOWER






	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 378 000	4005176877780	Chrome	166.31
	27 379 000	4005176877797	Chrome	176.77
	27 383 000	4005176877827	Chrome	93.09

Rainshower Icon 100
Shower rail set 1 spray
 hand shower Icon 100 (27 377 000)
 shower rail, 600 mm (28 797 001)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance
 between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting









27 379 000 **4005176877797** **Chrome** **176.77**
 ditto, 900mm hose

Rainshower Icon 100
Wall holder set 1 spray
 hand shower Icon 100 (27 377 000)
 wall shower holder (27 056)
 Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 272 000	4005176860836	Chrome	103.55
	<p>Rainshower Solo 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
 	27 376 000	4005176877469	Chrome	61.71
	<p>Rainshower Solo 100 Hand shower 1 spray Rain Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
 	27 273 001	4005176875502	Chrome	229.07
	<p>Rainshower Solo 150 Shower rail set 2 sprays hand shower Solo 150 (27 272 000) shower rail 900 mm (28 819 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
 	27 370 000	4005176877773	Chrome	155.85
	<p>Rainshower Solo 190 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>			






GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 274 000	4005176861383	Chrome	103.55
	28 797 001	4005176870941	Chrome	114.01
 	28 819 001	4005176870958	Chrome	124.47
 	27 136 001	4005176870965	Chrome	145.39
 				

GROHE POWER&SOUL



GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 668 000	4005176905698	Chrome	124.47
	27 664 000	4005176905469	Chrome	103.55
	27 661 000	4005176905438	Chrome	93.09
	27 744 000	4005176912900	Chrome	208.15
	27 732 000	4005176910920	Chrome	187.23
	27 746 000	4005176912924	Chrome	208.15
	27 734 000	4005176910944	Chrome	197.69

Power&Soul Cosmopolitan 160 Hand Shower 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 push button spray selection
 GROHE StarLight chrome finish
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Universal Mounting System. Fits all standard shower hoses

Power&Soul Cosmopolitan 130 Hand Shower 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 push button spray selection
 GROHE StarLight chrome finish
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Universal Mounting System. Fits all standard shower hoses

Power&Soul Cosmopolitan 115 Hand shower 2 sprays
 GROHE Rain O², Rain
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 push button spray selection
 GROHE StarLight chrome finish
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Universal Mounting System. Fits all standard shower hoses









Power&Soul Cosmopolitan 160 Shower rail set 4+ sprays
 Consisting of:
 hand shower Power&Soul Cosmopolitan 160 (27 669 000)
 shower rail 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Twistfree preventing the hose from twisting

ditto, 900 mm

Power&Soul Cosmopolitan 130 Shower rail set 4+ sprays
 Consisting of:
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 shower rail 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Twistfree preventing the hose from twisting






ditto, 900 mm

GROHE POWER&SOUL






	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 753 000	4005176913006	Chrome	176.77
	<p>Power&Soul Cosmopolitan 115 Shower rail set 2 sprays hand shower Power&Soul Cosmopolitan 115 (27 661 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 755 000	4005176913020	Chrome	187.23
	ditto, 900 mm rail			
	27 741 000	4005176911125	Chrome	145.39
	<p>Power&Soul Cosmopolitan 130 Wall holder set 4+ sprays hand shower Power&Soul Cosmopolitan 130 (27 664 000) wall shower holder, adjustable (27 055) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 838 000	4005176916168	Chrome	124.47
	<p>Power&Soul Cosmopolitan 115 Wall holder set 2 sprays hand shower Power&Soul Cosmopolitan 115 (27 661 000) wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 765 000	4005176913129	Chrome	134.93
	<p>Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			

SHOWERS

GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 675 000	4005176905766	Chrome	103.55
	27 673 000	4005176905742	Chrome	82.63
	27 673 LSO	4005176409844	moon white	91.00
	27 672 000	4005176905735	Chrome	82.63
	27 671 000	4005176905728	Chrome	72.17

GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 671 LS0	4005176409837	moon white	80.54
	27 748 000	4005176912948	Chrome	197.69
	27 736 000	4005176910968	Chrome	176.77
	27 757 000	4005176913044	Chrome	166.31
	27 742 000	4005176911132	Chrome	124.47

Power&Soul 115
Hand shower 2 sprays, spray plate white
 GROHE Rain O², Rain
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 push button spray selection
 GROHE StarLight chrome finish
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Universal Mounting System. Fits all
 standard shower hoses

Power&Soul 160
Shower rail set 4+ sprays
 Consisting of:
 hand shower Power&Soul 160 (27 675 000)
 shower rail 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE CoolTouch
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance
 between brackets, to adapt to existing holes
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Twistfree preventing the hose from twisting

27 750 000 4005176912962 Chrome 197.69
 ditto, 900 mm

Power&Soul 130
Shower rail set 4+ sprays
 Consisting of:
 hand shower Power&Soul 130 (27 573 000)
 shower rail 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance
 between brackets, to adapt to existing holes
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Twistfree preventing the hose from twisting







Power&Soul 115
Shower rail set 2 sprays
 hand shower Power&Soul 115 (27 671 000)
 shower rail 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance
 between brackets, to adapt to existing holes
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Twistfree preventing the hose from twisting

27 759 000 4005176913068 Chrome 166.31
 ditto, 900 mm rail

Power&Soul 130
Wall holder set 4+ sprays
 hand shower Power&Soul 130 (27 573 000)
 wall shower holder, adjustable (27 055)
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9.5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 SpeedClean anti-limescale system
 Inner WaterGuide for a longer life
 Twistfree preventing the hose from twisting

SHOWERS

GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 839 000	4005176916175	Chrome	103.55
<p>Power&Soul 115 Wall holder set 2 sprays Consisting of: hand shower Power&Soul 115 (27 671 000) wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 767 000	4005176913150	Chrome	124.47
<p>Power&Soul 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 785 000	4005176913983	Chrome	103.55
<p>Power&Soul Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish</p>				
	27 784 000	4005176913976	Chrome	93.09
<p>ditto, shower rail 600 mm</p>				

GROHE RELEXA



GROHE RELEXA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 530 000	4005176889219	Chrome	438.27
------------	---------------	--------	--------





Relaxa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life

GROHE RELEXA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 796 000	4005176824296	Chrome	124.47
<p>Relexa 100 Five Hand shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 793 000	4005176823961	Chrome	72.17
<p>Relexa 100 Trio Hand shower 3 sprays Wide Spray/ Needle Jet / Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 062 000	4005176831669	Chrome	187.23
<p>Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	27 065 000	4005176832109	Chrome	155.85
<p>Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 067 000	4005176832123	Chrome	124.47
<p>Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 094 000	4005176601132	Chrome	49.00
<p>Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				











GROHE RELEXA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 189 000	4005176075650	Chrome	129.00
	<p>Relaxa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 002 000	4005176858796	Chrome	176.77
	<p>Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>			
	28 948 000	4005176209871	Chrome	129.00
	<p>Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 286 000	4005176198526	Chrome	93.09
	<p>Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			









GROHE EUPHORIA













GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 513 000	4005176457722	Chrome	63.81
	<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 239 001	4005176457715	Chrome	63.81
	<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 221 001	4005176457708	Chrome	58.58
	ditto, with non-restricted flow			
	27 239 000	4005176854323	Chrome	56.48
	<p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	27 221 000	4005176854125	Chrome	51.25
	ditto, with non-restricted flow			
	27 220 000	4005176854118	Chrome	40.79
	<p>Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	27 224 000	4005176854156	Chrome	30.33
	<p>Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>			






GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 243 001	4005176899799	Chrome	93.09
	Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater			
	27 231 001	4005176899553	Chrome	93.09
	ditto, with non-restricted flow			
	27 230 001	4005176899546	Chrome	87.86
	Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater			
	27 256 001	4005176899805	Chrome	77.40
	Euphoria 110 Mono Shower rail set 1 spray hand shower Mono (27 224 000) shower rail, 600 mm (27 499) shower hose 1500 mm (28 161) soap dish GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 226 DC1	4005176374456	supersteel	155.85
	27 226 BE1	4005176427169	polished nickel	176.77
	27 226 EN1	4005176427176	brushed nickel	176.77
	27 226 GL1	4005176427107	cool sunrise	176.77
	27 226 GN1	4005176427114	brushed cool sunrise	176.77
	27 226 DA1	4005176427121	warm sunset	176.77
	27 226 DL1	4005176427138	brushed warm sunset	176.77
	27 226 A01	4005176427152	hard graphite	176.77
	27 226 AL1	4005176427145	Brushed Hard Graphite	176.77
	Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			

GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 225 001	4005176899508	Chrome	93.09
	<p>Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>			
	27 355 000	4005176874451	Chrome	93.09
	<p>Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 354 000	4005176874444	Chrome	51.25
	<p>Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 459 000	4005176416965	Chrome	209.20
	<p>Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 458 000	4005176416958	Chrome	209.20
	ditto, with non-restricted flow			
	26 461 000	4005176416989	Chrome	166.31
	<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 460 000	4005176416972	Chrome	166.31
	ditto, with non-restricted flow			









GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 457 000	4005176416934	Chrome	125.52
	26 457 EN0	4005176416941	brushed nickel	175.73
	Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 455 000	4005176416903	Chrome	125.52
	ditto, with non-restricted flow			
	27 499 000	4005176886041	Chrome	40.79
		Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish		
	27 500 000	4005176886058	Chrome	51.25
		ditto, 900 mm		
	27 596 000	4005176895944		9.41
		GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm		











GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 400 000	4005176877292	Chrome	40.79
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar			
	27 367 000	4005176875939	Chrome	40.79
	ditto, with non-restricted flow			
	27 369 000	4005176875953	Chrome	72.17
	Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater Min. recommended pressure 0.5 bar			
	26 072 000	4005176937262	Chrome	176.77
	Euphoria Cosmopolitan 180 Head shower set 286 mm, 1 spray head shower Euphoria Cosmopolitan (27 492 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 492 000	4005176885556	Chrome	124.47
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar			
	27 491 000	4005176885549	Chrome	124.47
	ditto, with non-restricted flow			
	28 233 000	4005176868016	Chrome	82.63
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater			
	28 232 000	4005176868009	Chrome	82.63
	ditto, with non-restricted flow			

GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 888 000	4005176921179	Chrome	82.63
	Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 884 001	4005176919695	Chrome	82.63
	ditto, with non-restricted flow			
	27 891 000	4005176921209	Chrome	229.07
	Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
	27 890 000	4005176921193	Chrome	239.53
	Euphoria Cube+ Stick Shower rail set 1 spray Consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
	27 889 000	4005176921186	Chrome	124.47
	Euphoria Cube+ Stick Wall holder set 1 spray hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			

GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 699 000	4005176907104	Chrome	40.79
	<p>Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	27 698 000	4005176907098	Chrome	40.79
	ditto, with non-restricted flow			
	27 700 000	4005176907111	Chrome	197.69
	<p>Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar</p>			
	27 703 000	4005176907142	Chrome	72.17
	<p>Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar</p>			
	27 702 000	4005176907135	Chrome	72.17
	ditto, with non-restricted flow			
	26 073 000	4005176937279	Chrome	218.61
	<p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	27 705 000	4005176907166	Chrome	134.93
	<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>			

GROHE EUPHORIA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

28 737 000	4005176872983	Chrome	51.25
------------	---------------	--------	-------













Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

SHOWERS



GROHE TEMPESTA



GROHE TEMPESTA











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 608 001	4005176444029	Chrome	49.16
	Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 085 001	4005176444036	Chrome	42.89
	ditto, with non-restricted flow			
	27 609 001	4005176451898	Chrome	92.05
	Tempesta Rustic 100 Shower rail set 4 sprays hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 086 001	4005176451904	Chrome	86.82
	ditto, with non-restricted flow			
	27 805 001	4005176451911	Chrome	63.81
	Tempesta Rustic 100 Wall holder set 4 sprays hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 089 001	4005176444067	Chrome	64.85
	Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 610 001	4005176444050	Chrome	56.48
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

GROHE TEMPESTA









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 519 000	4005176886485	Chrome	51.25
	Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
	27 520 000	4005176886492	Chrome	51.25
	ditto, 900 mm			

SHOWERS






GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 575 002	4005176443930	Chrome	43.93
	Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 573 002	4005176443947	Chrome	43.93
	ditto, with non-restricted flow			
	27 574 002	4005176443916	Chrome	33.47
	Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 572 002	4005176443923	Chrome	33.47
	ditto, with non-restricted flow			
new	27 571 20E	4005176443275	Chrome	26.15
	Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar			
	27 571 002	4005176443893	Chrome	26.15
	ditto, with non-restricted flow			
	26 130 001	4005176443909	Chrome	26.15
	ditto, with non-restricted flow, for low pressure			
	26 082 002	4005176443268	Chrome	20.92
	Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 576 002	4005176451560	Chrome	77.40
	Tempesta Cosmopolitan 100 Shower set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			






GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 083 002	4005176451546	Chrome	60.67
	Tempesta Cosmopolitan 100 Shower rail set 1 spray Consisting of: hand shower (26 082) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 580 002	4005176451515	Chrome	75.31
	Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 575) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 787 002	4005176451522	Chrome	75.31
	ditto, with non-restricted flow			
	27 579 002	4005176451492	Chrome	67.99
	Tempesta Cosmopolitan 100 Shower rail set 3 sprays Consisting of: hand shower (27 574) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 786 002	4005176451508	Chrome	67.99
	ditto, with non-restricted flow			
	27 578 20E	4005176451362	Chrome	58.00
	Tempesta Cosmopolitan 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 578 002	4005176451386	Chrome	58.00
	ditto, with non-restricted flow			




GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 584 002	4005176451621	Chrome	50.21
	Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 588 002	4005176451669	Chrome	47.07
	Tempesta Cosmopolitan 100 Wall holder set 3 sprays Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 084 002	4005176451645	Chrome	33.47
	Tempesta Cosmopolitan 100 Wall holder set 1 spray Consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 869 001	4005176444005	Chrome	73.22
new	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 591 001	4005176443985	Chrome	61.71
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			











GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 051 001	4005176443954	Chrome	49.16
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 521 000	4005176886508	Chrome	40.79
	Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
	27 522 000	4005176886515	Chrome	51.25
	ditto, 900 mm			
	27 596 000	4005176895944		9.41
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			









GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	28 421 002	4005176444142	Chrome	40.79
	<p>New Tempesta 100 Hand shower 4 sprays GROHE Rain O², Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	28 578 002	4005176444159	Chrome	40.79
	ditto, with non-restricted flow			
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	28 419 002	4005176444128	Chrome	30.33
	<p>New Tempesta 100 Hand shower 3 sprays GROHE Rain O², Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	28 261 002	4005176444135	Chrome	30.33
	ditto, with non-restricted flow			
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	27 597 10E	4005176985409	Chrome	23.00
	<p>New Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 597 001	4005176985508	Chrome	23.00
	ditto, with non-restricted flow			
	28 422 002	4005176444111	Chrome	23.00
	ditto, with non-restricted flow, for low pressure			
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	27 923 001	4005176444074	Chrome	18.00
	<p>New Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses</p>			
	27 852 001	4005176444081	Chrome	18.00
	ditto, with non-restricted flow			
	28 214 003	4005176444098	Chrome	22.00
	ditto, with non-restricted flow, for low pressure			









GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 <p>new</p>	28 436 002	4005176451799	Chrome	76.36
	<p>New Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 600 001	4005176451775	Chrome	70.08
	<p>New Tempesta 100 Shower rail set 3 sprays hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	26 638 000	4005176528347	Chrome	61.00
	<p>New Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 (26 161) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 926 001	4005176451768	Chrome	61.00
	ditto, with non-restricted flow			
	27 645 001	4005176451744	Chrome	67.99
	<p>New Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 795 001	4005176451751	Chrome	67.99
	ditto, with non-restricted flow			

GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 644 001	4005176451720	Chrome	61.71
	<p>New Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 794 001	4005176451737	Chrome	61.71
	ditto, with non-restricted flow			
new	27 598 10E	4005176985416	Chrome	53.00
	<p>New Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 598 001	4005176985515	Chrome	53.00
	ditto, with non-restricted flow			
new	27 924 001	4005176451690	Chrome	44.00
	<p>New Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 853 001	4005176451706	Chrome	44.00
	ditto, with non-restricted flow			
new	28 789 002	4005176451843	Chrome	67.99
	<p>New Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 796 001	4005176451850	Chrome	67.99
	ditto, with non-restricted flow			








GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 646 10E	4005176985423	Chrome	59.00
	<p>New Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 646 001	4005176985522	Chrome	59.00
	ditto, with non-restricted flow			
<p>new</p>  	27 854 001	4005176451829	Chrome	50.00
	<p>New Tempesta 100 Shower rail set 1 spray Consisting of: 50001JK7 shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
<p>new</p>  	27 601 10E	4005176985430	Chrome	38.00
	<p>New Tempesta 100 Wall holder set 2 sprays hand shower (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1 bar</p>			
 	26 639 000	4005176528354	Chrome	43.00
	<p>New Tempesta 100 Wall holder set 3 sprays Consisting of: hand shower Tempesta 100 (28 419) wall shower holder (28 605) non-adjustable Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			





GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new				
	27 798 10E	4005176985447	Chrome	33.00
	<p>New Tempesta 100 Wall holder set 2 sprays Consisting of: hand shower (27 597) wall shower holder (28 605) non-adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 799 001	4005176985539	Chrome	33.00
	ditto, with non-restricted flow			
	26 412 000	4005176390173	Chrome	151.67
	<p>Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 267 001	4005176444197	Chrome	54.39
	<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure 12mm bore Min. recommended pressure 1.0 bar</p>			
	26 414 000	4005176408090	Chrome	127.61
	<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 413 000	4005176390180	Chrome	151.67
	ditto, with non-restricted flow			

GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 409 000	4005176390128	Chrome	85.77
	26 409 EN0	4005176390135	brushed nickel	120.29
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 410 000	4005176390142	Chrome	85.77
	26 410 EN0	4005176390159	brushed nickel	120.29
	ditto, with 9.5 l/min flow limiter			
	26 408 000	4005176390111	Chrome	85.77
	ditto, with non-restricted flow			
	27 606 001	4005176444180	Chrome	55.44
	New Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 050 001	4005176444166	Chrome	43.93
	New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 523 000	4005176886522	Chrome	40.79
	Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
	27 524 000	4005176886539	Chrome	61.71
ditto, 900 mm				
	27 596 000	4005176895944		9.41
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

GROHE TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 541 000	4005176040528	Chrome	39.00
	Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish			
	28 429 000	4005176601910	Chrome	49.00
	Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish			

GROHE SENA TRIGGER SPRAYS



GROHE SENA TRIGGER SPRAYS











Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 332 000	4005176332135	Chrome	166.31
Sena Trigger Spray 35 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1250 mm (26 335)			
GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.			
26 329 000	4005176332128	Chrome	155.85
ditto, hose 1.000 mm			

GROHE TEMPESTA-F TRIGGER SPRAYS











GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 353 000	4005176333866	Chrome	30.33
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
	27 513 001	4005176333842	Chrome	30.33
<p>ditto, with 1250 mm hose</p>				
 	26 354 000	4005176333873	Chrome	40.79
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	27 514 001	4005176333910	Chrome	61.71
<p>Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) angle valve 1/2" (22 958) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	26 346 000	4005176332173	Chrome	19.16
<p>Silverflex Longlife Shower hose Twistfree 1500 1500 mm smooth surface for easy cleaning Longlife, 7mm bore strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				

GROHE SHOWER HOSES







GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 417 000	4005176264702	Chrome	22.49
	RotaFlex Metal Longlife Metal shower hose Twistfree 1500 1500 mm metal Longlife, 7mm bore strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function Cone with silicone tape to prevent turning of hand shower during usage GROHE StarLight chrome finish blister packaging			
 	28 145 000	4005176601354	Chrome	24.58
	RelexaFlex Metal Longlife Metal shower hose 2000 2000 mm metal Longlife, 7mm bore strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 143 000	4005176601347	Chrome	20.83
	28 143 LSO	4005176842269	moon white	27.08
	28 143 KSO	4005176842252	velvet black	27.08
	ditto, 1500mm hose			
	28 142 000	4005176601330	Chrome	18.74
	ditto, 1250 mm			
 	28 140 000	4005176601323	Chrome	20.83
	RelexaFlex Metal Metal shower hose 2000 2000 mm metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 105 000	4005176601217	Chrome	17.08
	ditto, 1500mm hose			
 	26 346 000	4005176332173	Chrome	19.16
	Silverflex Longlife Shower hose Twistfree 1500 1500 mm smooth surface for easy cleaning Longlife, 7mm bore strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging			

GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	27 137 000	4005176836237	Chrome	18.74	
	Silverflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging				
	28 388 000	4005176295362	Chrome	17.08	
	28 388 BE0	4005176295386	polished nickel	23.74	
	28 388 EN0	4005176427718	brushed nickel	23.74	
	28 388 GL0	4005176427657	cool sunrise	23.74	
	28 388 GN0	4005176427664	brushed cool sunrise	23.74	
	28 388 DA0	4005176427671	warm sunset	23.74	
	28 388 A00	4005176427701	hard graphite	23.74	
	28 388 AL0	4005176427695	Brushed Hard Graphite	23.74	
	ditto, 1750mm hose				
	28 364 000	4005176295294	Chrome	14.99	
	ditto, 1500mm hose				
		28 362 000	4005176295225	Chrome	13.33
28 362 BE0		4005176295249	polished nickel	18.74	
28 362 EN0		4005176427640	brushed nickel	18.74	
28 362 GL0		4005176427589	cool sunrise	18.74	
28 362 GN0		4005176427596	brushed cool sunrise	18.74	
28 362 DA0		4005176427602	warm sunset	18.74	
28 362 DL0		4005176427619	brushed warm sunset	18.74	
28 362 A00		4005176427633	hard graphite	18.74	
28 362 AL0		4005176427626	Brushed Hard Graphite	18.74	
ditto, 1250 mm					
		28 410 001	4005176933240	Chrome	17.78
		Rotaflex Shower hose Twistfree 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging			
		28 155 001	4005176933226	Chrome	12.91
		Relaxflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 154 001	4005176933219	Chrome	11.66	
	ditto, 1750 mm				
	28 151 001	4005176933202	Chrome	9.99	
	ditto, 1500 mm				
	28 150 001	4005176933196	Chrome	13.60	
	ditto, 1250 mm				

GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 161 001	4005176935107	Chrome	15.83
	<p>Silverflex Shower hose Twistfree 1500 for low pressure 12mm bore 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>			
 	28 158 000	4005176601606	Chrome	29.16
	<p>Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish</p>			











GROHE SHOWER ACCESSORIES











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 055 000	4005176830433	Chrome	40.79
<p>Rainshower Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 623 000	4005176031595	Chrome	29.00
<p>Relaxa Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	27 595 000	4005176895937	Chrome	16.74
<p>Tempesta Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				





GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 188 000	4005176842160	Chrome	103.55
	Veris Hand shower holder wall mounted non-adjustable metal GROHE StarLight finish			
 	28 690 000	4005176256196	Chrome	89.00
	Sena Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish			
 	27 056 000	4005176830440	Chrome	30.33
	Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE StarLight chrome finish			
 	27 074 000	4005176833083	Chrome	30.33
	Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish			
	27 074 LS0	4005176873591	moon white	40.79
	27 074 BE0	4005176834325	polished nickel	56.48
	27 074 EN0	4005176834301	brushed nickel	56.48
	27 074 GL0	4005176338984	cool sunrise	56.48
	27 074 GN0	4005176427084	brushed cool sunrise	56.48
	27 074 DA0	4005176338977	warm sunset	56.48
	27 074 DL0	4005176427091	brushed warm sunset	56.48
	27 074 A00	4005176338991	hard graphite	56.48
	27 074 AL0	4005176339004	Brushed Hard Graphite	56.48
 	27 075 000	4005176833090	Chrome	30.33
	Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE StarLight chrome finish			
 	27 706 000	4005176908439	Chrome	30.33
	Allure Brilliant Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish			

GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 693 000	4005176907043	Chrome	19.87
	Euphoria Cube Wall hand Shower holder non-adjustable GROHE StarLight chrome finish			
 	28 622 000	4005176041297	Chrome	29.00
	Relaxa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish			
 	27 594 000	4005176895920	Chrome	11.40
	Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE StarLight chrome finish			
 	28 605 000	4005176041105	Chrome	19.00
	Relaxa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish			











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 151 000	4005176837012	Chrome	93.09
 	27 531 000	4005176889486	Chrome	249.00

Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers
GROHE StarLight chrome finish

Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers
GROHE StarLight chrome finish





GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 190 000	4005176842221	Chrome	103.55
<p>Veris Shower outlet elbow connection thread 1/2" external thread metal protected against backflow GROHE StarLight finish</p>				
 	27 621 000	4005176898310	Chrome	291.83
<p>Grotherm F Wall shower union with integrated shower holder vertical or horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow vertical and horizontal installation</p>				
 	35 034 000	4005176915697		197.69
<p>Grotherm F Rough-in for wall shower union 27 621 for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm</p>				
 	27 057 000	4005176830457	Chrome	51.25
	27 057 DC0	4005176371196	supersteel	61.71
	27 057 BE0	4005176426957	polished nickel	78.45
	27 057 EN0	4005176426964	brushed nickel	78.45
	27 057 GL0	4005176338946	cool sunrise	78.45
	27 057 GN0	4005176426933	brushed cool sunrise	78.45
	27 057 DA0	4005176338939	warm sunset	78.45
	27 057 DL0	4005176426940	brushed warm sunset	78.45
	27 057 A00	4005176338953	hard graphite	78.45
	27 057 AL0	4005176338960	Brushed Hard Graphite	78.45
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>				
 	27 076 000	4005176833106	Chrome	51.25
<p>Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish</p>				











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 707 000	4005176908446	Chrome	40.79
<p>Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow metal GROHE StarLight chrome finish</p>				
 	27 704 000	4005176907159	Chrome	30.33
<p>Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish</p>				
 	26 370 000	4005176341380	Chrome	30.33
<p>Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish</p>				
 	28 405 000	4005176264559	Chrome	49.00
<p>Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish</p>				
 	28 671 000	4005176103070	Chrome	30.33
<p>Relaxa Shower outlet elbow, 1/2" male thread GROHE StarLight chrome finish</p>				
	28 680 000	4005176116780	Chrome	39.00
<p>ditto, protected against backflow</p>				
 	28 626 000	4005176041358	Chrome	49.00
<p>Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap</p>				
	28 678 000	4005176116711	Chrome	49.00
<p>ditto, protected against backflow</p>				
	28 636 000	4005176078606	Chrome	51.25
<p>ditto, for IG-combination</p>				

















GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 406 000	4005176264566	Chrome	49.00
	Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish			
 	28 628 000	4005176041396	Chrome	49.00
	Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish			
	28 679 000	4005176116759	Chrome	49.00
	ditto, protected against backflow			





GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 797 001	4005176870941	Chrome	114.01
	Rainshower Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish			
	28 819 001	4005176870958	Chrome	124.47
	27 136 001	4005176870965	Chrome	145.39
	ditto, 1150 mm			
 	27 784 000	4005176913976	Chrome	93.09
	Power&Soul Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish			
	27 785 000	4005176913983	Chrome	103.55
	ditto, 900mm hose			
 	28 587 000	4005176282966	Chrome	179.00
	Relaxa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
 	27 892 000	4005176921216	Chrome	176.77
	Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish			
	27 841 000	4005176916670	Chrome	187.23
	ditto, 900 mm			
 	27 499 000	4005176886041	Chrome	40.79
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish			
	27 500 000	4005176886058	Chrome	51.25
	ditto, 900 mm			

GROHE SHOWER ACCESSORIES

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
 		27 519 000	4005176886485	Chrome	51.25
		Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight chrome finish			
 		27 520 000	4005176886492	Chrome	51.25
		ditto, 900 mm			
 		27 521 000	4005176886508	Chrome	40.79
		Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight chrome finish			
 		27 522 000	4005176886515	Chrome	51.25
		ditto, 900 mm			
 		27 523 000	4005176886522	Chrome	40.79
		Tempesta Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight chrome finish			
 		27 524 000	4005176886539	Chrome	61.71
		ditto, 900 mm			
 		27 206 000	4005176845444		19.87
		Soap dish transparent surface textured in parts			
 		27 596 000	4005176895944		9.41
		GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 708 000	4005176602375	Chrome	79.00
	Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin with wood screws GROHE StarLight chrome finish			
 	28 389 000	4005176269837	Chrome	11.90
	Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish			

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	59
	GROHE Blue Home	60
	GROHE Blue Pure	61
	GROHE Blue Accessories	62
	GROHE Red	63
Premium Lines	K7	64
	Foot Control	65
	Minta / Minta Touch	66
	Zedra / Zedra Touch	67
	Atrio	68
	Essence	69
	Eurocube	70
Competence Lines	Ambi	71
	Parkfield	72
	Eurodisc Cosmopolitan	73
	Eurodisc	74
	Concetto	75
	Eurostyle Cosmopolitan	76
	Eurosmart Cosmopolitan	77
	Eurosmart	78
	Euroeco / Euroeco Special	79
	Costa	80
	Bau Lines	81
	Soap dispensers	82
Kitchen sinks	Stainless steel sinks	83
	Composite sinks	84

GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 323 002	4005176989933	Chrome	1,975.00
31 323 DC2	4005176989940	supersteel	2,220.00

GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 347 003	4005176443336	Chrome	1,975.00
31 347 DC3	4005176446559	supersteel	2,220.00

GROHE Blue Professional

L-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 325 002	4005176507274	Chrome	2,075.00
31 325 DC2	4005176507250	supersteel	2,320.00

GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 326 002	4005176507236	Chrome	n.A.
31 326 DC2	4005176507212	supersteel	n.A.

GROHE Blue Professional

L-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 302 002	4005176443343	Chrome	1,880.00
31 302 DC2	4005176443350	supersteel	2,099.00

GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue Mono mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 323 001	4005176987946	Chrome	2,195.55
31 323 DC1	4005176987953	supersteel	2,300.15



GROHE Blue Professional Starter kit
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 C-spout
 separate handle for 3 types of filtered and chilled table water
 still, medium, sparkling
 headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 180°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue Cube
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
 for regions with water hardness of more than 9° dKH
 for regions with water hardness below 9° dKH please order activated carbon filter
 40 547 001
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar
 this product contains built-in LED lamps, which
 cannot be changed: energy efficiency class: A+
 This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data
 at: www.grohe.com/safety-data-sheets/

31 324 001	4005176987960	Chrome	2,195.55
31 324 DC1	4005176987977	supersteel	2,300.15





GROHE Blue Professional Starter kit
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for 3 types of filtered and chilled table water
 still, medium, sparkling
 headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 180°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue Cube
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
 for regions with water hardness of more than 9° dKH
 for regions with water hardness below 9° dKH please order activated carbon filter
 40 547 001
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar
 this product contains built-in LED lamps, which
 cannot be changed: energy efficiency class: A+
 This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data
 at: www.grohe.com/safety-data-sheets/

GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 347 002	4005176988059	Chrome	2,195.55
31 347 DC2	4005176988066	supersteel	2,300.31



GROHE Blue Minta Professional Starter kit
 Consisting of:
 GROHE Blue Minta single-lever sink mixer with filtration function
 monobloc installation
 separate handle for 3 types of filtered and chilled table water
 still, medium, sparkling
 headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered and non-filtered water
 flexible connection hoses
 GROHE Blue Cube
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

31 346 001	4005176988035	Chrome	2,300.15
31 346 DC1	4005176988042	supersteel	2,404.75

GROHE Blue K7 Professional Starter kit
 Consisting of:
 GROHE Blue K7 single-lever sink mixer with filtration
 monobloc installation
 separate handle for 3 types of filtered and chilled table water
 still, medium, sparkling
 headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 separate inner water ways for filtered and non-filtered water
 flexible connection hoses
 GROHE Blue Cube
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
 for regions with water hardness of more than 9° dKH
 for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 302 001	4005176988097	Chrome	2,090.95
31 302 DC1	4005176988103	supersteel	2,090.95



GROHE Blue Mono Chilled and Sparkling Starter kit

Consisting of:

GROHE Blue Minta Mono tap with filter function
monobloc installation
handle for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

swivel tubular spout
swivel area 140°
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME



GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 455 001	4005176454134	Chrome	1,881.75
31 455 DC1	4005176454141	supersteel	2,090.95
31 455 DA1	4005176488955	warm sunset	2,149.00
31 455 DL1	4005176488962	brushed warm sunset	2,149.00
31 455 A01	4005176488931	hard graphite	2,149.00
31 455 AL1	4005176488948	Brushed Hard Graphite	2,149.00

GROHE Blue Home

C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 455 000	4005176323027	Chrome	1,881.75
31 455 DC0	4005176323034	supersteel	2,090.95



**GROHE Blue Home
C-spout**

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water

flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment

for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

GROHE BLUE HOME

new

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 541 000	4005176437038	Chrome	1,986.35
31 541 DC0	4005176437045	supersteel	2,195.55



GROHE Blue Home C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water

flexible connection hoses
GROHE Blue Home cooler

delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 454 001	4005176454110	Chrome	1,881.75
31 454 DC1	4005176454127	supersteel	2,090.95
31 454 DA1	4005176488917	warm sunset	2,149.00
31 454 DL1	4005176488924	brushed warm sunset	2,149.00
31 454 A01	4005176488894	hard graphite	2,149.00
31 454 AL1	4005176488900	Brushed Hard Graphite	2,149.00

GROHE Blue Home

L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME

new

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 539 000	4005176437014	Chrome	1,986.35
31 539 DC0	4005176437021	supersteel	2,195.55



GROHE Blue Home

L-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 456 001	4005176454158	Chrome	1,881.75
31 456 DC1	4005176454165	supersteel	2,090.95



GROHE Blue Home U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water

flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity possible via GROHE
Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment

for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 543 000	4005176437052	Chrome	1,986.35
31 543 DC0	4005176437069	supersteel	2,195.55

new



GROHE Blue Home U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 498 001	4005176454172	Chrome	1,881.75
31 498 DA1	4005176488993	warm sunset	2,149.00
31 498 DL1	4005176489006	brushed warm sunset	2,149.00
31 498 A01	4005176488979	hard graphite	2,149.00
31 498 AL1	4005176488986	Brushed Hard Graphite	2,149.00



GROHE Blue Home Mono Starter kit

Consisting of:

GROHE Blue Home Mono faucet with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

swivel tubular spout, swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE PURE



GROHE BLUE PURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 345 002	4005176987885	Chrome	668.39
	31 345 DC2	4005176987892	supersteel	772.99
	31 344 001	4005176987861	Chrome	825.29
	31 344 DC1	4005176987878	supersteel	835.75
	31 301 001	4005176987922	Chrome	501.03
	31 301 DC1	4005176987939	supersteel	563.79

**GROHE Blue Minta Pure
Starter kit**

Consisting of:
GROHE Blue Minta single-lever sink mixer with filtration function
monobloc installation
separate handle for filtered water
headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 150°

separate inner water ways for filtered
and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment
adjustable for 600 litre, 1500 litre or
3000 litre filter cartridges
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

**GROHE Blue K7 Pure
Starter kit**

Consisting of:
GROHE Blue K7 single-lever sink mixer
with filtration
monobloc installation
separate handle for filtered water
headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°

separate inner water ways for filtered
and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

**GROHE Blue Mono Pure
Starter kit**

Consisting of:
GROHE Blue Minta Mono tap with filter function
monobloc installation
handle for filtered table water

GROHE StarLight finish

swivel tubular spout
swivel area 150°
flexible connection hoses










type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment

GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		40 848 000	4005176351082		7.33
GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml					
		40 848 SD0	4005176386008	stainless steel	10.83
GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml					
		40 405 000	4005176860812		25.41
GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l					
		40 437 000	4005176885471		25.41
GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml					
		40 404 001	4005176984068		50.83
GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue Capacity 600 L at 20° dKH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure					
		40 430 001	4005176984075		95.83
ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high					
		40 412 001	4005176984082		124.99
ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high					


GROHE BLUE ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 547 001	4005176984099		65.41
<p>GROHE Blue Activated carbon filter</p> <p>BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH Upto 3000 Liters 3-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>				
 	40 691 001	4005176984129		50.83
<p>GROHE Blue Magnesium+ Filter</p> <p>BWT replacement filter for GROHE Blue for recharge of the water with magnesium Capacity 400 L at 17° dGH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>				
	64 508 001	4005176984112		39.00
<p>GROHE Blue Filter Head</p> <p>for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately</p>				
 	40 434 001	4005176985294		29.16
<p>GROHE Blue Cleaning cartridge</p> <p>for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
	40 694 000	4005176985300		21.66
<p>GROHE Blue Cleaning cartridge adapter</p> <p>for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately</p>				

GROHE RED




Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 328 001	4005176414107	Chrome	1,986.35
30 328 DC1	4005176414114	supersteel	2,090.95



GROHE Red Duo Tap and L Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 C-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler L size
 reservoir for kettle hot and hot water
Without safety expansion vessel, comes with safety valve assembly instead
 5.5 liter total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 20° dKH
 5 phase filter
 flow rate measuring unit

30 340 001	4005176414893	Chrome	1,986.35
30 340 DC1	4005176414909	supersteel	2,090.95




GROHE Red Duo Tap and L Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 L-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler L size
 reservoir for kettle hot and hot water
 5.5 liter total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 20° dKH
 5 phase filter
 flow rate measuring unit

GROHE RED


Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 058 001	4005176989162	Chrome	1,881.75
30 058 DC1	4005176989179	supersteel	1,986.35
30 058 DA1	4005176489273	warm sunset	2,149.00
30 058 DL1	4005176489280	brushed warm sunset	2,149.00
30 058 A01	4005176489259	hard graphite	2,149.00
30 058 AL1	4005176489266	Brushed Hard Graphite	2,149.00






**GROHE Red Duo
Tap and M Size Boiler**
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit







30 341 001	4005176414916	Chrome	1,881.75
30 341 DC1	4005176414923	supersteel	1,986.35
30 341 DA1	4005176489310	warm sunset	2,149.00
30 341 DL1	4005176489327	brushed warm sunset	2,149.00
30 341 A01	4005176489297	hard graphite	2,149.00
30 341 AL1	4005176489303	Brushed Hard Graphite	2,149.00

**GROHE Red Duo
Tap and M Size Boiler**
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 060 001	4005176989186	Chrome	1,672.55
	<p>GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	30 329 001	4005176414121	Chrome	1,672.55
	<p>GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	40 841 001	4005176335358	Chrome	88.91
	<p>GROHE Red Mixing valve for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation</p>			






GROHE RED

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 919 SD0	4005176450136	stainless steel	12.91
GROHE Red Thermo drinking bottle stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml				
 	40 432 000	4005176883255		21.66
GROHE Red Tea glasses (4 pieces) heat proof glass with GROHE Red decor dish washer safe volume 250 ml				

GROHE K7









GROHE K7

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 950 000	4005176879838	Chrome	616.09
	32 950 DC0	4005176879845	supersteel	804.37
	32 950 A00	4005176488870	hard graphite	849.00
	32 950 AL0	4005176488887	Brushed Hard Graphite	849.00
	K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout swivel area 140° protected against backflow flexible connection hoses rapid installation system			
	31 379 000	4005176938085	Chrome	595.17
	31 379 DC0	4005176938092	supersteel	772.99
	31 379 A00	4005176488856	hard graphite	819.00
31 379 AL0	4005176488863	Brushed Hard Graphite	819.00	
	K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° protected against backflow flexible connection hoses rapid installation system			
	32 175 000	4005176860232	Chrome	605.63
	32 175 DC0	4005176860249	supersteel	772.99
		K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge SpeedClean mousseur adjustable flow rate limiter swivel cast spout swivel area 140° metal lever flexible connection hoses rapid installation system		
32 176 000		4005176860256	Chrome	626.55
32 176 DC0		4005176860263	supersteel	888.05
		K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet swivel area 140° metal lever protected against backflow flexible connection hoses rapid installation system		

GROHE FOOT CONTROL








GROHE FOOT CONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 312 000 30 312 DC0	4005176351273 4005176351280	Chrome supersteel	888.05 1,107.71
		<p>K7 Foot Control Electronic single-lever sink mixer 1/2" medium spout Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>	
30 311 000 30 311 DC0	4005176351259 4005176351266	Chrome supersteel	605.63 720.69
		<p>Essence Foot Control Electronic single-lever sink mixer 1/2" L-spout Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 28 mm ceramic cartridge with GROHE SilkMove flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>	
30 309 000	4005176351235		333.67
		<p>Foot Control Dual flush valve set Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets</p>	




GROHE MINTA / MINTA TOUCH



GROHE MINTA / MINTA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 360 001	4005176343025	Chrome	521.95
	31 360 DC1	4005176343032	supersteel	678.85
	Minta Touch Electronic single-lever sink mixer 1/2" L-spout Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
	31 358 002	4005176465000	Chrome	542.87
	31 358 DC2	4005176465017	supersteel	678.85
	Minta Touch Electronic single-lever sink mixer 1/2" C-spout monobloc installation Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray diverter: laminar spray/SpeedClean shower jet swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
	31 375 000	4005176934155	Chrome	208.15
	31 375 DC0	4005176934162	supersteel	270.91
	31 375 DA0	4005176488634	warm sunset	257.00
	31 375 DL0	4005176488641	brushed warm sunset	257.00
	31 375 A00	4005176488610	hard graphite	257.00
	31 375 AL0	4005176488627	Brushed Hard Graphite	257.00
	Minta Single-lever sink mixer 1/2" L-spout GROHE StarLight chrome finish GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses rapid installation system			
	32 168 000	4005176824425	Chrome	208.15
	32 168 DC0	4005176824432	supersteel	270.91
	Minta Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system			

GROHE MINTA / MINTA TOUCH







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 274 000	4005176314988	Chrome	260.45
	30 274 DC0	4005176314995	supersteel	312.75
	30 274 DA0	4005176488672	warm sunset	356.00
	30 274 DL0	4005176488689	brushed warm sunset	356.00
	30 274 A00	4005176488658	hard graphite	356.00
	30 274 AL0	4005176488665	Brushed Hard Graphite	356.00
	32 917 000	4005176230950	Chrome	166.31
	32 917 DC0	4005176804946	supersteel	208.15
	32 917 DA0	4005176488719	warm sunset	239.00
	32 917 DL0	4005176488726	brushed warm sunset	239.00
	32 917 A00	4005176488696	hard graphite	239.00
	32 917 AL0	4005176488702	Brushed Hard Graphite	239.00
	32 918 000	4005176230967	Chrome	208.15
	32 918 DC0	4005176804953	supersteel	270.91

Minta
Single-lever sink mixer 1/2"
 L-spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system





Minta
Single-lever sink mixer 1/2"
 C-spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 with compression nut
 rapid installation system
 optional temperature limiter (46 308 000)

Minta
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
 adjustable flow rate limiter
 swivel tubular spout
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 optional temperature limiter (46 308 000)

GROHE MINTA / MINTA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)		
	32 321 002	4005176465109	Chrome	208.15		
	32 321 DC2	4005176465116	supersteel	270.91		
	32 321 DA2	4005176488757	warm sunset	298.00		
	32 321 DL2	4005176488764	brushed warm sunset	298.00		
	32 321 A02	4005176488733	hard graphite	298.00		
	32 321 AL2	4005176488740	Brushed Hard Graphite	298.00		
	Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar					
		30 348 001	4005176464973	Chrome	213.00	
		Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° shorter lever (71 mm) integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar				
			30 349 001	4005176464980	Chrome	213.00
			Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar			
				32 488 000	4005176289552	Chrome
32 488 DC0				4005176804939	supersteel	208.15
32 488 DA0	4005176488795			warm sunset	239.00	
32 488 DL0	4005176488801			brushed warm sunset	239.00	
32 488 A00	4005176488771	hard graphite		239.00		
32 488 AL0	4005176488788	Brushed Hard Graphite		239.00		
	Minta Single-lever sink mixer 1/2" U spout, monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter (46 308 000)					

GROHE MINTA / MINTA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 067 000	4005176811142	Chrome	208.15
	32 067 DC0	4005176811166	supersteel	270.91
	32 322 002	4005176465123	Chrome	208.15
	32 322 DC2	4005176465130	supersteel	270.91
	32 322 DA2	4005176488832	warm sunset	298.00
	32 322 DL2	4005176488849	brushed warm sunset	298.00
	32 322 A02	4005176488818	hard graphite	298.00
	32 322 AL2	4005176488825	Brushed Hard Graphite	298.00
				

Minta
Single-lever sink mixer 1/2"
 U spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system









Minta
Single-lever sink mixer 1/2"
 U spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
 smooth docking back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
min. recommended pressure 1 bar

KITCHEN FITTINGS

GROHE ZEDRA / ZEDRA TOUCH



GROHE ZEDRA / ZEDRA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 219 001	4005176343063	Chrome	657.93
	30 219 DC1	4005176343070	supersteel	888.05
	Zedra Touch Electronic single-lever sink mixer 1/2" Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
	32 294 001	4005176932380	Chrome	354.59
	32 294 SD1	4005176932397	stainless steel	532.41
	Zedra Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system			
	32 553 000	4005176864506	Chrome	365.05
	32 553 SD0	4005176864520	stainless steel	501.03
	Zedra Single-lever sink mixer 1/2" monobloc installation, GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter, swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system			
	32 296 000	4005176864599	Chrome	312.75
	32 296 SD0	4005176864612	stainless steel	469.65
	Zedra Single-lever sink mixer 1/2" monobloc installation, GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout protected against backflow flexible connection hoses			

GROHE ATRIO



GROHE ATRIO





Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 362 000	4005176496479	Chrome	429.00
30 362 DC0	4005176496486	supersteel	559.00
30 362 AL0	4005176497292	Brushed Hard Graphite	599.00


Atrio
Two handle sink mixer 1/2"
 C-spout
 monobloc installation
GROHE StarLight chrome finish
 ceramic headparts 1/2", 90°
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 mousseur



GROHE ESSENCE



GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	30 294 000	4005176341472	Chrome	396.43	
	30 294 DC0	4005176341489	supersteel	511.49	
	30 294 BE0	4005176488511	polished nickel	546.00	
	30 294 EN0	4005176488528	brushed nickel	546.00	
	30 294 GL0	4005176488078	cool sunrise	546.00	
	30 294 GN0	4005176488085	brushed cool sunrise	546.00	
	30 294 DA0	4005176488498	warm sunset	546.00	
	30 294 DL0	4005176488504	brushed warm sunset	546.00	
	30 294 A00	4005176488054	hard graphite	546.00	
	30 294 AL0	4005176488061	Brushed Hard Graphite	546.00	
	Essence Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer with integrated temperature limiter professional spray with flexible, hygienic GROHFlexx kitchen santoprene hose diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray GROHE EasyDock M integrated magnet for seamless docking of the spray head swivel spout swivel area 360° protected against backflow flexible connection hoses rapid installation system				

	30 321 GE0	4005176438271	green	93.09
	30 321 XC0	4005176385735	Dark Grey	57.53
	30 321 MW0	4005176385728	Sheer Marble	57.53
	30 321 HG0	4005176385742	Dark Brown	57.53
	30 321 DG0	4005176438219	red	93.09
	30 321 DP0	4005176438264	pink	93.09
	30 321 DU0	4005176438257	purple	93.09
	30 321 TY0	4005176438240	blue	93.09
	30 321 YF0	4005176438233	yellow	57.53
	30 321 YR0	4005176438226	orange	93.09
	Essence GROHFlexx kitchen hose Spout hose for Essence kitchen tap for 30 294 000/ 30 294 DC0 flexible, hygienic GROHFlexx kitchen santoprene hose including fixing parts			

 	30 269 000	4005176314902	Chrome	249.99	
	30 269 DC0	4005176314919	supersteel	312.75	
	30 269 BE0	4005176428678	polished nickel	323.21	
	30 269 EN0	4005176428685	brushed nickel	323.21	
	30 269 GL0	4005176428616	cool sunrise	323.21	
	30 269 GN0	4005176428623	brushed cool sunrise	323.21	
	30 269 DA0	4005176428630	warm sunset	323.21	
	30 269 DL0	4005176428647	brushed warm sunset	323.21	
	30 269 A00	4005176428661	hard graphite	323.21	
	30 269 AL0	4005176428654	Brushed Hard Graphite	323.21	
	Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter				

GROHE ESSENCE



Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 270 000	4005176314926	Chrome	312.75
30 270 DC0	4005176314933	supersteel	365.05
30 270 BE0	4005176427480	polished nickel	417.35
30 270 EN0	4005176427497	brushed nickel	417.35
30 270 GL0	4005176427428	cool sunrise	417.35
30 270 GN0	4005176427435	brushed cool sunrise	417.35
30 270 DA0	4005176427442	warm sunset	417.35
30 270 DL0	4005176427459	brushed warm sunset	417.35
30 270 A00	4005176427473	hard graphite	417.35
30 270 AL0	4005176427466	Brushed Hard Graphite	417.35

Essence

Single-lever sink mixer 1/2"

high spout
monobloc installation



GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**

flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter

GROHE EUROCUBE







GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 395 000 31 395 DC0	4005176304774 4005176304767	Chrome supersteel	542.87 699.77
	<p>Eurocube Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish 28 mm ceramic cartridge with GROHE SilkMove diverter: mousseur/shower jet swivel spout swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses applicable for under cupboard installation rapid installation system</p>			
	31 255 000	4005176901416	Chrome	187.23
	<p>Eurocube Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel cast spout swivel area 360° flexible connection hoses rapid installation system</p>			

GROHE AMBI



GROHE AMBI

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	30 189 000	4005176914102	Chrome	155.85
	<p>Ambi Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headparts 1/2", 90° mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles lever opens to the front, protecting the backsplash flexible connection hoses rapid installation system min. recommended pressure 0.4 bar</p>			
 	30 190 000	4005176914119	Chrome	166.31
	<p>Ambi Cosmopolitan Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headpart mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles flexible connection hoses lever opens to the front, protecting the backsplash rapid installation system min. recommended pressure 0.4 bar</p>			

GROHE PARKFIELD



GROHE PARKFIELD

Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 215 001	4005176409066	Chrome	332.63
30 215 DC1	4005176409073	supersteel	339.00











Parkfield
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE EURODISC COSMOPOLITAN







GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 259 003	4005176466908	Chrome	208.15
	<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° mousseur flexible connection hoses rapid installation system</p>			
	31 122 004	4005176466892	Chrome	249.99
	<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	33 770 002	4005176888137	Chrome	208.15
	<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>			
	32 257 002	4005176886591	Chrome	249.99
	<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>			

GROHE EURODISC











GROHE EURODISC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 770 001	4005176828959	Chrome	187.23
	<p>Eurodisc Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° with stop restriction flexible connection hoses rapid installation system</p>			
	32 257 001	4005176834165	Chrome	197.69
	<p>Eurodisc Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>			





GROHE CONCETTO



GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 491 000	4005176343308	Chrome	333.67
	31 491 DC0	4005176343315	supersteel	438.27
	<p>Concetto Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer with integrated temperature limiter professional spray with flexible, hygienic GROHFlexx kitchen santoprene hose diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray GROHE EasyDock M integrated magnet for seamless docking of the spray head swivel spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			
	32 661 003	4005176466823	Chrome	187.23
	32 661 DC3	4005176466830	supersteel	229.07
	<p>Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
	32 663 003	4005176466854	Chrome	208.15
	32 663 DC3	4005176466861	supersteel	291.83
	<p>Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	31 212 003	4005176466762	Chrome	236.00
	<p>Concetto Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free pull-out laminar spray automatic return adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			











GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 483 002	4005176466809	Chrome	239.53
	31 483 DC2	4005176466816	supersteel	312.75
<p>Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>				
	31 128 001	4005176886737	Chrome	187.23
	31 128 DC1	4005176891007	supersteel	239.53
<p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>				
	31 129 001	4005176886744	Chrome	229.07
	31 129 DC1	4005176891021	supersteel	291.83
<p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>				
	32 659 001	4005176886713	Chrome	166.31
	32 659 DC1	4005176890772	supersteel	218.61
<p>Concetto Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>				





GROHE EUROSTYLE COSMOPOLITAN



GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		33 975 004	4005176467004	Chrome	176.77
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 127 002	4005176886669	Chrome	166.31
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 126 004	4005176466977	Chrome	197.69
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		31 482 003	4005176466984	Chrome	229.07
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		30 221 002	4005176984235	Chrome	124.47
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter</p>					











GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 124 002	4005176886614	Chrome	155.85
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	33 977 002	4005176886560	Chrome	134.93
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			

GROHE EUROSMART COSMOPOLITAN











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 843 002	4005176466939	Chrome supersteel	126.00
	32 843 DC2	4005176466953		164.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses rapid installation system</p>			
	32 843 20E	4005176466946	Chrome	130.00
	ditto, with GROHE Ecojoy			
	31 481 001	4005176466922	Chrome	188.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			
	30 193 000	4005176919459	Chrome	124.47
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	32 842 000	4005176874833	Chrome	103.55
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 188 002	4005176466915	Chrome	130.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			

GROHE EUROSMART



GROHE EUROSMART

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 202 002	4005176861956	Chrome	124.47
	<p>Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
	30 305 000	4005176343285	Chrome	155.85
	30 305 DC0	4005176359811	supersteel	197.69
<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout 88° swivel radius separate inner water ways – lead and nickel free flexible connection hoses rapid installation system protected against backflow</p>				
	33 281 002	4005176861932	Chrome	103.55
	<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>			
	30 260 002	4005176310386	Chrome	103.55
	<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>			

GROHE EUROSMART

Ref. No.	EAN code	Colour	Retail Guide Price (£)
32 221 002	4005176861949	Chrome	93.09







Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
Qualitel E1C2A2U3 applied for

GROHE EUROECO / EUROECO SPECIAL





GROHE EUROECO / EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 750 000	4005176868238	Chrome	82.63
<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>				
 	32 786 000	4005176871863	Chrome	124.47
<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever, lever length 120 mm flexible connection hoses</p>				

GROHE COSTA



GROHE COSTA











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 819 001	4005176843471	Chrome	93.09
				

Costa S
Sink mixer 1/2"
metal handles
heat-insulated
screwable
GROHE StarLight finish
Carbodur headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses



GROHE BAU LINES



GROHE BAU LINES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 367 001	4005176478512	Chrome	103.55
	<p>BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	31 367 000	4005176934346	Chrome	103.55
	<p>BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system</p>			
	31 368 001	4005176478529	Chrome	103.55
	<p>BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	31 368 000	4005176934483	Chrome	103.55
	<p>BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE Longlife 28 mm ceramic cartridge spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	31 535 001	4005176478550	Chrome	103.55
	<p>BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			

GROHE BAU LINES





Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	31 536 001	4005176478567	Chrome	103.55
<p>GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>				
	31 538 001	4005176478574	Chrome	103.55
<p>GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system</p>				

KITCHEN
FITTINGS

GROHE SOAP DISPENSERS







GROHE SOAP DISPENSERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 535 000	4005176905490	Chrome	61.71
	40 535 DC0	4005176905520	supersteel	72.17
	40 535 BE0	4005176489457	polished nickel	86.00
	40 535 EN0	4005176489464	brushed nickel	86.00
	40 535 GL0	4005176489419	cool sunrise	86.00
	40 535 GN0	4005176489426	brushed cool sunrise	86.00
	40 535 DA0	4005176489433	warm sunset	86.00
	40 535 DL0	4005176489440	brushed warm sunset	86.00
	40 535 A00	4005176489396	hard graphite	86.00
	40 535 AL0	4005176489402	Brushed Hard Graphite	86.00
Cosmopolitan Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 536 000	4005176905506	Chrome	51.25
	40 536 DC0	4005176905537	supersteel	72.17
Contemporary Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 553 000	4005176911422	Chrome	72.17
	40 553 DC0	4005176911439	supersteel	93.09
Zedra Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 537 000	4005176905513	Chrome	61.71
Authentic Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				









GROHE STAINLESS STEEL SINKS









GROHE STAINLESS STEEL SINKS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 582 SD0	4005176473395	stainless steel	1,429.00
 	<p>K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 rh mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm GROHE QuickFix installation system sink mountable right cut-out: 1148 x 508 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>		
31 581 SD0	4005176473388	stainless steel	1,429.00
 	<p>K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 lh mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm GROHE QuickFix installation system sink mountable left cut-out: 1148 x 508 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>		







GROHE STAINLESS STEEL SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	31 583 SD0	4005176473401	stainless steel	919.00
	<p>K800 Stainless steel sink model: K800 60-S 51.8/56 1.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 518 x 560 mm 1 bowl: 462 x 400 x 200 mm GROHE QuickFix installation system drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
 	31 584 SD0	4005176473418	stainless steel	1,009.00
	<p>K800 Stainless steel sink model: K800 90-S 84.6/56 1.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 846 x 560 mm 1 bowl: 790 x 400 x 200 mm GROHE QuickFix installation system drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
 	31 585 SD0	4005176473425	stainless steel	1,829.00
	<p>K800 Stainless steel sink model: K800 120-S 102.4/56 2.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 1200 mm dimensions: 1024 x 560 mm 2 bowls: 462 x 400 x 200 mm GROHE QuickFix installation system drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
 	31 586 SD0	4005176473432	stainless steel	1,199.00
	<p>K800 Stainless steel sink model: K800 120-S 102.4/56 1.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 1200 mm dimensions: 1024 x 560 mm 1 bowl: 968 x 400 x 200 mm GROHE QuickFix installation system drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE STAINLESS STEEL SINKS









	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	31 574 SD0	4005176473319	stainless steel	329.00	
	31 574 GN0	4005176563645	brushed cool sunrise	999.00	
	31 574 DL0	4005176563621	brushed warm sunset	999.00	
	31 574 AL0	4005176563638	Brushed Hard Graphite	999.00	
	K700 Undermount Stainless steel sink model: K700U 60-S 54.4/44.4 1.0 mounting type: undermount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 540 x 440 mm 1 bowl: 500 x 400 x 195 mm GROHE QuickFix installation system cut-out: 500 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set				
		31 575 SD0	4005176473326	stainless steel	519.00
		K700 Undermount Stainless steel sink model: K700U 80-S 76/45 1.5 lh mounting type: undermount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 760 x 450 mm 1 bowl: 500 x 400 x 195 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable left cut-out: 710 x 400 mm (R15) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
			K700 Undermount Stainless steel sink model: K700U 60-S 58.5/44 1.5 rh mounting type: undermount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 585 x 440 mm 1 bowl: 340 x 400 x 195 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable right cut-out: 545 x 400 mm (R15) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set		
31 576 SD0			4005176473333	stainless steel	489.00
	31 577 SD0		4005176473340	stainless steel	489.00
	K700 Undermount Stainless steel sink model: K700U 60-S 58.5/44 1.5 lh mounting type: undermount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 585 x 440 mm 1 bowl: 340 x 400 x 195 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable left cut-out: 545 x 400 mm (R15) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set				
		K700 Undermount Stainless steel sink model: K700U 60-S 58.5/44 1.5 rh mounting type: undermount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 585 x 440 mm 1 bowl: 340 x 400 x 195 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable right cut-out: 545 x 400 mm (R15) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
		K700 Undermount Stainless steel sink model: K700U 60-S 58.5/44 1.5 lh mounting type: undermount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 585 x 440 mm 1 bowl: 340 x 400 x 195 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable left cut-out: 545 x 400 mm (R15) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			

GROHE STAINLESS STEEL SINKS





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	31 578 SD0	4005176473357	stainless steel	509.00
	<p>K700 Stainless steel sink model: K700 45-S 46.4/46.4 1.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 464 x 464 mm 1 bowl: 400 x 400 x 200 mm GROHE QuickFix installation system drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			
 	31 579 SD0	4005176473364	stainless steel	559.00
	<p>K700 Stainless steel sink model: K700 60-S 56.4/46.4 1.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 564 x 464 mm 1 bowl: 500 x 400 x 200 mm GROHE QuickFix installation system drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			
 	31 580 SD0	4005176473371	stainless steel	609.00
	<p>K700 Stainless steel sink model: K700 90-S 86.4/46.4 1.0 mounting type: flush mount material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm GROHE QuickFix installation system drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			

KITCHEN FITTINGS

GROHE STAINLESS STEEL SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 571 SD0	4005176473289	stainless steel	209.00
	<p>K500 Stainless Steel Sink with Drainer model: K500 45-S 86/50 1.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 400 x 195 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 572 SD0	4005176473296	stainless steel	299.00
	<p>K500 Stainless Steel Sink with Drainer model: K500 60-S 97/50 1.5 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 970 x 500 mm 1 bowl: 340 x 400 x 195 mm 0.5 bowl: 150 x 300 x 162 mm GROHE QuickFix installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 588 SD0	4005176473456	stainless steel	309.00
	<p>K500 Stainless Steel Sink with Drainer model: K500 80-S 116/50 2.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 2 bowls: 340 x 400 x 195 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 573 SD0	4005176473302	stainless steel	389.00
	<p>Minta Kitchen sink and tap bundle Consisting of: K500 stainless steel sink with drainer (31 571 SD0) Minta single lever sink mixer (32 168 000) high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			









GROHE STAINLESS STEEL SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	31 568 SD0	4005176473258	stainless steel	199.00
 	31 569 SD0	4005176473265	stainless steel	289.00







K400+
Stainless Steel Sink with Drainer
 model: K400+ 45-S 87.3/51.3 1.0 rev
 mounting type: flat edge
 material: stainless steel AISI 316 (V4A)
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 450 mm
 dimensions: 873 x 513 mm
 1 bowl: 363 x 400 x 188 mm
GROHE QuickFix installation system
 sink mountable left or right
 cut-out: 840 x 480 mm
 drilling holes: 2 x 35 mm
 drainer: automatic waste fitting
 accessories included: automatic waste fitting,
 waste kit, basket strainer waste, mounting set

K400+
Stainless Steel Sink with Drainer
 model: K400+ 60-S 98.3/51.3 1.5 rev
 mounting type: flat edge
 material: stainless steel AISI 316 (V4A)
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 983 x 513 mm
 1 bowl: 363 x 400 x 188 mm
 0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
 sink mountable left or right
 cut-out: 950 x 480 mm
 drilling holes: 2 x 35 mm
 drainer: automatic waste fitting
 accessories included: waste kit, basket
 strainer waste, mounting set





GROHE STAINLESS STEEL SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 566 SD0	4005176473234	stainless steel	159.00
	<p>K400 Stainless Steel Sink with Drainer model: K400 45-S 86/50 1.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 362.5 x 400 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 567 SD0	4005176473241	stainless steel	229.00
	<p>K400 Stainless Steel Sink with Drainer model: K400 60-S 97/50 1.5 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 970 x 500 mm 1 bowl: 363 x 400 x 188 mm 0.5 bowl: 150 x 300 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 587 SD0	4005176473449	stainless steel	229.00
	<p>K400 Stainless Steel Sink with Drainer model: K400 80-S 116/50 2.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 2 bowls: 362.5 x 400 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 570 SD0	4005176473272	stainless steel	329.00
	<p>Concetto Kitchen sink and tap bundle Consisting of: K400 stainless steel sink with drainer (31 566 SD0) Concetto single lever sink mixer (32 663 003) high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			

GROHE STAINLESS STEEL SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 563 SD0	4005176473203	stainless steel	129.00
	<p>K300 Stainless Steel Sink with Drainer model: K300 45-S 86/50 1.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 360 x 400 x 175 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 564 SD0	4005176473210	stainless steel	199.00
	<p>K300 Stainless Steel Sink with Drainer model: K300 60-S 97/50 1.5 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 970 x 500 mm 1 bowl: 360 x 400 x 175 mm 0.5 bowl: 150 x 300 x 155 mm GROHE QuickFix installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 565 SD0	4005176473227	stainless steel	209.00
	<p>Eurosmart Kitchen sink and tap bundle Consisting of: K300 stainless steel sink with drainer (31 563 SD0) Eurosmart single-lever sink mixer (33 281 002) low spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge with integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>			









GROHE STAINLESS STEEL SINKS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 562 SD0	4005176473197	stainless steel	179.00
		<p>Bau Kitchen sink and tap bundle Consisting of: K200 stainless steel sink with drainer (31 552 SD0) Bau Edge single lever sink mixer (31 367 000) high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system</p>	
31 552 SD0	4005176457067	stainless steel	99.00
		<p>K200 Stainless Steel Sink with Drainer model: K200 45-S 86/50 1.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE StarLight finish finish: pre-polished GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 400 x 170 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>	









GROHE COMPOSITE SINKS











GROHE COMPOSITE SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 650 AT0	4005176521294	granite gray	223.00
	31 650 AP0	4005176521287	granite black	223.00
	K700 Composite sink model: K700 50-C 40/50 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 340 x 370 x 200 mm GROHE QuickFix installation system cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 651 AT0	4005176521317	granite gray	263.00
	31 651 AP0	4005176521300	granite black	263.00
	K700 Composite sink model: K700 60-C 56/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm GROHE QuickFix installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 652 AT0	4005176521331	granite gray	294.00
	31 652 AP0	4005176521324	granite black	294.00
	K700 Composite sink model: K700 80-C 78/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm GROHE QuickFix installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 653 AT0	4005176521355	granite gray	195.00
	31 653 AP0	4005176521348	granite black	195.00
	K700 Undermount Composite sink model: K700U 50-C 45.7/40.6 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm GROHE QuickFix installation system cut-out: 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set			






GROHE COMPOSITE SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 654 AT0	4005176521379	granite gray	224.00
	31 654 AP0	4005176521362	granite black	224.00
	<p>K700 Undermount Composite sink model: K700U 60-C 53.3/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 533 x 457 mm 1 bowl: 469 x 393 x 205 mm GROHE QuickFix installation system cut-out: 468 x 390 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 655 AT0	4005176521393	granite gray	265.00
	31 655 AP0	4005176521386	granite black	265.00
	<p>K700 Undermount Composite sink model: K700U 70-C 61/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 700 mm dimensions: 610 x 460 mm 1 bowl: 544 x 394 x 205 mm GROHE QuickFix installation system cut-out: 543 x 393 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 644 AT0	4005176521171	granite gray	296.00
	31 644 AP0	4005176521164	granite black	296.00
	<p>K500 Composite sink with drainer model: K500 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 347 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 645 AT0	4005176521195	granite gray	309.00
	31 645 AP0	4005176521188	granite black	309.00
	<p>K500 Composite sink with drainer model: K500 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			





GROHE COMPOSITE SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 646 AT0	4005176521218	granite gray	329.00
	31 646 AP0	4005176521201	granite black	329.00
	<p>K500 Composite sink with drainer model: K500 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 345 x 440 x 200 mm 0.5 bowl: 155 x 295 x 146 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 647 AT0	4005176521232	granite gray	370.00
	31 647 AP0	4005176521225	granite black	370.00
	<p>K500 Composite sink with drainer model: K500 80-C 116/50 2.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 330 x 440 x 200 mm 2 bowl: 330 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 648 AT0	4005176521256	granite gray	283.00
	31 648 AP0	4005176521249	granite black	283.00
	<p>K500 Composite sink model: K500 60-C 55.5/46 1.5 rev mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 555 x 460 mm 1 bowl: 335 x 400 x 200 mm 0.5 bowl: 155 x 400 x 140 mm GROHE QuickFix installation system sink mountable left or right cut-out: 525 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 649 AT0	4005176521270	granite gray	345.00
	31 649 AP0	4005176521263	granite black	345.00
	<p>K500 Composite sink model: K500 90-C 86/50 2.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 900 mm dimensions: 860 x 500 mm 1 bowl: 390 x 430 x 200 mm 2 bowl: 380 x 365 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE COMPOSITE SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 639 AT0	4005176520464	granite gray	220.00
	31 639 AP0	4005176520457	granite black	220.00
	<p>K400 Composite sink with drainer model: K400 50-C 78/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 780 x 500 mm 1 bowl: 347 x 440 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 765 x 485 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	<p>K400 Composite sink with drainer model: K400 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 337 x 420 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 641 AT0	4005176521119	granite gray	298.00
	31 641 AP0	4005176521102	granite black	298.00
	<p>K400 Composite sink with drainer model: K400 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 420 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	<p>K400 Composite sink with drainer model: K400 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 335 x 420 x 205 mm 0.5 bowl: 155 x 295 x 146 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 642 AT0	4005176521133	granite gray	319.00
	31 642 AP0	4005176521126	granite black	319.00

GROHE COMPOSITE SINKS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 643 AT0	4005176521157	granite gray	339.00
	31 643 AP0	4005176521140	granite black	339.00
	<p>K400 Composite sink with drainer model: K400 80-C 116/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 656 AT0	4005176521416	granite gray	183.00
	31 656 AP0	4005176521409	granite black	183.00
	<p>K200 Composite sink model: K400 50-C 51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm GROHE QuickFix installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE
COMMERCIAL FITTINGS





CONTENTS

Electronic Fittings	Essence E	85
	Eurocube E	86
	Bluetooth monitoring	87
	Europlus E	88
	Eurosmart Cosmopolitan E	89
	Euroeco Cosmopolitan E	90
	Bau Cosmopolitan E	91
Special Thermostats	Grohtherm Micro	92
	Grohtherm Special	93
	Grohtherm 2000 Special	94
	Grohtherm XL	95
Single-Lever Mixers	Commercial Showers	96
	Euroeco Special	97
	Hospita	98
	Euroeco Single Sequential	99
Self-closing Fittings	Eurodisc SE	100
	Eurosmart Cosmopolitan T	101
	Euroeco Cosmopolitan T	102

SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.







** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.








GROHE ESSENCE E







GROHE ESSENCE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 444 000	4005176415661	Chrome	589.00
	<p>Essence E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360° laminar spray regulator 5.0 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 445 000	4005176415678	Chrome	569.00
	<p>Essence E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360° laminar spray regulator 5.0 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 446 000	4005176415685	Chrome	529.00
	<p>Essence E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360° laminar spray regulator 5.0 l/min flexible connection hose dirt strainer with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			

GROHE ESSENCE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 447 000	4005176416293	Chrome	749.00
	<p>Essence E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.0 l/min 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for use with Rapid SL 38 748 002 or roughing-in set 36 264 001 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 264 001	4005176416279		199.00
	<p>Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation connection housing for power supply suitable for 36 447 000, 36 442 000</p>			
	38 748 002	4005176416323	Chrome	469.00
	<p>Rapid SL Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			
	36 407 001	4005176368974		249.00
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			







GROHE ESSENCE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 340 000	4005176911385		51.25
	Power extension cable length 3.00 m			
	36 341 000	4005176911392		92.15
	ditto, length 10 m			
	42 393 000	4005176905872		65.05
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	36 338 000	4005176896743		82.63
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			









GROHE EUROCUBE E






GROHE EUROCUBE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 440 000	4005176415623	Chrome	729.00
	<p>Eurocube E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE StarLight chrome finish laminar spray regulator 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 441 000	4005176415630	Chrome	699.00
	<p>Eurocube E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight chrome finish laminar spray regulator 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 442 000	4005176415647	Chrome	789.00
	<p>Eurocube E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.7 l/min 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for use with Rapid SL 38 748 002 or roughing-in set 36 264 001 CE approved noise classification 1 in accordance with DIN4109</p>			

GROHE EUROCUBE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 264 001	4005176416279		199.00
<p>Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation connection housing for power supply suitable for 36 447 000, 36 442 000</p>				
 	38 748 002	4005176416323	Chrome	469.00
<p>Rapid SL Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>				
 	36 407 001	4005176368974		249.00
<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>				
 	36 340 000	4005176911385		51.25
<p>Power extension cable length 3.00 m</p>				
	36 341 000	4005176911392		92.15
<p>ditto, length 10 m</p>				

GROHE EUROCUBE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	42 393 000	4005176905872		65.05
<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>				
 	36 338 000	4005176896743		82.63
<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>				

GROHE BLUETOOTH MONITORING



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 413 000	4005176320576	Chrome	539.74



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves
 and dirt strainers
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 409 000	4005176320538	Chrome	444.55



Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 solenoid valve
 dirt strainer
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 thermal disinfection
 auto flush
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.





* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

COMMERCIAL
FITTINGS

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 414 000	4005176320583	Chrome	732.20
<p>Eurosmart Cosmopolitan E Bluetooth Infra-red electronic thermostatic basin mixer, wall mounted with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC GROHE StarLight finish GROHE CoolTouch GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) swivel cast spout 219 mm with swivel stop at 130° or fixed projection 287 mm laminar mousseur 9 l/min S-unions escutcheon covers for S-unions non-return valve dirt strainers power connection cable 3.0 m for use with connection set 39 383 000 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p>monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection</p> <p>configuration detection range and shut off delay auto flush thermal disinfection cleaning mode 2 on/off timers identification by name</p> <p>service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards</p> <p>*** Available for free via iTunes app or Google Play store.</p>			
 			
39 383 000	4005176356926		51.25
<p>Eurosmart Cosmopolitan E Thermostatic 230 V connection set fitting support 2 fitting connections DN 15 power supply connector wall installation for use with Eurosmart Cosmopolitan E thermostat 230 V</p>			
 			

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 410 000	4005176320545	Chrome	510.45
		<p>Euroeco Cosmopolitan E Bluetooth Infra-red electronic basin tap with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box 36 336 000/36 337 000 GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min. chrome escutcheon and spout projection 172 mm with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p>monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection</p> <p>configuration detection range and shut off delay auto flush thermal disinfection cleaning mode 2 on/off timers identification by name</p> <p>service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards</p> <p>*** Available for free via iTunes app or Google Play store.</p>	
36 337 000	4005176896736		103.55
		<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000</p>	
36 336 000	4005176896729		273.58
		<p>Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000</p>	

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 412 000	4005176320569	Chrome	575.30




Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 set for final installation for concealed fitting box
 36 339 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
 laminar flow straightener 9 l/min.
 chrome escutcheon and spout
 projection 172 mm
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.




36 339 000	4005176896842		177.82
------------	---------------	--	--------

Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
 wall installation
 suitable for IR-sets for final installation
 2 stop valves
 housing with mixing device
 non-return valve
 connection housing for power supply
 suitable for
 36 315 000, 36 412 000, 36 376 000

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 415 000	4005176320590	Chrome	483.83
------------	---------------	--------	--------



Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic for concealed thermostatic shower

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
for concealed installation box 36 416 000

GROHE StarLight finish

chrome escutcheon
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection

configuration

shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



36 416 000	4005176321009		465.26
------------	---------------	--	--------





Eurosmart Cosmopolitan E Concealed control unit

for shower
with integrated pre-adjustable
thermostatic mixer
suitable for IR-set 36 415 000
2 stop valves
Grotherm Micro integrated
non-return valves with filters
connection housing for power supply


GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 503 000	4005176320507	Chrome	626.55
<p>Tectron Skate Bluetooth Infra-red electronic for Urinal for Rapido U 37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose GROHE StarLight finish flow pressure min 0.5 bar operating pressure max 10 bar</p> <p>with Bluetooth 4.0* for wireless data communication Bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p>monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days</p> <p>configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name</p> <p>service send and save 3 profiles reset to factory or user settings CE approved hard and software version</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards</p> <p>*** Available for free via iTunes app or Google Play store.</p>			
 			

37 338 000	4005176837920		124.47
<p>GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection</p>			
 			

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 505 SD0	4005176321016	stainless steel	626.55



Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 front plate 156 x 197 mm
 servo motor

with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days

configuration
 detection range and shut off delay
 auto flush
 cleaning mode
 2 on/off timers




identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
 *** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 504 000	4005176320521	Chrome	783.45
<p>Tectron Skate Bluetooth Infra-red electronic for WC for flushing cistern GD 2 / Rapid SL 1.13 m only with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with additional manual actuation GROHE StarLight finish front plate 156 x 197 mm servo motor</p> <p>with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p>monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days</p> <p>configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name</p> <p>service send and save 3 profiles reset to factory or user settings hard and software version CE approved</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards</p> <p>*** Available for free via iTunes app or Google Play store.</p>				
 	36 340 000	4005176911385		51.25
<p>Power extension cable length 3.00 m</p>				
	36 341 000	4005176911392		92.15
<p>ditto, length 10 m</p>				
 	36 338 000	4005176896743		82.63
<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>				

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 407 001	4005176368974		249.00
------------	---------------	--	--------



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE EUROPLUS E



GROHE EUROPLUS E




	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 207 001	4005176929373	Chrome	553.33
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 208 001	4005176929380	Chrome	469.65
	ditto, without mixing device			
	36 236 001	4005176929403	Chrome	420.69
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 015 001	4005176929359	Chrome	480.11
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 016 001	4005176929366	Chrome	414.09
	ditto, without mixing device			

GROHE EUROPLUS E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 387 000	4005176983207	Chrome	873.31
	<p>Europlus E Powerbox with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system monobloc installation GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p>			
 	36 407 001	4005176368974		249.00
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000	4005176911385		51.25
	<p>Power extension cable length 3.00 m</p>			
	36 341 000	4005176911392		92.15
	<p>ditto, length 10 m</p>			
	42 393 000	4005176905872		65.05
	<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>			

COMMERCIAL FITTINGS







GROHE EUROPLUS E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 338 000	4005176896743		82.63
<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>				
	36 209 000	4005176207105	Chrome	68.65
<p>Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE StarLight chrome finish</p>				







GROHE EUROSMART COSMOPOLITAN E



GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 327 001	4005176305771	Chrome	312.75
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 331 001	4005176305795	Chrome	274.05
	ditto, with pop-up waste set 1 1/4"			
	36 422 000	4005176368530	Chrome	332.18
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight finish GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 325 001	4005176305764	Chrome	354.59
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			

GROHE EUROSMART COSMOPOLITAN E









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 421 000	4005176368523	Chrome	330.12
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE StarLight finish GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 439 000	4005176389740	Chrome	246.56
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min flexible connection hose dirt strainer with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 330 001	4005176305788	Chrome	333.67
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with hidden mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			

COMMERCIAL
FITTINGS









GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 386 001	4005176311673	Chrome	608.24
	<p>Eurosmart Cosmopolitan E Powerbox Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p>			
	36 332 000	4005176896682	Chrome	737.17
	<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) 3 modes to start mixer: hand-hand, hand-body or body-body reflection laminar mousseur 9 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) swivel cast spout, 219 mm projection 287 mm swivel range stop at 130°, lockable multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 333 000	4005176896699	Chrome	724.04
<p>ditto, projection 255 mm</p>				
	36 334 SD0	4005176896705	stainless steel	406.89
	<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 000/36 337 000 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 335 SD0	4005176896712	stainless steel	385.97
<p>ditto, spout 170 mm</p>				

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 337 000	4005176896736		103.55
<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000</p>				
 	36 336 000	4005176896729		273.58
<p>Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000</p>				
 	36 376 000	4005176932243	Chrome	521.95
<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar flow straightener 9 l/min. chrome escutcheon chrome spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 339 000 CE approved noise classification 1 in accordance with DIN4109</p>				
	36 315 000	4005176896590	Chrome	438.27
<p>ditto, projection 170 mm</p>				
 	36 339 000	4005176896842		177.82
<p>Eurosmart Cosmopolitan E Concealed mounting box with mixture wall installation suitable for IR-sets for final installation 2 stop valves housing with mixing device non-return valve connection housing for power supply suitable for 36 315 000, 36 412 000, 36 376 000</p>				







GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 407 001	4005176368974		249.00
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000	4005176911385		51.25
	<p>Power extension cable length 3.00 m</p>			
	36 341 000	4005176911392		92.15
	<p>ditto, length 10 m</p>			
	42 393 000	4005176905872		65.05
	<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>			
 	36 338 000	4005176896743		82.63
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			
	34 507 000	4005176940767	Chrome	161.08
	<p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1</p>			

GROHE EUROECO COSMOPOLITAN E








GROHE EUROECO COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 271 000	4005176893193	Chrome	260.45
	<p>Euroeco Cosmopolitan E Infra-red electronic basin tap with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses dirt strainers solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 269 000	4005176893179	Chrome	281.37
	<p>Euroeco Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 384 000	4005176982774	Chrome	574.25
	<p>Euroeco Cosmopolitan E Powerbox infra-red electronic basin tap 1/2" without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE EcoJoy 6.0 l/min mousseur flexible connection hose dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p>			

GROHE EUROECO COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 273 000	4005176893216	Chrome	341.94
	<p>Euroeco Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC chrome escutcheon chrome spout projection 172 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 000/36 337 000 CE approved noise classification 1 in accordance with DIN4109</p>			
 	36 337 000	4005176896736		103.55
	<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000</p>			
 	36 336 000	4005176896729		273.58
	<p>Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000</p>			
 	36 407 001	4005176368974		249.00
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			







GROHE EUROECO COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 340 000	4005176911385		51.25
	Power extension cable length 3.00 m			
	36 341 000	4005176911392		92.15
	ditto, length 10 m			
	42 393 000	4005176905872		65.05
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	36 338 000	4005176896743		82.63
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
	34 507 000	4005176940767	Chrome	161.08
	Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1			








GROHE BAU COSMOPOLITAN E



GROHE BAU COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 451 000	4005176473678	Chrome	217.00
	<p>Bau Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min body made of composite polymer flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 1 bar</p>			
 	36 452 000	4005176473685	Chrome	202.00
	<p>Bau Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min body made of composite polymer flexible connection hose dirt strainer with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 1 bar</p>			
 	36 453 000	4005176473791	Chrome	229.00
	<p>Bau Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min body made of composite polymer flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 1 bar</p>			

GROHE BAU COSMOPOLITAN E




	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 407 001	4005176368974		249.00
<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>				
 	36 340 000	4005176911385		51.25
<p>Power extension cable length 3.00 m</p>				
	36 341 000	4005176911392		92.15
<p>ditto, length 10 m</p>				
	42 393 000	4005176905872		65.05
<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>				
 	36 338 000	4005176896743		82.63
<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>				

COMMERCIAL FITTINGS

GROHE GROHTHERM MICRO



GROHE GROHTHERM MICRO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 487 000	4005176936234	Chrome	124.47
	34 507 000	4005176940767	Chrome	161.08
	47 533 000	4005176207181	Chrome	29.00

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
 built-in non return valves
 dirt strainer
 without connection set

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
GROHE TurboStat thermoelement
 built-in non return valves
 dirt strainers
 with connection set and T piece
GROHE StarLight chrome finish
 max. pressure differential 5:1







Grotherm Micro
Connection set
 for Grotherm Micro (34 487 000)
 Consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
GROHE StarLight chrome finish

GROHE GROHTHERM SPECIAL











COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 667 000	4005176351570	Chrome	262.03
		<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>	
34 725 000	4005176457081	Chrome	328.00
		<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) Thermostatic cartridge max.temperature 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions, chrome nuts and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish Available from Q2 2018</p>	
34 665 000	4005176351556	Chrome	328.06
		<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>	

GROHE GROHTHERM SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 681 000	4005176354090	Chrome	312.75
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish</p>			
 	34 671 000	4005176351587	Chrome	334.24
	<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish</p>			
 	34 666 000	4005176351563	Chrome	290.91
	<p>Grotherm Special Thermostat basin mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>			
 	13 378 000	4005176351532	Chrome	78.40
	<p>Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min. GROHE StarLight finish</p>			
	13 380 000	4005176351549	Chrome	86.65
	<p>ditto, length 175 mm</p>			

COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 094 000	4005176354106	Chrome	200.13
<p>Grotherm Special Thermostatic shower mixer set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
 	29 095 000	4005176354113	Chrome	204.26
<p>Grotherm Special Thermostatic bath/shower mixer trim set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
 	29 096 000	4005176354120	Chrome	165.06
<p>Grotherm Special Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
	47 994 000	4005176364723		2.06
<p>Grotherm Special Temperature unlocking handle unlocking of temperature handle for thermal disinfection</p>				
 	12 051 000	4005176213588	Chrome	39.00
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				

GROHE GROHTHERM SPECIAL

Ref. No. EAN code Colour Retail Guide Price (£)

47 781 000 4005176836558 155.85









Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for use with bath-thermostats with aquadimmer

COMMERCIAL
FITTINGS

GROHE GROHTHERM 2000 SPECIAL



GROHE GROHTHERM 2000 SPECIAL







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 205 000	4005176809996	Chrome	375.51
	<p>Grotherm 2000 Special Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C (calibration required) easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves covered S-unions protected against backflow GROHE StarLight chrome finish</p>			
 	34 255 000	4005176837722	Chrome	365.05
	<p>Grotherm 2000 Special Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C (calibration required) easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves without connection unions without escutcheons protected against backflow GROHE StarLight chrome finish</p>			
 	34 202 000	4005176808661	Chrome	427.81
	<p>Grotherm 2000 Special Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons metal wing handles GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves covered S-unions protected against backflow GROHE StarLight chrome finish</p>			

GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 254 000	4005176837715	Chrome	406.89
<p>Grotherm 2000 Special Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing metal wing handles GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" mousseur built-in non return valves without connection unions without escutcheons protected against backflow dirt strainers GROHE StarLight chrome finish</p>				
 	47 781 000	4005176836558		155.85
<p>Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for use with bath-thermostats with aquadimmer</p>				
 	18 978 000	4005176028809	Chrome	169.00
<p>Pillar union, 3/4", pair GROHE StarLight chrome finish</p>				
	18 370 000	4005176885228	Chrome	79.00
<p>Wall Mounted Brackets 1 pair for exposed 1/2" mixers includes: wall plate, brass olive, fixing nipple, chrome shroud</p>				
 	12 051 000	4005176213588	Chrome	39.00
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				

COMMERCIAL
FITTINGS






GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 763 000	4005176824166	Chrome	69.00
	Metal handle temperature control vandalism hampering individual fixing of a temperature			
	47 733 000	4005176810060	Chrome	59.00
	Temperature knob with metal end stop			
	47 779 000	4005176838088	Chrome	43.00
	Aquadimmer handle			
	47 732 000	4005176810053	Chrome	43.15
	Handle for shut-off valve			
	07 749 000	4005176018695	Chrome	89.00
	Handle for shut-off valve, metallic for Automatic 2000 vandal-proof GROHE StarLight chrome finish			
	47 735 000	4005176810084		9.00
	Handle for disabled use antibacterial equipped material to be mounted on the volume handle			

GROHE GROHTHERM XL



GROHE GROHTHERM XL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	35 085 000	4005176207068	Chrome	1,822.60
	<p>Grotherm XL Thermostat mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions for wall mounting GROHE StarLight chrome finish</p>			
	35 087 000	4005176207082	Chrome	2,139.00
	<p>Grotherm XL Thermostat mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions for wall mounting GROHE StarLight chrome finish</p>			
	47 569 000	4005176214189	Chrome	365.70
	<p>Loose key and shield</p>			

GROHE COMMERCIAL SHOWERS



COMMERCIAL
FITTINGS

GROHE COMMERCIAL SHOWERS











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 587 000	4005176282966	Chrome	179.00
<p>Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish</p>				
 	28 671 000	4005176103070	Chrome	30.33
<p>Relexa Shower outlet elbow, 1/2" male thread GROHE StarLight chrome finish</p>				
 	28 405 000	4005176264559	Chrome	49.00
<p>Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish</p>				
 	28 406 000	4005176264566	Chrome	49.00
<p>Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish</p>				
 	28 161 001	4005176935107	Chrome	15.83
<p>Silverflex Shower hose Twistfree 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				

GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 142 000	4005176601330	Chrome	18.74
	28 143 000	4005176601347	Chrome	20.83
	28 143 KS0	4005176842252	velvet black	27.08
	28 143 LS0	4005176842269	moon white	27.08
	ditto, 1500mm hose			
	28 145 000	4005176601354	Chrome	24.58
	28 150 001	4005176933196	Chrome	13.60
	28 151 001	4005176933202	Chrome	9.99
	28 154 001	4005176933219	Chrome	11.66
	28 155 001	4005176933226	Chrome	12.91
	28 189 000	4005176075650	Chrome	129.00

COMMERCIAL
FITTINGS

GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 002 000	4005176858796	Chrome	176.77
<p>Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	Chrome	129.00
<p>Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 094 000	4005176601132	Chrome	49.00
<p>Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 429 000	4005176601910	Chrome	49.00
<p>Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 541 000	4005176040528	Chrome	39.00
<p>Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				

GROHE EUROECO SPECIAL



GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 762 000	4005176871023	Chrome	103.55
	Euroeco Special Basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system, flexible connection hoses			
	32 763 000	4005176871030	Chrome	103.55
	Ditto, with pop up waste set			
	32 765 000	4005176871054	Chrome	218.61
	Euroeco Special Single-lever basin mixer 1/2" monobloc installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses			
	32 766 000	4005176871061	Chrome	229.07
	Ditto, with pop up waste set			
	30 208 000	4005176927836	Chrome	239.53
	Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses			
	32 778 000	4005176871788	Chrome	239.53
	Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast spout projection 205 mm metal lever, lever length 170 mm S-unions			
	32 779 000	4005176871795	Chrome	270.91
	ditto, with lockable S unions, projection 221 mm			

GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 767 000	4005176871078	Chrome	260.45
	Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 197 mm metal lever, lever length 120 mm S-unions			
	32 771 000	4005176871719	Chrome	281.37
	ditto, with lockable S unions, projection 214 mm			
	32 773 000	4005176871733	Chrome	253.81
	Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min. projection 257 mm metal lever, lever length 170 mm S-unions			
	32 775 000	4005176871757	Chrome	294.66
	ditto, with lockable S unions, projection 342 mm			
	32 774 000	4005176871740	Chrome	283.00
	Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 274 mm metal lever, lever length 170 mm with lockable S-unions			
	32 784 000	4005176871849	Chrome	124.47
	Euroeco Special Single-lever shower mixer trim set for final installation for without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter			
	35 501 000	4005176833847		87.86
	GROHE Rapido E Universal single-lever mixer for concealed installation			

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL








	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 786 000	4005176871863	Chrome	124.47
<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever, lever length 120 mm flexible connection hoses</p>				
	32 870 000	4005176876523	Chrome	90.00
<p>Euroeco Special Lever 115 mm for Euroeco special single-lever mixer GROHE StarLight chrome finish</p>				
	32 871 000	4005176876530	Chrome	105.50
<p>ditto, length 160 mm</p>				
 	12 051 000	4005176213588	Chrome	39.00
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				
 	34 487 000	4005176936234	Chrome	124.47
<p>Grohtherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set</p>				
 	47 533 000	4005176207181	Chrome	29.00
<p>Grohtherm Micro Connection set for Grohtherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE StarLight chrome finish</p>				

GROHE HOSPITA



COMMERCIAL
FITTINGS









GROHE HOSPITA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	30 978 000	4005176098918	Chrome	197.69
<p>Hospita Sink pillar tap, 1/2" marking: blue (cold) GROHE StarLight chrome finish</p>				
 	20 025 000	4005176099403	Chrome	119.00
<p>Hospita Pillar tap 1/2" red/blue markers GROHE StarLight chrome finish</p>				
 	45 316 000	4005176099267	Chrome	69.00
<p>Lever marking: blue/red projection 100 mm for use with ceramic headparts GROHE StarLight chrome finish</p>				
 	45 314 000	4005176099250	Chrome	79.00
<p>Lever projection 150 mm marking: blue/red for use with ceramic headparts GROHE StarLight chrome finish</p>				




GROHE EUROECO SINGLE SEQUENTIAL



GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 789 000	4005176871894	Chrome	197.69
				
				<p>Euroeco Single Sequential Single-lever basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses,</p>
	32 788 000	4005176871887	Chrome	218.61
				Ditto, with pop up waste set
	32 790 000	4005176871900	Chrome	262.60
				
				<p>Euroeco Single Sequential Single-lever basin mixer 1/2" monobloc installation smooth body high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever lever length 120 mm rapid installation system flexible connection hoses</p>
	32 795 000	4005176871955	Chrome	344.13
				
				<p>Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever, lever length 170 mm S-unions</p>
	32 792 000	4005176871924	Chrome	347.17
				
				<p>Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever, lever length 120 mm S-unions</p>
	32 793 000	4005176871931	Chrome	361.76
				ditto, projection 256 mm

GROHE EUROECO SINGLE SEQUENTIAL






	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 277 000	4005176131851		39.00
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	46 278 000	4005176131868		99.00
	Ceramic cartridge for Euroeco special mixer			
	46 686 000	4005176883088	Chrome	25.80
	Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm GROHE StarLight chrome finish			

COMMERCIAL
FITTINGS

GROHE EURODISC SE



GROHE EURODISC SE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 233 000	4005176283338	Chrome	499.00
 	36 210 000	4005176207112	Chrome	50.10
	36 209 000	4005176207105	Chrome	68.65

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
 6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 flexible connection hoses
 start-stop function
 self-closing electronic
 safety stop after 180 sec.
 Flow time infinitely adjustable from 2-180 sec.
 Automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3,5 or 11 min
 CE approved
 type of protection faucet IP 59K

Socket for spout elevation
 for extension of the outlet height
 Europlus E and Eurodisc SE
 suitable for single hole mixers
 Consisting of:
 metal socket 25 mm
 mounting-set
GROHE StarLight chrome finish

Security cover cap
 vandal-proof, covered and pre-adjustable
 suitable for single hole mixers
 Europlus E and Eurodisc SE
 Consisting of:
 special mixing device for actuation by screwdriver
 metallic cap
GROHE StarLight chrome finish

GROHE EUROSMART COSMOPOLITAN T











GROHE EUROSMART COSMOPOLITAN T

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 317 000	4005176896514	Chrome	260.45
	<p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses, non-return valve dirt strainers</p>			
	36 318 000	4005176896521	Chrome	281.37
	<p>Ditto, with pop up waste set</p>			
	36 319 000	4005176896538	Chrome	437.70
	<p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min. swivel cast spout 200 mm swivel range stop at 130°, lockable 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions, non-return valve dirt strainers</p>			
	36 320 000	4005176896545	Chrome	406.89
	<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall mounted GROHE StarLight chrome finish mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers</p>			
	36 321 000	4005176896552	Chrome	291.83
	<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box for use with 36 322 000 without concealed body</p>			
	36 322 000	4005176896569		109.46
	<p>Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000</p>			

GROHE EUROECO COSMOPOLITAN T



GROHE EUROECO COSMOPOLITAN T

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 265 000	4005176893131	Chrome	114.01
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	4005176893148	Chrome	93.09
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall mounted marking: blue/red GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow 5.7 l/min flow rate 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				
 	36 268 000	4005176893162	Chrome	93.09
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	4005176893155	Chrome	93.09
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				

GROHE SENSIA SHOWER TOILETS





CONTENTS

Shower toilet	Sensia IGS	103
	Sensia Arena	104

GROHE SENSIA IGS



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 111 SH0	4005176304668	alpine white	4,580.43
<p>GROHE Sensia IGS Shower toilet complete system for concealed flushing cisterns, wall-hung GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use GROHE DreamSpray technology: separate water way for lady spray aerated shower spray oscillating spray (automatic forward and reverse motion of the spray) pulsating spray for massage adjustable spray intensity automatic pre- and post-rinsing of spray nozzle with fresh water warm water with adjustable temperature Additional functions warm air dryer with adjustable temperature odor extraction with filter Duroplast WC seat and lid with soft close function push and turn seat control operation 4 programmable user profiles for remote controller power switch inside night lighting hidden water supply and power supply connection includes: touchscreen remote control with wall-mounted holder batteries for remote control active carbon filter fixing and connecting material flush pipe installation guide, manual cable with system plug on device pressure 0.1 - 1 MPa (1 - 10 bar) nominal voltage 220-240 V AC 1400 W main frequency 50-60 Hz type of protection IPX4 complies with EN 1717/13077 CE approved SH0: alpine white ceramic, housing, front, seat and lid</p>				
 	39 112 001	4005176359262		312.75
<p>Rapid SL Element for GROHE Sensia shower WCs, 1.13 m installation height with flushing cistern GD2, 6 l-2.6 l with connections for GROHE Sensia shower toilets (GROHE Sensia IGS/GROHE Sensia Arena) 1.13 m finished installation height for on-the-wall installations or studded walls Includes Frame/cistern for wall hung pan Wall brackets for on-the-wall installation (38 558 00M) Fixing bolts for wc and floor Details: 200mm height adjustment, lockable when at required height distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm Insulated against condensation flushing cistern GD 2, 6 - 9 l, containing following features: water supply required from the back inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. including wall brackets 38 558 00M for on-the-wall installation universal water connection for shower toilets Sensia Arena and Sensia IGS concealed socket for mains supply positioning help for electrical connection for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>				
	40 899 000	4005176413896		36.61
<p>Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm</p>				

GROHE SENSIA ARENA




GROHE SENSIA ARENA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------


new

39 354 SH1	4005176470448	alpine white	2,613.95
------------	---------------	--------------	----------



GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology
 GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology
 GROHE Skin Clean:
 2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
 separate water way for lady spray
 oscillating spray (automatic forward and reverse motion of the spray)
 pulsating spray for massage
 adjustable spray intensity
 automatic pre- and post-rinsing of spray nozzle with fresh water
 integrated instant heater provides unlimited warm water
 adjustable temperature
 Additional functions
 warm air dryer with adjustable temperature
 odor extraction with filter
 PlasmaCluster function - ion technology
 descaling function
 Duroplast WC seat and lid with automatic opening/close function
 soft close
 infra-red user detection
 seat control operation
 power switch
 inside bowl night light
 hidden water supply and power supply connection
 remote control
 smart phone app for iOS and Android
 includes:
 manual remote controller with wall-mounted holder
 active carbon filter for odour absorption
 water supply connection set for concealed cistern
 nozzle guard
 pressure 0.05 - 1 MPa (0.5 - 10 bar)
 nominal voltage 220-240 V AC
 main frequency 50-60 Hz
 type of protection IPX4
 complies with EN 1717
 CE approved

39 112 001	4005176359262		312.75
------------	---------------	--	--------



Rapid SL
Element for GROHE Sensia shower WCs, 1.13 m installation height
with flushing cistern GD2 , 6 l-2.6 l
 with connections for GROHE Sensia shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)
1.13 m finished installation height
 for on-the-wall installations or studded walls
Includes
 Frame/cistern for wall hung pan
 Wall brackets for on-the-wall installation (38 558 00M)
 Fixing bolts for wc and floor
Details:
 200mm height adjustment, lockable when at required height
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 Insulated against condensation

flushing cistern GD 2, 6 - 9 l, containing following features:
 water supply required from the back
 inspection shaft for vertical or horizontal use
 allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
 universal water connection for shower toilets Sensia Arena and Sensia IGS
 concealed socket for mains supply
 positioning help for electrical connection
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

GROHE SENSIA ARENA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 944 001	4005176479977		199.00
GROHE Sensia Arena Installation kit for automatic flush and pre-flush Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame Consisting of: servo motor for GD 2 actuation rod for flushing valve cable and blind cap flexible hose WC actuation plate not included CE approved				
	40 899 000	4005176413896		36.61
Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm				
	46 977 00M	4005176423727		47.00
GROHE Sensia Arena Descaler packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/				
	46 978 000	4005176423734		47.00
GROHE Sensia Arena Descaling kit for 39 354 SH0 80 g bag descaler splash protection bottle adapter				
	46 978 001			99.00
GROHE Sensia Arena Descaling kit for 39 354 SH1 80 g bag descaler bottle adapter hose with clip sticker holder for bottle 1 x spray standard shower (14 928 000) 1 x spray lady shower (14 929 000)				
	46 979 000	4005176423741		19.00
GROHE Sensia Arena Descaler bottle for 39 354 SH0 bottle adapter				

GROHE
CERAMICS

















CONTENTS

Essence	105
Cube Ceramic	106
Euro Ceramic	107
Bau Ceramic	108
Acrylic shower trays	109











GROHE ESSENCE









GROHE ESSENCE

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		39 564 00H	4005176485602	alpine white	259.00
<p>Essence Wash basin 70 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet</p>					
		39 565 00H	4005176485619	alpine white	239.00
<p>Essence Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet</p>					
		39 566 00H	4005176485626	alpine white	569.00
<p>Essence Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 6 pieces per pallet</p>					
		39 567 00H	4005176485633	alpine white	409.00
<p>Essence Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 6 pieces per pallet</p>					
		39 568 00H	4005176485640	alpine white	279.00
<p>Essence Vanity basin 60 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet</p>					
		39 571 00H	4005176485671	alpine white	259.00
<p>Essence Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 12 pieces per pallet</p>					

GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 572 00H	4005176485688	alpine white	399.00
<p>Essence Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet wash down rimless flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 6 pieces per pallet</p>				
 	39 573 00H	4005176485794	alpine white	375.00
<p>Essence Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall for concealed cistern rimless flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet</p>				
 	39 578 000	4005176485145	alpine white	229.00
<p>Essence Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set GROHE AV1 dual flush 4.5/3 l including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 579 000	4005176485152	alpine white	229.00
<p>Essence Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 dual flush 4.5/3 l including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 577 000	4005176485138	alpine white	149.00
<p>Essence WC seat with lid soft close quick release function detachable material: Duroplast including fixation set 7 pieces per pallet</p>				













GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 576 000	4005176485121	alpine white	99.00
	Essence WC seat with lid quick release function detachable material: Duroplast including fixation set 7 pieces per pallet			
	39 574 00H	4005176485800	alpine white	359.00
	Essence Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet			
	39 575 00H	4005176485817	alpine white	375.00
	Essence Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet			

GROHE CUBE CERAMIC















GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 386 00H	4005176438356	alpine white	501.03
	Cube Ceramic Wash basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm wall fixings not included sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet			
	39 469 00H	4005176438363	alpine white	433.04
	Cube Ceramic Wash basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet			
	39 473 00H	4005176438370	alpine white	234.30
	Cube Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet			
	39 474 00H	4005176438387	alpine white	218.61
	Cube Ceramic Wash basin 50 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet			
	39 475 00H	4005176442599	alpine white	501.03
	Cube Ceramic Counter top basin 100 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet			
	39 476 00H	4005176442605	alpine white	434.09
	Cube Ceramic Counter top basin 80 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet			





GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 477 00H	4005176442612	alpine white	235.35
	Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet			
	39 478 00H	4005176442629	alpine white	220.71
	Cube Ceramic Counter top basin 50 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet			
	39 481 00H	4005176442650	alpine white	211.29
	Cube Ceramic Vessel basin 50 without overflow 500 x 470 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 20 pieces per pallet			
	39 482 00H	4005176442667	alpine white	187.23
	Cube Ceramic Vessel basin 40 without overflow 400 x 400 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 24 pieces per pallet			
	39 480 00H	4005176442643	alpine white	211.29
	Cube Ceramic Under-counter wash basin 50 installation from below with overflow 492 x 370 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet			
	39 479 00H	4005176442636	alpine white	225.94
	Cube Ceramic Counter basin 60 flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 605 x 490 mm walls fixings not included including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet			

GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 483 00H	4005176442674	alpine white	182.00
<p>Cube Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 455 x 350 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 22 pieces per pallet</p>				
 	39 485 00H	4005176442704	alpine white	391.20
<p>Cube Ceramic Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall wash down rimless flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet</p>				
 	39 484 00H	4005176442698	alpine white	420.49
<p>Cube Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet rimless flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 6 pieces per pallet</p>				
 	39 489 000	4005176442742	alpine white	220.71
<p>Cube Ceramic Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set GROHE AV1 including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 490 000	4005176442759	alpine white	220.71
<p>Cube Ceramic Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 488 000	4005176442735	alpine white	162.13
<p>Cube Ceramic WC seat soft close with lid soft close quick release function detachable material: Duroplast including fixation set</p>				













GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 486 00H	4005176442711	alpine white	343.09
	<p>Cube Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 6 pieces per pallet</p>			
 	39 487 00H	4005176442728	alpine white	354.59
	<p>Cube Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet</p>			







GROHE EURO CERAMIC








GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 585 00H	4005176519178	alpine white	435.00
	Euro Ceramic Vanity basin 100 wall hung 1 hole punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet			
	39 584 00H	4005176519161	alpine white	337.00
	Euro Ceramic Vanity basin 80 wall hung 1 hole punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 12 pieces per pallet			
	39 323 000	4005176407116	alpine white	94.87
	39 323 00H	4005176417344	alpine white	142.84
	Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 515 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)			
	39 335 000	4005176407239	alpine white	89.54
	39 335 00H	4005176417351	alpine white	132.18
	Euro Ceramic Wash basin 60 wall hung 1 hole punched with overflow 600 x 480 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)			
	39 337 000	4005176407253	alpine white	94.87
	39 337 00H	4005176418334	alpine white	142.84
	Euro Ceramic Counter top basin 60 1 hole punched with overflow 600 x 480 mm wall fixings not included including fixation set sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)			
	39 336 000	4005176407246	alpine white	88.16
	39 336 00H	4005176417368	alpine white	130.57
	Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)			











GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 423 000	4005176406201	alpine white	103.55
	39 324 000 39 324 00H	4005176407123 4005176417375	alpine white alpine white	62.89 110.86
	39 327 000 39 327 00H	4005176390104 4005176418341	alpine white alpine white	78.88 126.85
	39 201 000	4005176344947	alpine white	68.22
	39 325 000	4005176407130	alpine white	68.22
	39 202 000	4005176344954	alpine white	78.88











GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 328 000	4005176407161	alpine white	265.43
	39 328 00H	4005176417382	alpine white	313.40
<p>Euro Ceramic Wall hung WC for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				
	39 554 000	4005176484452	alpine white	376.00
<p>Euro Ceramic Wall hung WC set horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat soft close quick release function detachable material: Duroplast 6 pieces per pallet</p>				
	39 206 000	4005176344992	alpine white	244.11
	39 206 00H	4005176418495	alpine white	292.08
<p>Euro Ceramic Wall hung compact WC horizontal outlet Triple Vortex rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				
	39 538 000	4005176468292	alpine white	210.00
<p>Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware 12 pieces per pallet</p>				
	39 338 000	4005176407260	alpine white	206.80
	39 338 00H	4005176418501	alpine white	254.77
<p>Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				

GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 332 000	4005176407208	alpine white	190.81
	Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware			
	39 333 000	4005176407215	alpine white	190.81
	Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware			
	39 329 000 39 329 00H	4005176407178 4005176418518	alpine white alpine white	196.08 244.11
	Euro Ceramic Floor standing WC universal trap for horizontal and vertical outlet wash down rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)			
	39 555 000	4005176484469	alpine white	299.00
	Euro Ceramic Floor standing WC set universal trap for horizontal and vertical outlet rimless flush volume 3/5 l including fixation set sanitary ware Euro Ceramic WC seat soft close quick release function detachable material: Duroplast 4 pieces per pallet			
	39 339 000 39 339 00H	4005176407277 4005176418525	alpine white alpine white	202.88 250.87
	Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)			

GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 330 001	4005176468834	alpine white	94.87
	Euro Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set suitable for all GROHE WCs			
	39 331 001	4005176468827	alpine white	67.61
	Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set suitable for all GROHE WCs			
	39 208 000	4005176345029	alpine white	238.78
	39 208 00H	4005176418532	alpine white	286.75
	Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)			
	39 340 000	4005176423697	alpine white	206.80
	39 340 00H	4005176423703	alpine white	254.77
	Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)			













GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 453 000	4005176421099		19.87
<p>WC connection outlet horizontal 320 mm from wall</p>				
 	39 454 000	4005176421105		19.87
<p>WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall</p>				
 	39 457 000	4005176421112		19.87
<p>WC connection outlet vertical length adjustable 93.5 to 137 mm from wall</p>				
 	49 532 000	4005176474224	Chrome	9.41
<p>Escutcheon for 39 457 000</p>				
	49 522 000	4005176421501		24.06
<p>Mounting set for Euro Ceramic cistern 39 333 000</p>				













GROHE BAU CERAMIC





GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 420 000	4005176405983	alpine white	66.94
<p>Bau Ceramic Wash basin 65 wall hung 1 hole punched with overflow 646 x 468 mm wall fixings not included sanitary ware</p>				
 	39 421 000	4005176428906	alpine white	61.71
<p>Bau Ceramic Wash basin 60 wall hung 1 hole punched with overflow 609 x 442 mm wall fixings not included sanitary ware</p>				
 	39 440 000	4005176405976	alpine white	56.48
<p>Bau Ceramic Wash basin 55 wall hung 1 hole punched with overflow 553 x 386 mm wall fixings not included sanitary ware</p>				
 	39 422 000	4005176406195	alpine white	103.55
<p>Bau Ceramic Counter Drop-in basin 55 built-in 1 hole punched with overflow 560 x 400 mm fixings included sanitary ware</p>				
 	39 423 000	4005176406201	alpine white	103.55
<p>Universal Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware</p>				
 	39 424 000	4005176406218	alpine white	56.48
<p>Bau Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 453 x 354 mm wall fixings not included sanitary ware</p>				

GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 426 000	4005176406232	alpine white	61.71
Bau Ceramic Half pedestal including fixation set sanitary ware				
 	39 425 000	4005176406225	alpine white	56.48
Bau Ceramic Full pedestal including fixation set sanitary ware				
 	39 427 000	4005176406249	alpine white	103.55
Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware				
 	39 428 000	4005176406256	alpine white	119.24
Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware				
 	39 349 000	4005176449659	alpine white	129.70
Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware				
 	39 429 000	4005176406263	alpine white	129.70
Bau Ceramic Floor standing WC for close coupled combination wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware				







GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 436 000	4005176406331	alpine white	103.55
	Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware			
	39 437 000	4005176406348	alpine white	103.55
	Bau Ceramic Exposed flushing cistern connection from the left/right hand side including flushing set & button sanitary ware			
	39 430 000	4005176406270	alpine white	87.86
	Bau Ceramic Floor standing WC wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware			
	39 431 000	4005176406287	alpine white	87.86
	Bau Ceramic Floor standing WC wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware			
	39 492 000	4005176450013	alpine white	40.79
	Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set			
	39 493 000	4005176450020	alpine white	82.63
	Bau Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set			

GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 433 000	4005176406300	alpine white	176.77
<p>Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware</p>				
 	39 432 000	4005176406294	alpine white	176.77
<p>Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware</p>				
 	39 438 000	4005176406355	alpine white	197.69
<p>Bau Ceramic Urinal concealed inlet wall fixings Included flush volume 1 l including fixation set sanitary ware</p>				
 	39 439 000	4005176406362	alpine white	197.69
<p>Bau Ceramic Urinal top inlet wall fixings Included flush volume 1 l including fixation set sanitary ware</p>				
 	39 351 000	4005176450006	alpine white	176.77
<p>Bau Ceramic Wall hung WC set WC seat and lid with soft close feature for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware</p>				

GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 347 000	4005176449680	alpine white	281.37
	<p>Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 428 000) wash down boxed rim horizontal outlet, concealed flush volume 6/3 l including fixation set sanitary ware</p> <p>Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware</p> <p>Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set</p>			
 	39 346 000	4005176449673	alpine white	291.83
	<p>Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with vertical outlet (39 429 000) wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware</p> <p>Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware</p> <p>Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set</p>			
 	39 559 000	4005176479564	alpine white	289.00
	<p>Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 349 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware</p> <p>Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware</p> <p>Bau Ceramic WC seat (39 492 000) with lid quick release function detachable material: Duroplast including fixation set 4 pieces per pallet</p>			









GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 453 000	4005176421099		19.87
<p>WC connection outlet horizontal 320 mm from wall</p>				
 	39 454 000	4005176421105		19.87
<p>WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall</p>				
 	39 457 000	4005176421112		19.87
<p>WC connection outlet vertical length adjustable 93.5 to 137 mm from wall</p>				
 	49 532 000	4005176474224	Chrome	9.41
<p>Escutcheon for 39 457 000</p>				
	49 522 000	4005176421501		24.06
<p>Mounting set for Euro Ceramic cistern 39 333 000</p>				








GROHE ACRYLIC SHOWER TRAYS



GROHE ACRYLIC SHOWER TRAYS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
39 300 000	4005176346026	alpine white	232.00
		<p>Acrylic shower tray 1000 x 1000 dimensions: 1000 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014416 recommended Schedel installation set SD 90083 20 pieces per pallet</p>	
39 301 000	4005176346033	alpine white	171.00
		<p>Acrylic shower tray 900 x 900 dimensions: 900 x 900 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014408 recommended Schedel installation set SD 90081 20 pieces per pallet</p>	
39 302 000	4005176346040	alpine white	164.00
		<p>Acrylic shower tray 800 x 800 dimensions: 800 x 800 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014411 recommended Schedel installation set SD 90080 20 pieces per pallet</p>	
39 305 000	4005176346071	alpine white	290.00
		<p>Acrylic shower tray 800 x 1200 dimensions: 800 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014413 recommended Schedel installation set SD 90084 20 pieces per pallet</p>	

GROHE ACRYLIC SHOWER TRAYS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
39 306 000	4005176346088	alpine white	189.00
		<p>Acrylic shower tray 800 x 1000 dimensions: 800 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014412 recommended Schedel installation set SD 90082 20 pieces per pallet</p>	
39 307 000	4005176346095	alpine white	415.00
		<p>Acrylic shower tray 900 x 1400 dimensions: 900 x 1400 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150181) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014415 recommended Schedel installation set SD 90086 20 pieces per pallet</p>	
39 308 000	4005176346101	alpine white	357.00
		<p>Acrylic shower tray 900 x 1200 dimensions: 900 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014414 recommended Schedel installation set SD 90085 20 pieces per pallet</p>	
49 533 000	4005176478475	Chrome	31.00
		<p>Waste set for universal shower tray Ø 112 mm vertical outlet GROHE StarLight chrome finish flow rate 1.1 l/s according to DIN EN 274</p>	
49 534 000	4005176478482	Chrome	31.00
		<p>Waste set for universal shower tray Ø 112 mm horizontal outlet GROHE StarLight chrome finish flow rate 0.7 l/s (42 l/min) according to DIN EN 274</p>	

CERAMICS

GROHE
INSTALLATION SYSTEMS





CONTENTS

Rapid SL	Rapid SL for WC	110
	Rapid SL for Urinal	111
	Rapid SL for Wash Basin and Bidet	112
	Rapid SL for the Disabled	113
	Rapid SL Fitting Supports	114
	Rapid SL Accessories	115


GROHE RAPID SL FOR WC



GROHE RAPID SL FOR WC


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

39 374 KS0	4005176344770	velvet black	660.24
------------	---------------	--------------	--------











Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

39 374 LS0	4005176344787	moon white	660.24
------------	---------------	------------	--------










Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic









GROHE RAPID SL FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 827 000	4005176870477	Chrome	396.43
	<p>Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD2 , 6 l-2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)</p>			
 	38 860 000	4005176878084	Chrome	354.59
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD2 , 6 l-2.6 l Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan flush plate, chrome (38 765 000) GROHE Fresh retrofit set (38 796 000) Rapid SL front wall brackets (38 558 00M)</p>			
 	38 888 000	4005176879630	Chrome	406.89
	<p>Rapid SL 4-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 525 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M)</p>			
 	38 885 000	4005176879609	Chrome	396.43
	<p>Rapid SL 4-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M)</p>			





GROHE RAPID SL FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 501 000	4005176453878	Chrome	356.01
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD2 , 6 l-2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) Rapid SL front wall brackets (38 558 00M) including revision shaft 40 911 000 for mounting of small flush plates</p>			
	39 503 000	4005176454097	Chrome	356.01
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD2 , 6 l-2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) Rapid SL front wall brackets (38 558 00M)</p>				
	39 504 000	4005176454103	Chrome	356.01
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Arena Cosmopolitan S flush plate, chrome (37 624 000) Rapid SL front wall brackets (38 558 00M) including revision shaft 40 911 000 for mounting of small flush plates</p>			
	38 721 001	4005176863431	Chrome	354.59
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD2 , 6 l-2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) Rapid SL front wall brackets (38 558 00M) for installation in Scandinavia please order adapter 38 338 000 (sold separately)</p>			

GROHE RAPID SL FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 772 001	4005176863288	Chrome	354.59
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD2 , 6 l-2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) Rapid SL front wall brackets (38 558 00M)</p>				
 	38 761 000	4005176841620	Chrome	375.51
<p>Rapid SL 3-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Skate Air flush plate, chrome, horizontal installation (38 506 000) Rapid SL front wall brackets (38 558 00M)</p>				
 	38 773 000	4005176850288	Chrome	375.51
<p>Rapid SL 3-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Skate Cosmopolitan flush plate, chrome (38 732 000) Rapid SL front wall brackets (38 558 00M)</p>				
 	38 868 000	4005176878091	Chrome	375.51
<p>Rapid SL 3-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Nova Cosmopolitan flush plate, chrome (38 765 000) Rapid SL front wall brackets (38 558 00M)</p>				


GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 947 000	4005176911217		365.05
		<p>Rapid SL 2-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 525 001) Rapid SL front wall brackets (38 558 00M)</p>	
38 948 000	4005176911224		354.59
		<p>Rapid SL 2-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Rapid SL front wall brackets (38 558 00M)</p>	

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 528 001	4005176863943		270.91
------------	---------------	--	--------



Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 l - 2.6 l
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 WC ceramics with small bearing area (< 205 mm) require
 additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
 water supply from left/right or back
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

38 536 001	4005176863929		291.83
------------	---------------	--	--------



Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 l - 2.6 l
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 with fixed connections
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 WC ceramics with small bearing area (< 205 mm) require
 additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
 water supply from left/right or back
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

39 112 001	4005176359262		312.75
------------	---------------	--	--------



Rapid SL
Element for GROHE Sensia shower WCs, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l

with connections for GROHE Sensia shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)

1.13 m finished installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections


TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

water supply required from the back
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

38 675 001	4005176863516		291.83
------------	---------------	--	--------




Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l

for WC bowls 70 cm projection

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved

2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)

38 994 000	4005176932335		333.67
------------	---------------	--	--------



Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m

for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections







TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:






water supply from top or back
water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)
for installation in Scandinavia please order adapter 38 338 000 (sold separately)

GROHE RAPID SL FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 995 000	4005176932342		344.13
	<p>Rapid SL Element for WC with flushing cistern 80 mm, variable width 1.13 m finished installation height for small, narrow bathrooms variable element width 0.70 – 1.20 m for on-the-wall installation powder coated steel frame, self-supporting with fixed connections TÜV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern 80 mm, 6 - 9 l, containing following features: water supply from top water supply 1/2" and push fit flexible hose union</p> <p>including wall brackets 38 558 00M for on-the-wall installation for installation in Scandinavia please order adapter 38 338 000 (sold separately)</p>			
 	38 525 001	4005176863967		333.67
	<p>Rapid SL Element for WC, 1.00 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000 distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
 	38 526 000	4005176291050		333.67
	<p>Rapid SL Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			

GROHE RAPID SL FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 899 000	4005176413896		36.61
 	38 558 00M	4005176291418		26.15
 	42 333 000	4005176845888		13.90

Retrofit kit for shower toilets Sensia Arena and IGS
 retrofit of existing Rapid SL installations to
 shower toilets Sensia Arena or IGS
 including:
 conduit pipe with locking ring and flat seal
 cable ties
 WC connecting pipe Ø 45 mm
 waste sleeve Ø 90 mm







Rapid SL
Front wall brackets
 for against-the-wall installations
 for fixing the elements at the brick-wall
 or in front of the studded wall
 adjustment from 130 - 230 mm
2 pieces

4.5 l adapter for GD2
 to reduce the maximum flush volume to 4.5 liters
 suitable for all elements with flushing cistern GD 2

GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 786 001	4005176864025		312.75
 	39 376 000	4005176342998		222.83
 	38 558 00M	4005176291418		26.15

Rapid SL

Element for urinal with infra-red electronic
with GROHE Rapido U

1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device
for the ceramic

inlet connection and inlet connecting set

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply 230 V

installation box with gasket

inspection shaft incl. protection during

construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

Rapid SL

Element for urinal with temperature sensor

with roughing-in set for T sensor

1.13 and 1.30 m installation height

for on-the-wall installations or studded walls

height adjustable fitting connections

HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device

for the ceramic

inlet connection and inlet connecting set

box for concealed installation

including roughing-in box

water group with stop valve and

flush elbow

for T sensor electronic please order installation set

39 368 000 or 39 369 000 (sold separately)

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

Rapid SL

Front wall brackets

for against-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall









adjustment from 130 - 230 mm

2 pieces







GROHE RAPID SL FOR WASH BASIN AND BIDET



GROHE RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 554 001	4005176863806		124.47
	<p>Rapid SL Element for wash basin, single hole installation with noise protection 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm 2 noise protected fitting connections 1/2" for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			
	38 748 002	4005176416323	Chrome	469.00
	<p>Rapid SL Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			
	38 541 000	4005176291234		197.69
	<p>Rapid SL Element for wash basin, single hole installation 1.0 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic HT-outlet bend Ø 50 mm seal Ø 32 mm for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			
	38 553 001	4005176863813		286.60
	<p>Rapid SL Element for bidet, 1.13 m installation height vertical support for ceramics with small bearing area (< 205 mm) for on-the-wall installations or studded walls height adjustable fitting connections Includes: bidet fixing bolts HT-outlet bend Ø 50 mm, seal Ø 32 mm 2 noise protected fitting connections 1/2" fixing material for bidet for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			







GROHE RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 545 000	4005176291272		276.14
<p>Rapid SL Element for bidet, 1.00 m installation height for on-the-wall installations or studded walls height adjustable fitting connections Includes: bidet fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm fixing material for bidet for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>				
 	38 543 000	4005176291258		291.83
<p>Rapid SL Element for bidet, 0.82 m installation height for on-the-wall installations or studded walls height adjustable fitting connections Includes: bidet fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm fixing material for bidet for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>				
 	38 558 00M	4005176291418		26.15
<p>Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces</p>				

GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 675 001	4005176863516		291.83
	<p>Rapid SL Element for WC, 1.13 m installation height, 0.42 m width with flush cistern 6 - 3 l for WC bowls 70 cm projection for on-the-wall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)</p>			
	39 140 000	4005176315268		558.83
	<p>Rapid SL Element for WC, 1.13 m installation height with fixing element for back support and support rails with flushing cistern GD 2, 6 l - 2.6 l for the disabled for WC bowls 70 cm projection for on-the-wall installations or studded walls powder coated steel frame, self-supporting with fixed connections TÜV approved 2 WC fixing bolts 4 wall brackets fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern GD 2, 6 - 9 l, containing following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>including wall brackets 38 558 00M for on-the-wall installation for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>			
	38 541 000	4005176291234		197.69
	<p>Rapid SL Element for wash basin, single hole installation 1.0 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic PE-outlet bend 50 mm dia seal Ø 32 mm for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			

GROHE RAPID SL FOR THE DISABLED

Ref. No.

EAN code


Colour

Retail Guide
Price (£)

38 559 001

4005176863776

159.57



Rapid SL

Fixing element, 1.13 m installation height

to fix **support** for the disabled

0.31 m wide

powder coated steel frame

waterproof plywood







for on-the-wall installation please order

wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FITTING SUPPORTS



GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 998 000	4005176262586		103.55
	<p>Rapid SL Fitting support for exposed fittings for studded walls for empty elements 2 noise protected fitting connections 1/2"</p>			
 	38 652 000	4005176294778		109.10
	<p>Rapid SL Mounting plate for fixing concealed fittings and room ventilation for studded walls for empty elements for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation</p>			
 	38 548 001	4005176863851		n.A.
	<p>Rapid SL Empty element, 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements Fixing bolts for wc and floor for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			









GROHE RAPID SL ACCESSORIES



GROHE RAPID SL ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 558 00M	4005176291418		26.15
<p>Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces</p>				
 	38 548 001	4005176863851		n.A.
<p>Rapid SL Empty element, 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements Fixing bolts for wc and floor for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>				
 	37 310 000	4005176148538		36.70
<p>Element bar for row installation 1 piece 2600 x 36 x 20 mm</p>				
 	38 733 000	4005176837289		30.33
<p>Rapid SL Mounting angle for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces</p>				
 	38 562 001	4005176863752		93.09
<p>Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°</p>				

GROHE RAPID SL ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 563 000	4005176291463		29.00
<p>Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves</p>				
 	38 779 000	4005176855306		99.00
<p>Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)</p>				
	42 397 000	4005176906855		11.00
<p>Connecting hose</p>				
	42 766 000	4005176222115		12.00
<p>Distance pipe 3"</p>				
 	38 338 000	4005176286179		27.67
<p>Water supply pipe connector</p>				
 	40 911 000	4005176416132		11.31
<p>Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13 m cisterns</p>				

GROHE
FLUSHING SYSTEMS















CONTENTS

WC	Flushing Cisterns	116
	Accessories for Flushing Cisterns	117
	Electronic Actuators for WC	118
Urinal	Electronic Actuators for Urinal	119
	Urinal Flush Valves	120











GROHE FLUSHING CISTERNS



GROHE FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		37 762 SH0	4005176213250	alpine white	69.00
<p>Flushing cistern for WC for concealed bath furniture installation non-interruptible flush cycle flush button not included min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side</p>					
		37 945 SH0	4005176256387	alpine white	69.00
<p>Flushing cistern for WC 6L for concealed bath furniture installation non-interruptible flush cycle flush button not included ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right</p>					
		38 661 000	4005176294907		155.85
<p>WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>					
		38 987 000	4005176924798		104.60
<p>WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets flush pipe and connector for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>					
		38 863 000	4005176832345		124.47
<p>Flushing cistern for WC 80 mm 6 l / 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply connection from top includes: with plaster base coating made of vinyl fleece with push fit flexible hose union with isolation valve 1/2" Inspection shaft incl. protection during construction phase, for vertical flush plates only fixing brackets for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)</p>					











GROHE FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 422 000	4005176275203		166.31
	<p>Flushing cistern for WC 6 l / 3 l 0.82 m finished installation height front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE EcoJoy technology for less water and perfect flow</p>			
 	38 691 000	4005176815454		166.31
	<p>Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush water supply from left/right or back with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar air button front/top actuation extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation GROHE EcoJoy technology for less water and perfect flow</p>			
 	39 053 000	4005176935978		72.17
	<p>Concealed flushing cistern 6 l / 3 l Dual Flush water supply from bottom min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18-24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			
 	39 054 000	4005176936289		72.17
	<p>Concealed flushing cistern 6 l / 3 l Dual Flush min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18-24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			
 	39 056 000	4005176936302	Chrome	19.00
	<p>Round push button actuation Ø 50 mm with Eco button in combination with bath furniture in combination with flushing cistern 39 053 000 & 39 054 000 for walls 18-24 mm thickness GROHE StarLight chrome finish</p>			

GROHE ACCESSORIES FOR FLUSHING CISTERNS



GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 095 000	4005176145124		29.00
<p>Filling valve 3/8" universal application</p>				
 	42 181 000	4005176286872		39.00
<p>Filling valve 1/2"</p>				
 	37 100 SH0	4005176142093	alpine white	19.00
<p>Flush pipe 390 x 350 mm</p>				
	43 733 000	4005176158926		9.00
<p>Membrane filling valve</p>				
	42 271 00M	4005176820588		48.40
<p>Nipple multi-packaging: 10 pieces</p>				
 	37 099 K00	4005176142086	black	29.30
<p>Flush pipe for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug</p>				





GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 735 000	4005176837500		51.25
Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable GROHE EcoJoy technology for less water and perfect flow				
 	38 736 000	4005176837517		40.79
Dual flush valve set for flushing cistern GD 2 / Rapid SL 1.13m only 6 l / 3 l dual flush discharge valve AV1 consisting of valve seat without wall plate/actuation				
 	42 137 000	4005176259524		19.00
Servo discharge valve				
 	43 908 000	4005176160257		19.00
Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm				
 	37 311 K00	4005176160851	black	19.00
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts				
 	37 489 000	4005176167386		9.00
Flush pipe extension length 200 mm				
	43 352 000	4005176832413		9.00
Ditto, length 300 mm without connector 37 119 000				

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 104 K00	4005176160844	black	19.00
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long				
 	37 105 K00	4005176141904	black	19.00
Flush pipe extension length 300 mm				
 	37 119 000	4005176144370		3.90
Connector Ø 55 mm				
 	42 333 000	4005176845888		13.90
4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2				
 	43 544 000	4005176157738		9.00
Outlet piston				
 	42 075 000	4005176244919		7.95
Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary				









GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	42 300 000	4005176832079		29.00
	Flow restrictor reduces flow rate for flushing cistern GD 2 / Rapid SL 1.13 m only installation in valve seat			
 	38 714 000	4005176828454		13.90
	WC wall plate extension set 70 mm with pneumatic discharge valve			

GROHE ELECTRONIC ACTUATIONS FOR WC



GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 698 SD1	4005176929571	stainless steel	657.93
	<p>Tectron Skate Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved</p>			
 	38 699 001	4005176929588	Chrome	553.33
	<p>Tectron Surf Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE StarLight chrome finish with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>			
 	37 419 000 37 419 SD0	4005176933806 4005176933813	Chrome stainless steel	741.61 741.61
	<p>Tectron Skate Infra-red electronic for WC flushing cistern with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13m only servo motor concealed installation front plate 156 x 197 mm 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>			
 	36 340 000	4005176911385		51.25
	<p>Power extension cable length 3,00 m</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 341 000	4005176911392		92.15
------------	---------------	--	-------

Power extension cable
length 10.00 m



· fl

1.22

-

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 407 001	4005176368974		249.00
------------	---------------	--	--------



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service







send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply









GROHE ELECTRONIC ACTUATIONS FOR URINAL









GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 336 001	4005176929540	Chrome	490.57
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>			
 	37 337 001	4005176929557	Chrome	462.33
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved</p>			
 	37 321 001	4005176929496	Chrome	490.57
	37 321 SD1	4005176929502	stainless steel	490.57
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	37 324 001	4005176929526	Chrome stainless steel	490.57
	37 324 SD1	4005176929533		462.33
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with</p> <p>Rapido U or Rapido UMB CE approved</p>			
	37 338 000	4005176837920		124.47
		<p>GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection</p>		
	38 787 000	4005176855689		103.55
		<p>GROHE Rapido UMB roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection during construction phase</p>		
	36 407 001	4005176368974		249.00
		<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>		





GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 368 000	4005176341540		486.92
<p>Temperature sensor for urinal with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC 39 376 000 Rapid SL required Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off CE approved</p>				
 	39 367 000	4005176341533		486.92
<p>Temperature sensor for urinal 6V lithium-battery, type CR-P2 with water connection set and stop valve Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off CE approved only for certain urinal ceramics, check online TPI</p>				
 	39 369 000	4005176341557		647.85
<p>Temperature sensor with Bluetooth for urinal with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC 39 376 000 Rapid SL required Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with Bluetooth 4.0* for wireless data communication Bluetooth transmitter frequency: 2.4 GHz Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver for Apple** and Android devices monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration shut-off delay auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved</p>				
<p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.</p>				

GROHE URINAL FLUSH VALVES



GROHE URINAL FLUSH VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	37 396 000	4005176907968	Chrome	114.01
	Press urinal flush valve 1/2" brass GROHE StarLight chrome finish with wall escutcheon			
	37 044 000	4005176160776		19.00
	Urinal inlet connector, 1/2"			

GROHE
ACTUATIONS











CONTENTS

WC	Flush Plates for WC	121
	GROHE Fresh	122
Urinal	Flush Plates for Urinal	123











GROHE FLUSH PLATES FOR WC



GROHE FLUSH PLATES FOR WC







	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	37 535 000	4005176416019	Chrome	60.47	
	37 535 P00	4005176416026	matt chrome	60.47	
	37 535 SH0	4005176416033	alpine white	62.76	
	37 535 DC0	4005176416040	supersteel	69.25	
	37 535 BE0	4005176431340	polished nickel	109.00	
	37 535 EN0	4005176431319	brushed nickel	109.00	
	37 535 GL0	4005176431302	cool sunrise	109.00	
	37 535 GN0	4005176431296	brushed cool sunrise	109.00	
	37 535 DA0	4005176431333	warm sunset	109.00	
	37 535 DL0	4005176431326	brushed warm sunset	109.00	
	37 535 A00	4005176431364	hard graphite	109.00	
	37 535 AL0	4005176431357	Brushed Hard Graphite	109.00	
	Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included				
	 	37 601 000	4005176416057	Chrome	69.25
		37 601 P00	4005176416064	matt chrome	92.05
37 601 SH0		4005176416071	alpine white	56.97	
37 601 DC0		4005176416088	supersteel	78.01	
37 601 BE0		4005176529009	polished nickel	133.00	
37 601 EN0		4005176529047	brushed nickel	133.00	
37 601 GL0		4005176524271	cool sunrise	133.00	
37 601 GN0		4005176529016	brushed cool sunrise	133.00	
37 601 DA0		4005176524288	warm sunset	133.00	
37 601 DL0		4005176529023	brushed warm sunset	133.00	
37 601 A00		4005176528996	hard graphite	133.00	
37 601 AL0		4005176529030	Brushed Hard Graphite	133.00	
Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included					
 		37 624 000	4005176416095	Chrome	69.25
		37 624 P00	4005176416101	matt chrome	92.05
	37 624 SH0	4005176416118	alpine white	56.97	
	37 624 DC0	4005176416125	supersteel	78.01	
	37 624 BE0	4005176529085	polished nickel	133.00	
	37 624 EN0	4005176529122	brushed nickel	133.00	
	37 624 GL0	4005176529054	cool sunrise	133.00	
	37 624 GN0	4005176529092	brushed cool sunrise	133.00	
	37 624 DA0	4005176529061	warm sunset	133.00	
	37 624 DL0	4005176529108	brushed warm sunset	133.00	
	37 624 A00	4005176529078	hard graphite	133.00	
	37 624 AL0	4005176529115	Brushed Hard Graphite	133.00	
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included				

GROHE FLUSH PLATES FOR WC











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 965 000 37 965 SH0	4005176442506 4005176442513	Chrome alpine white	60.67 48.12
<p>Skate Air S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				
 	40 911 000	4005176416132		11.31
<p>Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13m cisterns</p>				
 	38 915 KSO 38 915 LSO	4005176897108 4005176897115	velvet black moon white	798.76 835.75
<p>Veris Light Flush plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow</p>				
 	38 809 000	4005176864681	Chrome	542.87
<p>Nova Cosmopolitan Light Flush plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
 	38 765 000	4005176846830	Chrome	66.94
<p>Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				

ACTUATIONS

GROHE FLUSH PLATES FOR WC












	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 847 K10	4005176878596	black/chrome	93.09
	38 847 L10	4005176878688	White/Chrome	93.09
	38 847 XG0	4005176878701	black graphics	93.09
<p>Nova Cosmopolitan Flush plate with printed graphics for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE EcoJoy technology for less water and perfect flow</p>				
	38 766 000	4005176847134	Chrome	166.31
<p>GROHE Ondus Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
	38 957 000	4005176914409	Chrome	103.55
<p>Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate</p>				
	38 958 000	4005176914416	Chrome	61.71
<p>Covering frame for wall-aligned installation of Skate Cosmopolitan with glass surface chrome plated plastic for covering wide tile joints 8 mm frame coverage</p>				
	38 821 000	4005176868986	Chrome	218.61
<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation made of metal GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
	38 732 SD0	4005176847691	stainless steel	145.39
<p>Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>				

GROHE FLUSH PLATES FOR WC









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 732 000	4005176836114	Chrome	66.94
	38 732 BE0	4005176427749	polished nickel	89.96
	38 732 EN0	4005176427756	brushed nickel	89.96
	38 732 GL0	4005176339103	cool sunrise	89.96
	38 732 GN0	4005176427725	brushed cool sunrise	89.96
	38 732 DA0	4005176339097	warm sunset	89.96
	38 732 DL0	4005176427732	brushed warm sunset	89.96
	38 732 A00	4005176339110	hard graphite	89.96
	38 732 AL0	4005176339127	Brushed Hard Graphite	89.96
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 732 BR0	4005176873676	titanium	114.01
ditto, with anti-fingerprint surface				
 	38 844 000	4005176874963	Chrome	66.94
	38 844 SH0	4005176874970	alpine white	51.25
	38 844 P00	4005176875687	matt chrome	61.71
	Arena Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish			
	38 858 000	4005176876714	Chrome	66.94
ditto, horizontal installation				
 	38 505 000	4005176290053	Chrome	46.02
	38 505 SH0	4005176290046	alpine white	30.33
	38 505 P00	4005176290060	matt chrome	82.63
	Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 506 000	4005176290121	Chrome	66.94
ditto, horizontal installation				
 	38 862 000	4005176832314	Chrome	66.94
	38 862 SH0	4005176832338	alpine white	51.25
	38 862 P00	4005176832321	matt chrome	61.14
	Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 861 000	4005176832284	Chrome	61.71
Surf Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow				
 				

ACTUATIONS

GROHE FLUSH PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 564 000	4005176291784	Chrome	72.17
	Skate Air Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 565 000	4005176291845	Chrome	46.02
	ditto, horizontal installation			
 	38 573 000	4005176292316	Chrome	51.25
	Skate Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	38 574 000	4005176292385	Chrome	59.00
	Surf Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	37 059 000	4005176142857	Chrome	129.00
	Air button GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			
 	37 060 000	4005176142901	Chrome	59.00
	Air button GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267			
	38 488 000	4005176289866	Chrome	39.00
	Air button with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish			






GROHE FLUSH PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 496 000	4005176289958	Chrome	179.00
<p>Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				
 	38 771 000	4005176848551	Chrome	40.79
<p>Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose GROHE StarLight chrome finish</p>				
 	37 761 000	4005176213243	Chrome	39.00
<p>Air button GROHE StarLight chrome finish for use with Adagio cistern 37 762 SH / 37 945 SH</p>				
 	38 714 000	4005176828454		13.90
<p>WC wall plate extension set 70 mm with pneumatic discharge valve</p>				

GROHE FRESH











GROHE FRESH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 805 000	4005176865596	Chrome	124.47
	<p>Skate Cosmopolitan Set Fresh Flush plate for dual flush or start & stop actuation with GROHE Fresh fixing frame with opening function for chlorine-free tablets only for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			
 	38 796 000	4005176857034		61.71
	<p>GROHE Fresh retro-fit set for GROHE flushing cisterns with pneumatic flush valve not suitable for flush plates with wood or glass or metal surface or new small flush plates fixing frame with opening function for chlorine-free tablets only for all GROHE wall plates 156 x 197 mm</p>			
	38 882 000	4005176879197		8.00
	<p>GROHE Fresh Tabs 2 x 50 g WC-Tabs This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>			

GROHE FLUSH PLATES FOR URINAL



GROHE FLUSH PLATES FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 784 000	4005176855535	Chrome	106.64
Skate Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish				
 	38 804 000 38 804 SH0	4005176861512 4005176861529	Chrome alpine white	114.01 103.55
Nova Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish				
 	38 857 000 38 857 SH0	4005176875694 4005176875793	Chrome alpine white	106.69 98.32
Arena Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish				
 	38 808 000	4005176864056	Chrome	93.09
Surf Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish				

GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS







Angle Valves

124

GROHE ANGLE VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 037 000	4005176305535	Chrome	9.41
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 041 000	4005176305573	Chrome	9.41
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 029 000	4005176305467	Chrome	9.41
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>				
 	22 032 000	4005176305481	Chrome	9.41
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>				
 	22 939 000	4005176829369	Chrome	19.00
<p>Angle valve 1/2" with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 940 000	4005176829376	Chrome	19.00
<p>Angle valve 1/2" without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				

GROHE ANGLE VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 917 000	4005176501388	Chrome	44.25
<p>Atlanta Angle valve 1/2" wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut Ø 10mm marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 012 000	4005176906343	Chrome	40.79
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	22 013 000	4005176909689	Chrome	40.79
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				

GROHE
SPARE PARTS





CONTENTS

Cartridges	125.02
Thermo elements and thermostatic cartridges	125.04
Aquadimmer	125.07
Head parts	125.08
Extension sets	125.10
Unions	125.11
Flow straighteners	125.13
Waste sets and traps	125.15
Connections and non-return valves	125.17
Spare parts for electronics	125.18
Spare parts for showers	125.19
Miscellaneous	125.20
Special tools	125.21
Cleaning and care	125.23
Spare parts for sanitary systems	125.24
Spare parts for shower toilet	125.25
Spare parts for Ceramics	125.27







GROHE CARTRIDGES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 580 000	4005176831867		89.00
	Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000	4005176169076		89.00
	Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000	4005176008283		89.00
	Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers			
	46 409 000	4005176177668		47.30
	ditto, for open water heater			
	46 386 000	4005176169410		109.00
	Cartridge GROHE SilkMove			
	46 278 000	4005176131868		99.00
	Ceramic cartridge for Euroeco special mixer			
	46 308 000	4005176131769		39.00
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			

GROHE CARTRIDGES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 375 000	4005176169083		39.00
	Temperature limiter for 35mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 277 000	4005176131851		39.00
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	48 297 000	4005176361265		36.00
	Cartridge for Rainshower system SmartControl push button including fixation			
	48 359 000	4005176442810		41.00
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 450 000	4005176076190		159.00
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000	4005176061592		139.00
	ditto, for reverse waterways, 1/2"			
	47 310 000	4005176079238		179.00
	Wax thermo-element-cartridge wax element			
	47 379 000	4005176203169		269.00
	ditto, for reverse waterways, 3/4"			
	47 349 000	4005176141461		119.00
	Wax thermo-element-cartridge 3/8" wax element			
	47 217 000	4005176241246		139.00
	Thermo-element wax element with non-rising spindle			
	47 657 000	4005176262838		279.00
	ditto, for reverse waterways, 1/2"			
	47 220 000	4005176241253		179.00
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 658 000	4005176262845		569.00
	ditto, for reverse waterways, 3/4"			
	47 532 000	4005176206795		189.00
	Thermostatic cartridge			

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	00 798 000	4005176229008	Chrome	29.00
	Wax thermo-element			
	47 598 000	4005176229169		269.00
	Control unit			
	47 600 000	4005176228995		229.00
	Control unit			
	47 439 000	4005176811975		149.00
	Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000	4005176803895		149.00
	ditto, for reverse waterways, 1/2"			
	47 885 000	4005176924729		39.00
	Thermostatic compact cartridge 1/2" GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000	4005176815409		179.00
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000	4005176803901		179.00
	ditto, for reverse waterways, 3/4"			


GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

Ref. No. EAN code Colour Retail Guide Price (£)



49 028 000 4005176442827 48.00

Thermostatic compact cartridge 3/4"
for Grohtherm SmartControl concealed
GROHE TurboStat compact cartridge
with wax thermostatic element
including fastening nut



47 167 000 4005176010125 19.00

Stop ring and regulating nut

GROHE AQUADIMMER







Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

47 364 000	4005176171819		79.00
------------	---------------	--	-------





Aquadimmer
for thermostatic mixers







GROHE HEAD PARTS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	07 146 000	4005176017261		19.00
	Headpart 1/2" short spindle, 1/2"			
	45 346 000	4005176104572		49.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000	4005176129865		49.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000	4005176189913		99.00
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000	4005176189876		29.00
	Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 882 000	4005176189883		39.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand			













GROHE HEAD PARTS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	45 883 000	4005176189890		39.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand			
	45 888 000	4005176189944		69.00
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°			
	07 025 000	4005176016929		29.00
	Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"			



GROHE EXTENSION SETS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	45 203 000	4005176052842		19.00
<p>Extension-set 200 mm for concealed valves, 1/2", 3/4"</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				
 	46 343 000	4005176189791		179.00
<p>Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"</p>				


GROHE UNIONS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	12 001 000	4005176004339	Chrome	19.00
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm GROHE StarLight chrome finish</p>				
 	12 400 000	4005176004582	Chrome	39.00
<p>S-union 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>				
 	12 051 000	4005176213588	Chrome	39.00
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				
 	12 952 000	4005176022692	Chrome	39.00
<p>Wall union</p>				
 	18 862 000	4005176028120	Chrome	59.00
<p>Wall union</p>				
 	18 121 000	4005176815812	Chrome	49.00
<p>Pillar union, pair GROHE StarLight chrome finish</p>				

GROHE UNIONS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	12 407 000	4005176004629	Chrome	107.70
	Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon GROHE StarLight chrome finish			













GROHE FLOW STRAIGHTENERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 954 000	4005176025747	Chrome	9.00
<p>Flow straightener internal thread M 22 x 1(LP) 6.9 l/min. at 3 bar SpeedClean anti-limescale system GROHE StarLight finish</p>				
 	13 950 000	4005176025679	Chrome	12.00
<p>Economy Mousseur internal thread M 22 x 1(LP) 7.5 l/min at 3 bar GROHE StarLight finish</p>				
 	13 928 000	4005176025365	Chrome	12.00
<p>Flow restrictor internal thread M 22 x 1(LP) 13.5 l/min at 3 bar GROHE StarLight finish</p>				
 	13 900 000	4005176005442	Chrome	8.95
<p>Strainer jet regulator Sistra M24x1 internal thread M 22 x 1(LP) no limitation of flow rate including metal connection nipple for better servicing GROHE StarLight finish</p>				
 	48 159 000	4005176919589	Chrome	9.00
<p>Flow restrictor external thread M 24 x 1 5.7 l/min at 3 bar SpeedClean anti-limescale system</p>				
 	46 837 000	4005176931888	Chrome	13.00
<p>Flow straightener external thread M 24 x 1 5.7 l/min for pressures 1-5 bar GROHE AquaGuide adjustable mousseur GROHE StarLight finish</p>				

GROHE FLOW STRAIGHTENERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 960 000	4005176109522	Chrome	15.00
	Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar GROHE StarLight finish			
 	13 955 000	4005176025808	Chrome	10.00
	Flow straightener external thread M 24 x 1 6.9 l/min at 3 bar GROHE StarLight finish			
 	13 951 000	4005176025730	Chrome	12.00
	Economy Mousseur external thread M 24 x 1 7.5 l/min at 3 bar GROHE StarLight finish			
 	13 929 000	4005176025440	Chrome	12.00
	Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar GROHE StarLight finish			
 	13 927 000	4005176005541	Chrome	19.00
	Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar GROHE StarLight finish			
	13 907 000	4005176025129	Chrome	19.00
	Strainer jet regulator Sistra M24x1 external thread M 28 x 1 60.0 - 70.0 l/min at 3 bar GROHE StarLight finish			

GROHE WASTE SETS AND TRAPS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
28 910 000	4005176603846	Chrome	59.00
		Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings	
28 900 000	4005176603822	Chrome	89.00
		Pop-up waste set 1 1/4" for basins GROHE StarLight chrome finish	
40 565 000	4005176912757	Chrome	72.17
		Waste set with push-open plug for wash basins with overflow GROHE StarLight chrome finish	
65 807 000	4005176849893	Chrome	39.00
65 807 BE0	4005176467691	polished nickel	62.00
65 807 EN0	4005176467707	brushed nickel	62.00
65 807 GL0	4005176467738	cool sunrise	62.00
65 807 GN0	4005176467745	brushed cool sunrise	62.00
65 807 DA0	4005176467752	warm sunset	62.00
65 807 DL0	4005176467769	brushed warm sunset	62.00
65 807 A00	4005176467721	hard graphite	62.00
65 807 AL0	4005176467714	Brushed Hard Graphite	62.00
		Pop-up waste set with push-open cover removable cover closable GROHE StarLight chrome finish	
65 808 000	4005176860065	Chrome	40.79
		Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable GROHE StarLight chrome finish	
40 824 000	4005176332975	Chrome	19.87
		Waste set with push-open plug for wash basins with overflow removable plug closable	

GROHE WASTE SETS AND TRAPS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	07 182 000	4005176017438	Chrome	24.00
	Plug for pop-up waste set GROHE StarLight chrome finish			
	07 341 000	4005176017728	Chrome	39.00
	Extended horizontal pop-up rod			
 	40 564 000	4005176912740	Chrome	239.53
	Bottle trap for wash basin GROHE StarLight chrome finish brass body			
 	28 912 000	4005176266751	Chrome	218.61
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish			

GROHE CONNECTIONS AND NON-RETURN VALVES

Ref. No. EAN code Colour Retail Guide Price (£)

46 914 000 4005176326424 6.90

Compression MI coupling for all basin and kitchen mixers
15 mm x 3/8"
including nut & olive



47 189 000 4005176010330 Chrome 39.00

Non-return valve
GROHE StarLight chrome finish



GROHE SPARE PARTS FOR ELECTRONICS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------







42 393 000	4005176905872		65.05
------------	---------------	--	-------

Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer

GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 817 000	4005176602962	Chrome	12.90
	Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE StarLight chrome finish			
	06 765 000	4005176831973	Chrome	89.00
	Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
 	07 659 000	4005176003707	Chrome	49.00
	Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	12 140 000	4005176288319	Chrome	59.00
	Sliding piece suitable for shower rails with diameter of 22mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	45 650 IP0	4005176137228	chrome/ matt chrome	49.00
	Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			



GROHE MISCELLANEOUS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
07 264 00M	4005176228797	Chrome	9.00
Filter multi-packaging: 2 pieces			
			
45 023 000	4005176006494		9.00
Seat			
			
07 587 000	4005176229015	Chrome	19.00
Slider			
			
45 388 000	4005176212758		74.10
Supporting legs for baseframe for direct floor installation fixing material in units of 2			
			

GROHE SPECIAL TOOLS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	18 283 00M	4005176026669		27.95
	Fitting aid for mounting of 1/2" fittings in units of 10			
	18 370 000	4005176885228	Chrome	79.00
	Wall Mounted Brackets 1 pair for exposed 1/2" mixers includes: wall plate, brass olive, fixing nipple, chrome shroud			
	19 131 000	4005176203763		39.10
	Socket Spanner wrench size 36 mm			
	19 332 000	4005176823695		69.00
	Socket Spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for disassembly of 35 mm cartridge			
	48 021 000	4005176881435		9.00
	Disassembling key for mousseurs with housing: (M 22 x 1, M 24 x 1, M 28 x 1) for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces			
	19 377 000	4005176872204		39.00
	Special Spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of GROHE TurboStat thermostatic compact cartridge			

GROHE SPECIAL TOOLS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 017 000	4005176212024		39.00
				

Mounting wrench
SW 13
for installation of basin mixers with the Rapid system

GROHE CLEANING AND CARE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



48 166 000	4005176923197		14.00
Grohclean			
Detergent for fittings and bathrooms			
500 ml spray bottle			
in display box			
sales unit 10 pieces			

GROHE SPARE PARTS FOR SANITARY SYSTEMS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
43 544 000	4005176157738		9.00
Outlet piston			



GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	14 926 001	4005176483400		324.00
	GROHE Sensia Arena Remote control for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder including batteries			
	14 926 000	4005176375460		389.00
	GROHE Sensia Arena Remote control for 39 354 SH0 for Sensia Arena shower toilet system, wall hung including wall holder including batteries			
	14 937 000	4005176407000	alpine white	999.00
	GROHE Sensia Arena WC-ceramic for Sensia Arena shower toilet system, wall hung			
	14 971 000	4005176436093		28.00
	GROHE Sensia Arena Hose clip for Sensia Arena shower toilet system, wall hung			
	14 974 000	4005176436123		76.00
	GROHE Sensia Arena Connection hose assembly for 39 354 SH0 for Sensia Arena shower toilet system, wall hung			
	14 974 001	4005176483431		88.00
	GROHE Sensia Arena Connection hose assembly for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung			












GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	14 972 000	4005176436109		26.00
GROHE Sensia Arena Anti-theft screw for Sensia Arena shower toilet system, wall hung				
	14 919 000	4005176375194	alpine white	1,499.00
GROHE Sensia Arena E-bidet unit for 39 354 SH0 for Sensia Arena shower toilet system, wall hung exchange set				
	14 976 000	4005176483417	alpine white	1,759.00
GROHE Sensia Arena E-bidet unit for 39 354 SH1 for Sensia Arena shower toilet system, wall hung exchange set				
	14 927 000	4005176375477		19.00
GROHE Sensia Arena Filter for Sensia Arena function model shower toilet system, wall hung				

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)		Ref. No.	Colour	Retail Guide Price (£)
	49 512 000		24.06		49 518 000		24.06
	Mounting set for counter top basins 39 337 000 39 337 00H 39 475 00H 39 476 00H 39 477 00H 39 478 00H for drop in basin 39 422 000, 39 479 00H for vessel basin 39 481 00H contains 2 pieces				Mounting set for undercounter basins 39 423 000, 39 480 00H contains 4 pieces		
	49 025 000	Chrome	20.92		49 516 000		20.92
	Mounting set for half pedestal 39 426 000 39 201 000 39 325 000 contains 2 pieces				Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces		
	49 018 000		9.00		49 021 000		3.14
	Buffer set for seat and lid for 39 435 000 contains 2 pieces for lid and 4 pieces for seat				Rubber sealing for close coupled WC and cistern 39 436 000 39 437 000 39 333 000 39 332 000 39 489 000 39 490 000		
	49 022 000	Chrome	23.01		49 526 000	Chrome	12.55
	Fixing bolt for close coupled WC and cistern 39 436 000 39 437 000 39 333 000 39 332 000 39 489 000 39 490 000				Dual flush push button for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000		
	49 017 000	Chrome	n.A.		49 023 000	Chrome	14.64
	Dual flush push button for close coupled cistern exposed side inlet 39 437 000 universal application				Filling valve for close coupled cistern exposed bottom inlet 39 332 000 39 436 000 universal application		
	49 020 000	Chrome	14.64		49 061 000	Chrome	14.64
	Filling valve for Euro Ceramic cistern for close coupled cistern exposed side inlet 39 333 000 universal application				Discharge valve for Bau Ceramic cistern for close coupled cistern exposed side inlet 39 436 000 39 437 000 Dual Flush universal application for ceramic lid hole Ø 50 mm		

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)		Ref. No.	Colour	Retail Guide Price (£)	
	49 066 000	Chrome	14.64	<p>Discharge valve for Euro Ceramic cistern for close-coupled cisterns 39 332 000 39 333 000 Dual Flush universal application for ceramic lid hole Ø 50 mm</p>		49 016 000	alpine white	n.A.
	49 027 000	Chrome	58.58	<p>Fixing set for Euro Ceramic wall hung bidet 220 mm 39 208 000, 39 208 00H</p>		49 510 000		54.39
	49 024 000	Chrome	58.58	<p>Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H</p>		49 509 000		53.35
	49 528 000	Chrome	31.38	<p>Damper for Bau Ceramic WC seat with soft close left and right 39 493 000 contains 2 pieces</p>		49 529 000	Chrome	18.83
	49 530 000	Chrome	8.37	<p>Buffer set for Bau Ceramic seat and lid 39 492 000 39 493 000 contains 2 pieces for lid and 4 pieces for seat</p>		49 019 000	alpine white	2.09
	49 522 000		24.06	<p>Mounting set for Euro Ceramic cistern 39 333 000</p>				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
00				13 927 000	4005176005541	125.14	19.00
00 798 000	4005176229008	125.05	29.00	13 928 000	4005176025365	125.13	12.00
06				13 929 000	4005176025440	125.14	12.00
06 765 000	4005176831973	125.19	89.00	13 950 000	4005176025679	125.13	12.00
07				13 951 000	4005176025730	125.14	12.00
07 025 000	4005176016929	125.09	29.00	13 954 000	4005176025747	125.13	9.00
07 146 000	4005176017261	125.08	19.00	13 955 000	4005176025808	125.14	10.00
07 182 000	4005176017438	125.16	24.00	13 960 000	4005176109522	125.14	15.00
07 264 00M	4005176228797	125.20	9.00	14			
07 341 000	4005176017728	125.16	39.00	14 014 000	4005176929274	47.02	51.25
07 587 000	4005176229015	125.20	19.00	14 015 000	4005176932748	39.05	129.00
07 659 000	4005176003707	125.19	49.00	14 048 000	4005176413483	37.02	143.30
07 749 000	4005176018695	94.04	89.00	14 053 00M	4005176413513	37.02	48.12
11				14 055 000	4005176413520	23.02, 37.02	152.72
115 221	4005176910081		29.00	14 056 000	4005176466298	37.02	109.00
118 152	4005176981951		369.00	14 057 000	4005176466304	37.02	141.00
118 599	4005176993527		369.00	14 058 000	4005176466311	37.03	141.00
12				14 159 000	4005176100710		19.00
12 001 000	4005176004339	125.11	19.00	14 919 000	4005176375194	125.26	1,499.00
12 051 000	4005176213588	93.04, 94.03	39.00	14 926 000	4005176375460	125.25	389.00
12 140 000	4005176288319	125.19	59.00	14 926 001	4005176483400	125.25	324.00
12 400 000	4005176004582	125.11	39.00	14 927 000	4005176375477	125.26	19.00
12 407 000	4005176004629	125.12	107.70	14 937 000	4005176407000	125.25	999.00
12 952 000	4005176022692	125.11	39.00	14 971 000	4005176436093	125.25	28.00
13				14 972 000	4005176436109	125.26	26.00
13 139 003	4005176455131	04.12	*	14 974 000	4005176436123	125.25	76.00
13 139 AL3	4005176455155	04.12	284.00	14 974 001	4005176483431	125.25	88.00
13 139 DA3	4005176493287	04.12	284.00	14 976 000	4005176483417	125.26	1,759.00
13 139 DC3	4005176455148	04.12	264.00	18			
13 139 GL3	4005176493263	04.12	284.00	18 026 003	4005176456435		58.00
13 218 000	4005176847110	03.08	1,292.47	18 026 AL3	4005176455674		114.00
13 261 000	4005176877384	17.06	82.63	18 026 DC3	4005176479410		95.00
13 264 000	4005176882449	03.09	218.61	18 026 EN3	4005176455667		114.00
13 276 002	4005176887246	15.05	93.09	18 027 003	4005176455681		58.00
13 278 002	4005176887871	13.06	93.09	18 027 AL3	4005176455704		114.00
13 280 001	4005176888687	14.07	89.00	18 027 DC3	4005176479427		95.00
13 299 000	4005176899003	02.07	302.29	18 027 EN3	4005176455698		114.00
13 299 A00	4005176490767	02.07	439.00	18 033 003	4005176455896		69.00
13 299 AL0	4005176490705	02.07	439.00	18 033 AL3	4005176455919		131.00
13 299 DC0	4005176490712	02.07	408.00	18 033 DC3	4005176479373		109.00
13 301 000	4005176899041	02.06	1,354.02	18 033 EN3	4005176455902		131.00
13 301 A00	4005176490859	02.06	2,089.00	18 034 EN3	4005176455933		*
13 301 AL0	4005176490798	02.06	2,089.00	18 121 000	4005176815812	125.11	49.00
13 301 DC0	4005176490804	02.06	1,940.00	18 153 000	4005176819094		79.00
13 303 000	4005176906350	08.08	114.01	18 283 00M	4005176026669	125.21	27.95
13 304 000	4005176906367	08.08	124.47	18 349 000	4005176874796	17.04	26.15
13 317 000	4005176912603	03.09	699.77	18 370 000	4005176885228	94.03, 125.21	79.00
13 319 000	4005176912627	02.07	699.77	18 391 001	4005176888533	14.05	29.00
13 319 A00	4005176352782	02.07	1,016.00	18 608 001	4005176985140	32.05	40.79
13 319 AL0	4005176353284	02.07	1,016.00	18 700 000	4005176940811	33.02	40.79
13 319 DC0	4005176490651	02.07	943.00	18 862 000	4005176028120	125.11	59.00
13 341 000	4005176931000	05.07	218.61	18 864 000	4005176413506		*
13 341 DA0	4005176327223	05.07	329.00	18 978 000	4005176028809	94.03	169.00
13 341 IG0	4005176931017	05.07	291.83	19			
13 378 000	4005176351532	93.03	78.40	19 017 000	4005176212024	125.22	39.00
13 380 000	4005176351549	93.03	86.65	19 025 000	4005176209154	06.10, 09.12	51.25
13 383 001	4005176418167	06.08	187.23	19 069 003	4005176455469	04.10	79.00
13 383 DC1	4005176418174	06.08	229.07	19 069 AL3	4005176455483	04.10	111.00
13 404 003	4005176529788	09.09	139.00	19 069 DA3	4005176494031	04.10	111.00
13 900 000	4005176005442	125.13	8.95	19 069 DC3	4005176455476	04.10	103.00
13 907 000	4005176025129	125.14	19.00	19 069 EN3	4005176469619		111.00
				19 069 GL3	4005176494017	04.10	111.00
				19 070 000	4005176029653		49.00
				19 088 003	4005176455162	04.10	102.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
19 088 AL3	4005176455186	04.10	142.00	19 468 DA0	4005176426872	11.12	580.53
19 088 DA3	4005176493348	04.10	142.00	19 468 DL0	4005176426889	11.12	580.53
19 088 DC3	4005176455179	04.10	132.00	19 468 EN0	4005176426926	11.12	580.53
19 088 EN3	4005176469626		142.00	19 468 GL0	4005176426858	11.12	580.53
19 088 GL3	4005176493324	04.10	142.00	19 468 GN0	4005176426865	11.12	580.53
19 131 000	4005176203763	125.21	39.10	19 470 000	4005176848018	31.03	61.71
19 285 001	4005176307225	11.08	134.93	19 506 002	4005176887185	15.05	145.39
19 285 A01	4005176407550	11.08	219.66	19 506 003	4005176334399	16.08	134.93
19 285 AL1	4005176407567	11.08	219.66	19 506 LS3	4005176334542	16.08	176.77
19 285 BE1	4005176426568	11.08	219.66	19 507 002	4005176887079	15.05	145.39
19 285 DA1	4005176407536	11.08	219.66	19 507 003	4005176334337	16.08	114.01
19 285 DC1	4005176371110	11.08	197.69	19 507 LS3	4005176334528	16.08	*
19 285 DL1	4005176426551	11.08	219.66	19 536 002	4005176866067	10.05	155.85
19 285 EN1	4005176426575	11.08	219.66	19 537 002	40051768668412	10.05	155.85
19 285 GL1	4005176407543	11.08	219.66	19 548 002	4005176887840	12.04, 13.06	166.31
19 285 GN1	4005176426544	11.08	219.66	19 548 LS2	4005176998959	12.04, 13.06	197.69
19 286 001	4005176307294	11.08	124.47	19 549 002	4005176887758	12.04, 13.05	155.85
19 286 A01	4005176426742	11.08	201.88	19 549 LS2	4005176998942	12.04, 13.05	197.69
19 286 AL1	4005176426735	11.08	201.88	19 571 002	4005176886973	15.03	208.15
19 286 BE1	4005176426759	11.08	201.88	19 571 003	4005176334269	16.05	208.15
19 286 DA1	4005176426711	11.08	201.88	19 571 LS3	4005176334498	16.05	260.45
19 286 DC1	4005176371158	11.08	166.31	19 573 002	4005176887659	13.04	197.69
19 286 DL1	4005176426728	11.08	201.88	19 575 001	4005176888366	14.04	179.00
19 286 EN1	4005176426766	11.08	201.88	19 577 001	4005176409233	06.06	626.55
19 286 GL1	4005176426698	11.08	201.88	19 577 DC1	4005176412820	06.06	814.83
19 286 GN1	4005176426704	11.08	201.88	19 577 EN1	4005176413018	06.06	*
19 287 003	4005176454738	04.02	338.00	19 578 001	4005176307195	11.09	699.77
19 287 AL3	4005176454752	04.02	474.00	19 578 A01	4005176426520	11.09	975.92
19 287 DA3	4005176492372	04.02	544.00	19 578 AL1	4005176426513	11.09	975.92
19 287 DC3	4005176454745	04.02	440.00	19 578 BE1	4005176426537	11.09	975.92
19 287 GL3	4005176492358	04.02	544.00	19 578 DA1	4005176426490	11.09	975.92
19 296 001	4005176409219	06.06	208.15	19 578 DC1	4005176371103	11.09	877.59
19 296 DC1	4005176412806	06.06	255.22	19 578 DL1	4005176426506	11.09	975.92
19 297 001	4005176409226	06.06	208.15	19 578 EN1	4005176374463	11.09	975.92
19 297 DC1	4005176412813	06.06	255.22	19 578 GL1	4005176426476	11.09	975.92
19 309 000	4005176820656	03.04	532.41	19 578 GN1	4005176426483	11.09	975.92
19 315 000	4005176821677	03.05	385.97	19 590 000	4005176890529	03.09	187.23
19 316 000	4005176821783	03.07	1,201.85	19 781 000	4005176898822	02.04	647.47
19 317 000	4005176821806	03.05	344.13	19 781 A00	4005176490446	02.04	950.00
19 332 000	4005176823695	125.21	69.00	19 781 AL0	4005176490385	02.04	950.00
19 334 000	4005176823800	03.09	134.93	19 781 DC0	4005176490392	02.04	882.00
19 345 001	4005176888953	14.06	149.00	19 783 000	4005176898846	02.04	689.31
19 346 001	4005176889080	14.06	159.00	19 783 A00	4005176490538	02.04	1,013.00
19 377 000	4005176872204	125.21	39.00	19 783 AL0	4005176490477	02.04	1,013.00
19 381 000	4005176874673	17.03	176.77	19 783 DC0	4005176490484	02.04	941.00
19 382 000	4005176874697	17.06	124.47	19 785 000	4005176898969	02.05	448.73
19 383 000	4005176874765	17.05	103.55	19 785 A00	4005176338649	02.05	662.12
19 384 000	4005176875755	03.10	134.93	19 787 001	4005176429057	02.06	1,493.00
19 386 000	4005176876011	03.04	574.25	19 787 A01	4005176495427	02.06	2,089.00
19 408 001	4005176307133	11.05	176.77	19 787 AL1	4005176489563	02.06	2,089.00
19 408 A01	4005176426209	11.05	270.91	19 787 DC1	4005176489570	02.06	1,940.00
19 408 AL1	4005176426193	11.05	270.91	19 789 000	4005176899058	02.05	406.89
19 408 BE1	4005176426216	11.05	270.91	19 796 000	4005176899133	02.07	176.77
19 408 DA1	4005176426179	11.05	270.91	19 796 A00	4005176352607	02.07	258.00
19 408 DC1	4005176369964	11.05	229.07	19 796 AL0	4005176353062	02.07	258.00
19 408 DL1	4005176426186	11.05	270.91	19 796 DC0	4005176490019	02.07	240.00
19 408 EN1	4005176426223	11.05	270.91	19 798 000	4005176899157	02.07	249.99
19 408 GL1	4005176426155	11.05	270.91	19 798 A00	4005176352614	02.07	359.00
19 408 GN1	4005176426162	11.05	270.91	19 798 AL0	4005176353079	02.07	359.00
19 409 001	4005176409158	06.03	260.45	19 798 DC0	4005176489969	02.07	334.00
19 409 DC1	4005176412752	06.03	333.67	19 808 001	4005176843204		19.87
19 450 002	4005176862229	18.05	103.55	19 895 000	4005176901072	08.03	239.53
19 451 002	4005176862335	18.05	93.09	19 896 000	4005176901201	07.05, 08.05	176.77
19 468 000	4005176847981	06.08, 11.12	365.05	19 898 000	4005176901300	07.05, 08.05	166.31
19 468 A00	4005176426902	11.12	580.53	19 910 000	4005176987014	08.08	51.25
19 468 AL0	4005176426896	11.12	580.53	19 918 003	4005176454769	04.03	383.00
19 468 BE0	4005176426919	11.12	580.53	19 918 AL3	4005176454783	04.03	537.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
19 918 DA3	4005176492440	04.03	617.00	20 009 DC3	4005176454981	04.08	469.00
19 918 DC3	4005176454776	04.03	498.00	20 009 GL3	4005176492839	04.08	505.00
19 918 GL3	4005176492426	04.03	617.00	20 021 003	4005176455193	04.07	226.00
19 919 000	4005176924125	05.06	1,097.25	20 021 AL3	4005176455216	04.07	316.00
19 919 DA0	4005176327209	05.06	1,499.00	20 021 DA3	4005176493416	04.07	316.00
19 919 IG0	4005176924132	05.06	1,431.97	20 021 DC3	4005176455209	04.07	293.00
19 920 000	4005176924149	05.05	302.76	20 021 GL3	4005176493393	04.07	316.00
19 920 DA0	4005176327186	05.05	472.79	20 025 000	4005176099403	98.02	119.00
19 920 IG0	4005176924156	05.05	393.59	20 143 000	4005176832581	03.03	595.17
19 922 003	4005176455568	04.11	1,166.00	20 164 003	4005176455315	04.08	383.00
19 922 AL3	4005176455582	04.11	1,632.00	20 164 AL3	4005176455339	04.08	537.00
19 922 DA3	4005176494697	04.11	1,632.00	20 164 DA3	4005176493690	04.08	537.00
19 922 DC3	4005176455575	04.11	1,515.00	20 164 DC3	4005176455322	04.08	498.00
19 922 GL3	4005176494673	04.11	1,632.00	20 164 GL3	4005176493676	04.08	537.00
19 923 003	4005176455537	04.11	1,166.00	20 169 003	4005176455001	04.08	383.00
19 923 AL3	4005176455551	04.11	1,632.00	20 169 AL3	4005176455025	04.08	537.00
19 923 DA3	4005176494635	04.11	1,632.00	20 169 DA3	4005176492921	04.08	537.00
19 923 DC3	4005176455544	04.11	1,515.00	20 169 DC3	4005176455018	04.08	498.00
19 923 GL3	4005176494611	04.11	1,632.00	20 169 GL3	4005176492907	04.08	537.00
19 929 000	4005176930430	05.04	379.12	20 186 001	4005176874437	22.02	61.71
19 929 IG0	4005176930447	05.04	521.95	20 187 000	4005176874680	17.03	197.69
19 930 000	4005176930454	05.04	438.27	20 188 000	4005176875724	03.03	595.17
19 930 IG0	4005176930461	05.04	574.25	20 189 000	4005176875731	03.03	532.41
19 932 000	4005176930713	05.05	291.83	20 190 000	4005176875748	03.03	532.41
19 932 IG0	4005176930720	05.05	359.37	20 192 000	4005176875991	03.03	563.79
19 936 000	4005176930812	05.06	1,034.49	20 193 000	4005176876004	03.03	563.79
19 936 A00	4005176338724	05.06	1,519.84	20 208 002	4005176886980	15.03	239.53
19 936 AL0	4005176338731	05.06	1,519.84	20 216 001	4005176888373	14.04	219.00
19 936 DA0	4005176327193	05.06	1,519.84	20 296 001	4005176307072	11.05	239.53
19 936 GL0	4005176338717	05.06	1,519.84	20 299 001	4005176307096	11.05	302.29
19 936 IG0	4005176930829	05.06	1,337.83	20 301 000	4005176896422	10.03	291.83
19 942 000	4005176931048	05.07	134.93	20 301 003	4005176529757	09.05	299.00
19 942 IG0	4005176931055	05.07	171.14	20 304 001	4005176409141	06.03	333.67
19 944 000	4005176931086	05.07	103.55	20 342 000	4005176898860	02.03	657.93
19 944 IG0	4005176931093	05.07	124.47	20 342 A00	4005176490125	02.03	955.00
19 952 000	4005176174230	06.10, 09.12	46.02	20 342 AL0	4005176490064	02.03	955.00
19 965 001	4005176409240	06.07	459.19	20 342 DC0	4005176490071	02.03	887.00
19 967 001	4005176307140	11.05	197.69	20 344 000	4005176898884	02.03	783.45
19 967 A01	4005176426285	11.05	305.43	20 344 A00	4005176338342	02.03	1,267.75
19 967 AL1	4005176426278	11.05	305.43	20 344 AL0	4005176353185	02.03	1,212.00
19 967 BE1	4005176426292	11.05	305.43	20 344 DC0	4005176489815	02.03	1,058.00
19 967 DA1	4005176426254	11.05	305.43	20 346 000	4005176898907	02.03	678.85
19 967 DC1	4005176369971	11.05	270.91	20 346 A00	4005176490262	02.03	992.00
19 967 DL1	4005176426261	11.05	305.43	20 346 AL0	4005176490200	02.03	992.00
19 967 EN1	4005176426308	11.05	305.43	20 346 DC0	4005176490217	02.03	921.00
19 967 GL1	4005176426230	11.05	305.43	20 348 000	4005176898921	02.03	720.69
19 967 GN1	4005176426247	11.05	305.43	20 348 A00	4005176490354	02.03	1,055.00
19 968 000	4005176993657	12.02	197.69	20 348 AL0	4005176490293	02.03	1,055.00
19 968 LS0	4005176993664	12.02	312.75	20 348 DC0	4005176490309	02.03	980.00
19 969 000	4005176993671	12.02	218.61	20 351 000	4005176901041	08.03	281.37
19 969 LS0	4005176993688	12.02	239.53	20 389 000	4005176924101	05.03	521.95
19 974 002	4005176305948	13.04	208.15	20 389 A00	4005176338694	05.03	768.81
19 976 001	4005176307218	11.09	417.35	20 389 AL0	4005176338700	05.03	768.81
19 993 003	4005176335068		*	20 389 DA0	4005176327131	05.03	768.81
19 995 003	4005176335082		*	20 389 GL0	4005176338687	05.03	768.81
19 997 000	4005176342189	07.03	229.07	20 389 IG0	4005176924118	05.03	678.85
19 998 000	4005176342196	07.03	260.45	20 393 001	4005176842993	22.02	67.99
20				20 404 001	4005176842986	22.02	51.25
20 008 003	4005176455285	04.08	451.00	20 414 000	4005176930492	05.03	385.97
20 008 AL3	4005176455308	04.08	631.00	20 414 IG0	4005176930508	05.03	479.16
20 008 DA3	4005176493621	04.08	631.00	20 415 000	4005176930515	05.03	408.07
20 008 DC3	4005176455292	04.08	586.00	20 415 IG0	4005176930522	05.03	563.79
20 008 GL3	4005176493607	04.08	631.00	20 417 000	4005176930553	05.03	469.65
20 009 003	4005176454974	04.08	361.00	20 417 IG0	4005176930560	05.03	616.09
20 009 AL3	4005176454998	04.08	505.00	20 421 000	4005176934353	19.02	49.00
20 009 DA3	4005176492853	04.08	505.00	20 421 00M	4005176986932	19.02	97.00
				20 422 000	4005176934490	20.02	49.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
20 575 000	4005176388422	21.02	51.25	23 112 AL0	4005176489785	02.02	971.00
21				23 114 000	4005176898792	02.02	825.29
21 019 003	4005176455223	04.07	361.00	23 114 A00	4005176352690	02.02	1,203.00
21 019 AL3	4005176455247	04.07	505.00	23 114 AL0	4005176353178	02.02	1,203.00
21 019 DA3	4005176493485	04.07	505.00	23 114 DC0	4005176489914	02.02	1,117.00
21 019 DC3	4005176455230	04.07	469.00	23 117 000	4005176898938	02.04	605.63
21 019 GL3	4005176493461	04.07	505.00	23 117 A00	4005176490620	02.04	887.00
21 022 003	4005176454943	04.07	361.00	23 117 AL0	4005176490569	02.04	887.00
21 022 A03	4005176542435		505.00	23 117 DC0	4005176490576	02.04	823.00
21 022 AL3	4005176454967	04.07	505.00	23 119 000	4005176899027	02.06	2,404.75
21 022 DA3	4005176492792	04.07	505.00	23 119 A00	4005176338601	02.06	3,541.76
21 022 DC3	4005176454950	04.07	469.00	23 119 AL0	4005176353208	02.06	3,541.76
21 022 GL3	4005176492778	04.07	505.00	23 119 DC0	4005176489679	02.06	3,253.00
21 044 003	4005176455254	04.07	496.00	23 127 000	4005176900341	08.02	208.15
21 044 AL3	4005176455278	04.07	694.00	23 127 00E	4005176901591	08.02	208.15
21 044 DA3	4005176493553	04.07	694.00	23 132 000	4005176900990	08.02	197.69
21 044 DC3	4005176455261	04.07	619.00	23 132 00E	4005176906725	08.02	197.69
21 044 GL3	4005176493539	04.07	694.00	23 135 000	4005176901027	08.03	229.07
21 107 000	4005176930393	05.02	396.43	23 135 00E	4005176906732	08.03	218.61
21 107 IGO	4005176930409	05.02	521.95	23 137 000	4005176901096	08.02	155.85
21 374 001	4005176843013	22.03	82.63	23 138 000	4005176901133	08.04	197.69
21 375 001	4005176843037	22.02	93.09	23 140 000	4005176901157	08.04	249.99
21 390 001	4005176843006	22.02	134.93	23 141 000	4005176901164	08.04	312.75
22				23 145 000	4005176901270	08.04	229.07
22 012 000	4005176906343	08.08, 124.03	40.79	23 200 000	4005176908354	02.04, 08.04	218.61
22 013 000	4005176909689	08.09, 124.03	40.79	23 296 001	4005176409127	06.03	281.37
22 029 000	4005176305467	124.02	9.41	23 296 DC1	4005176412738	06.03	349.36
22 032 000	4005176305481	124.02	9.41	23 303 000	4005176924088	05.02	333.67
22 037 000	4005176305535	124.02	9.41	23 303 A00	4005176338663	05.02	493.71
22 041 000	4005176305573	124.02	9.41	23 303 AL0	4005176338670	05.02	493.71
22 501 000	4005176409318	27	58.33	23 303 DA0	4005176327094	05.02	493.71
22 505 LNO	4005176411779	26	43.74	23 303 GL0	4005176338625	05.02	493.71
22 506 LNO	4005176411786	26	21.66	23 303 IGO	4005176924095	05.02	438.27
22 513 LNO	4005176416484	27	365.83	23 310 000	4005176930331	05.02	333.67
22 517 LNO	4005176416729	26	474.17	23 310 DA0	4005176327100	05.02	313.00
22 521 LNO	4005176437151	27	14.58	23 310 IGO	4005176930348	05.02	438.27
22 917 000	4005176501388	124.03	44.25	23 313 000	4005176930614	05.02	438.27
22 939 000	4005176829369	124.02	19.00	23 313 IGO	4005176930621	05.02	574.25
22 940 000	4005176829376	124.02	19.00	23 315 000	4005176930652	05.04	375.51
23				23 315 IGO	4005176930669	05.04	490.57
23 029 000	4005176898709	02.02	532.41	23 316 000	4005176930690	05.04	368.58
23 029 A00	4005176338335	02.02	868.18	23 316 IGO	4005176930706	05.04	479.16
23 029 AL0	4005176353154	02.02	868.18	23 317 000	4005176930799	05.04	490.57
23 029 DC0	4005176489471	02.02	725.00	23 317 IGO	4005176930805	05.04	598.95
23 033 000	4005176898716	02.02	532.41	23 318 000	4005176930874	05.06	1,567.95
23 033 A00	4005176489631	02.02	868.18	23 318 A00	4005176338755	05.06	2,304.34
23 033 AL0	4005176489648	02.02	868.18	23 318 AL0	4005176338762	05.06	2,304.34
23 033 DC0	4005176489488	02.02	725.00	23 318 DA0	4005176327216	05.06	2,304.34
23 037 002	4005176886355	15.02	134.93	23 318 EN0	4005176930898		*
23 039 002	4005176886881	15.02	82.63	23 318 GL0	4005176338748	05.06	2,304.34
23 043 003	4005176472732	15.03	176.77	23 318 IGO	4005176930881	05.06	2,028.19
23 048 003	4005176429132	15.05	*	23 319 000	4005176931192	05.04	218.61
23 049 002	4005176887536	13.02	176.77	23 322 001	4005176934506	18.03	103.55
23 051 002	4005176887567	13.02	93.09	23 323 001	4005176934513	18.03	103.55
23 054 003	4005176472596	13.03	176.77	23 324 001	4005176934520	18.03	93.09
23 055 002	4005176887680	13.04	218.61	23 325 000	4005176933974	17.02	124.47
23 061 002	4005176417917	44.07	513.59	23 327 000	4005176934094	17.02	114.01
23 076 000	4005176890505	03.02	480.11	23 330 000	4005176934278	19.02	64.00
23 106 001	4005176409110	06.02	218.61	23 333 000	4005176934308	19.03	69.00
23 106 DC1	4005176412721	06.02	270.91	23 334 000	4005176934322	19.03	84.00
23 109 000	4005176898754	02.02	668.39	23 335 000	4005176934391	20.02	79.00
23 109 DC0	4005176489860	02.02	902.00	23 337 000	4005176934414	20.02	64.00
23 112 000	4005176898778	02.02	668.39	23 338 000	4005176934421	20.03	89.00
23 112 A00	4005176489778	02.02	971.00	23 340 000	4005176934445	20.03	69.00
				23 341 000	4005176934469	20.03	79.00
				23 356 000	4005176934131	19.02	74.00
				23 374 003	4005176334153	16.02	114.01

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
23 374 LS3	4005176334450	16.02	155.85	23 589 DC1	4005176369919	11.02	176.77
23 379 001	4005176306891	11.03	155.85	23 589 DL1	4005176419621	11.02	218.61
23 380 10E	4005176938245	14.02	139.00	23 589 EN1	4005176425844	11.02	218.61
23 387 20E	4005176938382	15.02	114.01	23 589 GL1	4005176407321	11.02	218.61
23 390 00E	4005176938436	08.02	208.15	23 589 GN1	4005176419614	11.02	218.61
23 392 00E	4005176938450	08.02	208.15	23 590 001	4005176339189	11.02	140.16
23 403 000	4005176941627	03.02	637.01	23 590 A01	4005176426001	11.02	203.97
23 405 001	4005176409134	06.03	260.45	23 590 BE1	4005176426018	11.02	203.97
23 405 DC1	4005176412745	06.03	312.75	23 590 DA1	4005176425875	11.02	203.97
23 406 000	4005176941658	08.03	260.45	23 590 DC1	4005176369926	11.02	176.77
23 425 000	4005176993596	12.02	166.31	23 590 DL1	4005176425882	11.02	203.97
23 425 LS0	4005176993602	12.02	218.61	23 590 EN1	4005176426025	11.02	203.97
23 427 000	4005176993619	12.02	187.23	23 590 GL1	4005176425851	11.02	203.97
23 427 LS0	4005176993626	12.02	239.53	23 590 GN1	4005176425868	11.02	203.97
23 428 000	4005176993633	12.02	281.37	23 591 001	4005176339196	11.02	124.47
23 428 LS0	4005176993640	12.02	365.05	23 654 000	4005176342080	07.02	218.61
23 429 000	4005176993695	04.03, 07.03	218.61	23 656 000	4005176342103	07.02	197.69
23 430 000	4005176993725	12.03	208.15	23 657 000	4005176342110	07.02	270.91
23 430 LS0	4005176993732	12.03	229.07	23 658 000	4005176342127	07.02	208.15
23 431 000	4005176993749	12.03	208.15	23 661 000	4005176342158	07.02	281.37
23 431 LS0	4005176993756	12.03	239.53	23 664 000	4005176342202	07.03	229.07
23 432 000	4005176993763	13.04	270.91	23 665 000	4005176342219	07.03	249.99
23 444 001	4005176411977	06.04	260.45	23 666 000	4005176342226	07.03	291.83
23 444 DC1	4005176412769	06.04	333.67	23 707 003	4005176364778	16.02	103.55
23 445 000	4005176998706	08.02	218.61	23 707 LS3	4005176364785	16.02	145.39
23 446 000	4005176998720	08.03	208.15	23 709 003	4005176365003	16.02	103.55
23 447 000	4005176998737	08.03	239.53	23 709 LS3	4005176365010	16.02	134.93
23 448 002	4005176998744	13.03	176.77	23 712 30L	4005176365034	16.03	93.09
23 449 002	4005176998768	13.03	166.31	23 715 003	4005176365065	16.03	93.09
23 450 001	4005176998775	14.03	149.00	23 717 30L	4005176365089	16.04	93.09
23 451 001	4005176998799	14.03	139.00	23 718 003	4005176365096	16.04	176.77
23 462 001	4005176306907	11.03	176.77	23 718 LS3	4005176365102	16.04	208.15
23 462 A01	4005176425325	11.03	246.86	23 719 003	4005176365119	16.05	208.15
23 462 AL1	4005176426070	11.03	246.86	23 719 LS3	4005176365126	16.05	239.53
23 462 BE1	4005176426087	11.03	246.86	23 720 003	4005176365157	16.06	103.55
23 462 DA1	4005176426056	11.03	246.86	23 720 LS3	4005176365164	16.06	145.39
23 462 DC1	4005176369933	11.03	218.61	23 722 003	4005176365188	16.06	155.85
23 462 DL1	4005176426063	11.03	246.86	23 722 LS3	4005176365195	16.06	155.85
23 462 EN1	4005176426094	11.03	246.86	23 725 003	4005176365249	16.08	145.39
23 462 GL1	4005176426032	11.03	246.86	23 726 003	4005176365256	16.06	155.85
23 462 GN1	4005176426049	11.03	246.86	23 726 LS3	4005176365263	16.06	208.15
23 463 001	4005176306914	11.03	166.31	23 730 003	4005176365324	16.09	155.85
23 491 001	4005176307263	11.10	1,076.33	23 739 002	4005176472602	14.03	199.00
23 491 A01	4005176407598	11.10	1,540.76	23 741 001	4005176371509	11.10	1,620.25
23 491 AL1	4005176407604	11.10	1,540.76	23 741 DC1	4005176371516	11.10	2,122.33
23 491 BE1	4005176426605	11.10	1,540.76	23 751 000	4005176388149	21.02	71.13
23 491 DA1	4005176407574	11.10	1,540.76	23 752 000	4005176388156	21.02	66.94
23 491 DC1	4005176371127	11.10	1,379.67	23 753 000	4005176388163	21.02	102.51
23 491 DL1	4005176426599	11.10	1,540.76	23 754 000	4005176388170	21.02	93.09
23 491 EN1	4005176371134	11.10	1,540.76	23 755 000	4005176388187	21.03	72.17
23 491 GL1	4005176407581	11.10	1,540.76	23 756 000	4005176388392	21.03	82.63
23 491 GN1	4005176426582	11.10	1,540.76	23 758 000	4005176388460	19.02	86.00
23 537 002	4005176312212	18.03	124.47	23 759 000	4005176388477	19.03	86.00
23 541 001	4005176313912	11.04	176.77	23 760 000	4005176388484	19.03	98.00
23 565 30L	4005176333620	16.03	114.01	23 761 000	4005176388491	19.03	116.00
23 567 003	4005176334214	16.03	114.01	23 762 000	4005176388538	20.02	86.00
23 568 30L	4005176333637	16.04	124.47	23 763 000	4005176388545	20.02	98.00
23 569 003	4005176334238	16.04	197.69	23 764 000	4005176388552	20.03	116.00
23 569 LS3	4005176334467	16.04	*	23 790 001	4005176408380	06.02	208.15
23 570 003	4005176334245	16.05	218.61	23 791 001	4005176409097	06.02	208.15
23 570 LS3	4005176334474	16.05	260.45	23 791 DC1	4005176412707	06.02	260.45
23 571 000	4005176334276	06.04, 11.05	208.15	23 792 001	4005176409257	06.07	1,547.03
23 589 001	4005176339172	11.02	150.62	23 792 DC1	4005176412837	06.07	1,881.75
23 589 A01	4005176407338	11.02	218.61	23 792 EN1	4005176413001	06.07	*
23 589 AL1	4005176407345	11.02	218.61	23 843 003	4005176496547	09.04	329.00
23 589 BE1	4005176419638	11.02	218.61	23 844 003	4005176496554	09.04	*
23 589 DA1	4005176407314	11.02	218.61	23 845 003	4005176496677	09.08	679.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
23 846 003	4005176496684	09.09	1,499.00	24 065 GL3	4005176564574	04.04	416.00
23 848 003	4005176496790	09.02	*	24 066 003	4005176465772	04.04	327.00
23 850 003	4005176496813	09.02	*	24 066 AL3	4005176465796	04.04	458.00
23 851 003	4005176496523	09.04	279.00	24 066 DC3	4005176465789	04.04	425.00
23 870 003	4005176529719	09.03	*	24 066 GL3	4005176564642	04.04	459.00
23 871 003	4005176529726	09.03	249.00	24 067 000	4005176465802	05.05	283.00
23 872 003	4005176529733	09.03	249.00	24 067 DA0	4005176465833	05.05	396.00
23 873 003	4005176529986	09.04	279.00	24 067 GL0	4005176465826	05.05	396.00
24				24 067 IGO	4005176465819	05.05	340.00
24 027 003	4005176455346	04.09	383.00	24 068 000	4005176465840	05.05	312.00
24 027 AL3	4005176455360	04.09	537.00	24 068 DA0	4005176465871	05.05	436.00
24 027 DA3	4005176493768	04.09	537.00	24 068 GL0	4005176465864	05.05	436.00
24 027 DC3	4005176455353	04.09	498.00	24 068 IGO	4005176465857	05.05	374.00
24 027 GL3	4005176493744	04.09	537.00	24 069 000	4005176465888	03.05	321.00
24 036 000	4005176993701	12.03	197.69	24 070 000	4005176465895	03.05	353.00
24 036 LS0	4005176993718	12.03	229.07	24 071 000	4005176465901	02.04	348.00
24 042 002	4005176465161	18.05	118.00	24 072 000	4005176465932	02.05	383.00
24 043 002	4005176465178	18.05	130.00	24 075 000	4005176465987	30.04	349.00
24 044 000	4005176465185	17.05	129.00	24 076 000	4005176465994	30.04	389.00
24 045 000	4005176465291	17.05	142.00	24 077 000	4005176466007	30.04	389.00
24 046 003	4005176465307	16.07	124.00	24 078 000	4005176466038	30.02	349.00
24 046 LS3	4005176465314	16.07	161.00	24 079 000	4005176466045	30.02	389.00
24 047 003	4005176465321	16.07	137.00	24 080 000	4005176466052	30.02	389.00
24 047 LS3	4005176465338	16.07	177.00	24 092 001	4005176480522	11.08	196.00
24 048 003	4005176465345	16.07	130.00	24 092 A01	4005176481291	11.08	274.00
24 048 LS3	4005176465352	16.07	169.00	24 092 AL1	4005176481307	11.08	274.00
24 049 003	4005176465369	16.07	143.00	24 092 BE1	4005176480607	11.08	274.00
24 049 LS3	4005176465376	16.07	186.00	24 092 DA1	4005176480560	11.08	274.00
24 051 002	4005176465383	15.04	142.00	24 092 DC1	4005176480539	11.08	254.00
24 052 002	4005176465390	15.04	156.00	24 092 DL1	4005176480577	11.08	274.00
24 053 001	4005176465406	14.06	144.00	24 092 EN1	4005176480614	11.08	274.00
24 054 001	4005176465413	14.06	158.00	24 092 GL1	4005176480546	11.08	274.00
24 055 002	4005176465420	12.03, 13.05	148.00	24 092 GN1	4005176480553	11.08	274.00
24 056 002	4005176465437	12.04, 13.05	162.00	24 093 003	4005176530050	09.07	219.00
24 057 001	4005176465468	11.07	157.00	24 094 000	4005176480638	07.04, 08.05	213.00
24 057 A01	4005176465581	11.07	220.00	24 095 001	4005176480645	06.05	221.00
24 057 AL1	4005176465604	11.07	220.00	24 095 DC1	4005176480652	06.05	287.00
24 057 BE1	4005176465628	11.07	220.00	24 096 003	4005176480669	04.04	350.00
24 057 DA1	4005176465543	11.07	220.00	24 096 AL3	4005176480683	04.04	490.00
24 057 DC1	4005176465482	11.07	204.00	24 096 DC3	4005176480676	04.04	455.00
24 057 DL1	4005176465567	11.07	220.00	24 096 GL3	4005176564710	04.04	489.00
24 057 EN1	4005176465642	11.07	220.00	24 099 000	4005176480744	02.05	406.00
24 057 GL1	4005176465505	11.07	220.00	24 099 A00	4005176564758	02.05	569.00
24 057 GN1	4005176465529	11.07	220.00	24 099 AL0	4005176480768	02.05	568.00
24 058 001	4005176465475	11.07	173.00	24 099 DC0	4005176480751	02.05	527.00
24 058 A01	4005176465598	11.07	242.00	24 134 003	4005176480959	04.05	574.00
24 058 AL1	4005176465611	11.07	242.00	24 134 AL3	4005176480997	04.05	804.00
24 058 BE1	4005176465635	11.07	242.00	24 134 DC3	4005176480973	04.05	747.00
24 058 DA1	4005176465550	11.07	242.00	24 134 GL3	4005176564369	04.05	799.00
24 058 DC1	4005176465499	11.07	225.00	24 135 003	4005176480966	04.05	614.00
24 058 DL1	4005176465574	11.07	242.00	24 135 AL3	4005176481000	04.05	860.00
24 058 EN1	4005176465659	11.07	242.00	24 135 DC3	4005176480980	04.05	799.00
24 058 GL1	4005176465512	11.07	242.00	24 135 GL3	4005176564437	04.05	859.00
24 058 GN1	4005176465536	11.07	242.00	24 138 003	4005176481017	04.06	614.00
24 059 002	4005176465666	10.04	153.00	24 138 AL3	4005176481031	04.06	860.00
24 059 003	4005176529832	09.07	189.00	24 138 DC3	4005176481024	04.06	799.00
24 060 002	4005176465673	10.04	168.00	24 138 GL3	4005176564505	04.06	859.00
24 060 003	4005176529825	09.07	199.00	24 153 000	4005176481178	07.04, 08.06	453.00
24 061 000	4005176465680	07.04, 08.05	173.00	24 154 000	4005176481185	07.05, 08.06	505.00
24 063 001	4005176465703	06.05	180.00	24 155 000	4005176481192	07.05, 08.06	505.00
24 063 DC1	4005176465727	06.05	234.00	25			
24 064 001	4005176465710	06.05	198.00	25 010 003	4005176455407	04.09	541.00
24 064 DC1	4005176465734	06.05	257.00	25 010 AL3	4005176455421	04.09	757.00
24 065 003	4005176465741	04.04	298.00	25 010 DA3	4005176493904	04.09	757.00
24 065 AL3	4005176465765	04.04	416.00	25 010 DC3	4005176455414	04.09	703.00
24 065 DC3	4005176465758	04.04	387.00	25 010 GL3	4005176493881	04.09	757.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
25 044 003	4005176455438	04.10	1,690.00	26 067 DC0	4005176371189	06.09, 11.12	668.39
25 044 AL3	4005176455452	04.10	2,366.00	26 067 DL0	4005176427299	11.12, 48.07	705.00
25 044 DA3	4005176493973	04.10	2,366.00	26 067 EN0	4005176427336	11.12, 48.07	705.00
25 044 DC3	4005176455445	04.10	2,197.00	26 067 GL0	4005176427268	11.12, 48.07	705.00
25 044 EN3	4005176493942		2,366.00	26 067 GN0	4005176427275	11.12, 48.07	705.00
25 044 GL3	4005176493959	04.10	2,366.00	26 068 000	4005176937224	48.07	438.27
25 098 000	4005176881633	18.04	176.77	26 069 000	4005176937231	48.07	438.27
25 102 000	4005176881671	14.06	229.00	26 070 000	4005176937248	03.10, 48.07	438.27
25 104 000	4005176881794	06.06	385.97	26 071 000	4005176937255	03.10, 48.08	438.27
25 105 000	4005176881800	18.05	208.15	26 072 000	4005176937262	48.10, 53.06	176.77
25 109 000	4005176881848	14.07	259.00	26 073 000	4005176937279	48.10, 53.08	218.61
25 113 000	4005176881862	06.06	417.35	26 075 000	4005176937606	06.09, 11.13	772.99
25 128 000	4005176905209	17.04	197.69	26 075 A00	4005176425387	11.13, 44.02	1,567.95
25 129 000	4005176905216	17.05	239.53	26 075 AL0	4005176425370	11.13, 44.02	2,095.14
25 132 002	4005176905247	10.05	270.91	26 075 BE0	4005176428593	11.13, 44.02	1,567.95
25 132 003	4005176529870	09.07	369.00	26 075 DA0	4005176425356	11.13, 44.02	1,567.95
25 133 002	4005176905254	10.05	239.53	26 075 DC0	4005176371219	06.09, 11.13	1,118.17
25 133 003	4005176529887	09.08	399.00	26 075 DL0	4005176425363	11.13, 44.02	1,567.95
25 136 000	4005176906763	08.07	291.83	26 075 EN0	4005176428609	11.13, 44.02	1,567.95
25 137 000	4005176906770	08.07	333.67	26 075 GL0	4005176425332	11.13, 44.02	1,567.95
25 216 000	4005176479779	19.04	129.00	26 075 GN0	4005176425349	11.13, 44.02	1,567.95
25 217 000	4005176479786	19.04	159.00	26 082 002	4005176443268	54.04	20.92
25 219 001	4005176466373	17.05	408.00	26 083 002	4005176451546	54.05	60.67
25 450 001	4005176843372	22.03	124.47	26 084 002	4005176451645	54.06	33.47
26				26 085 001	4005176444036	54.02	42.89
26 003 003	4005176455377	04.09	406.00	26 086 001	4005176451904	54.02	86.82
26 003 AL3	4005176455391	04.09	568.00	26 087 000	4005176940828	44.03	1,149.55
26 003 DA3	4005176493836	04.09	568.00	26 089 001	4005176444067	48.11, 54.02	64.85
26 003 DC3	4005176455384	04.09	528.00	26 090 001	4005176443992	48.11	67.99
26 003 GL3	4005176493812	04.09	568.00	26 114 001	4005176417870	44.06	663.16
26 037 000	4005176935381	05.09	103.55	26 115 DG0	4005176982170	50.05	72.17
26 037 DA0	4005176327285	05.09	147.00	26 115 DP0	4005176982316	50.05	72.17
26 037 IG0	4005176936210	05.09	134.93	26 115 DU0	4005176982309	50.05	72.17
26 042 000	4005176935954	48.13	186.09	26 115 TY0	4005176982323	50.05	72.17
26 050 001	4005176444166	48.21, 54.13	43.93	26 115 YF0	4005176982293	50.05	72.17
26 051 001	4005176443954	48.22, 54.07	49.16	26 115 YR0	4005176982286	50.05	72.17
26 052 000	4005176937064	48.08	354.59	26 130 001	4005176443909	54.04	26.15
26 053 000	4005176937071	48.09	354.59	26 146 000	4005176986017	48.24	103.55
26 053 LSO	4005176997334	48.09	450.83	26 190 001	4005176408267	46.02	571.12
26 054 000	4005176937088	03.11, 48.08	501.03	26 191 000	4005176305740	46.02, 47.02	29.00
26 055 000	4005176937095	03.11, 48.08	490.57	26 223 001	4005176408144	45.03	622.37
26 056 000	4005176937101	48.06	490.57	26 224 001	4005176408168	45.04	432.00
26 057 000	4005176937118	48.07	490.57	26 249 000	4005176317156	44.05	553.33
26 058 000	4005176937125	48.07	412.39	26 250 000	4005176316999	41.02	1,327.37
26 059 000	4005176937132	48.07	438.27	26 250 LSO	4005176317002	41.02	1,306.45
26 060 000	4005176937149	03.10, 48.07	438.27	26 254 000	4005176317026	41.05, 48.02	553.33
26 061 000	4005176937156	03.10, 48.08	438.27	26 254 LSO	4005176409806	41.06, 48.02	657.93
26 062 000	4005176937163	48.08	354.59	26 255 000	4005176317415	48.06	783.45
26 063 000	4005176937170	48.09	354.59	26 256 000	4005176318597	48.06	720.69
26 064 000	4005176937187	48.08	501.03	26 257 000	4005176317927	48.06	521.95
26 065 000	4005176937194	03.11, 48.08	459.19	26 264 001	4005176417108	41.06, 48.02	187.23
26 066 000	4005176937200	06.08, 11.12	490.57	26 267 001	4005176444197	48.10, 54.12	54.39
26 066 A00	4005176427237	11.12, 48.06	705.00	26 302 001	4005176408137	45.02	486.39
26 066 AL0	4005176427220	11.12, 48.06	705.00	26 329 000	4005176332128	55.02	155.85
26 066 BE0	4005176427244	11.12, 48.06	705.00	26 330 001	4005176843112	22.03	78.45
26 066 DA0	4005176427206	11.12, 48.06	705.00	26 332 000	4005176332135	55.02	166.31
26 066 DC0	4005176371172	06.08, 11.12	668.39	26 346 000	4005176332173	56.02, 57.02	19.16
26 066 DL0	4005176427213	11.12, 48.06	705.00	26 353 000	4005176333866	56.02	30.33
26 066 EN0	4005176427251	11.12, 48.06	705.00	26 354 000	4005176333873	56.02	40.79
26 066 GL0	4005176427183	11.12, 48.06	705.00	26 361 000	4005176347580	41.03	1,212.31
26 066 GN0	4005176427190	11.12, 48.06	705.00	26 361 LSO	4005176409707	41.03	1,201.85
26 067 000	4005176937217	06.09, 11.12	490.57	26 362 LN0	4005176339257	47.02	19.00
26 067 A00	4005176427312	11.12, 48.07	705.00	26 363 000	4005176339264	44.04	657.93
26 067 AL0	4005176427305	11.12, 48.07	705.00	26 370 000	4005176341380	39.03, 58.07	30.33
26 067 BE0	4005176427329	11.12, 48.07	705.00	26 373 001	4005176415593	39.02, 48.12	19,611.95
26 067 DA0	4005176427282	11.12, 48.07	705.00	26 374 000	4005176350825	39.05	846.21
				26 376 001	4005176415609	39.02, 48.12	1,867.11

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
26 381 001	4005176451980	45.04	239.53	26 638 000	4005176528347	54.09	61.00
26 408 000	4005176390111	48.21, 54.13	85.77	26 639 000	4005176528354	54.11	43.00
26 409 000	4005176390128	48.21, 54.13	85.77	27			
26 409 ENO	4005176390135	48.21, 54.13	120.29	27 032 001	4005176877155	42.04	929.89
26 410 000	4005176390142	48.21, 54.13	85.77	27 055 000	4005176830433	58.02	40.79
26 410 ENO	4005176390159	48.21, 54.13	120.29	27 056 000	4005176830440	58.03	30.33
26 412 000	4005176390173	48.10, 54.12	151.67	27 057 000	4005176830457	06.09, 11.14	51.25
26 413 000	4005176390180	48.10, 54.12	151.67	27 057 A00	4005176338953	11.14, 58.06	78.45
26 414 000	4005176408090	48.10, 54.12	127.61	27 057 AL0	4005176338960	11.14, 58.06	78.45
26 443 000	4005176409875	41.04	1,212.31	27 057 BE0	4005176426957	11.14, 58.06	78.45
26 443 LSO	4005176409882	41.04	1,201.85	27 057 DA0	4005176338939	11.14, 58.06	78.45
26 446 000	4005176409905	41.05	1,298.09	27 057 DC0	4005176371196	06.09, 11.14	61.71
26 446 LSO	4005176409912	41.05	1,298.09	27 057 DL0	4005176426940	11.14, 58.06	78.45
26 449 000	4005176409790	29.10, 41.06	260.45	27 057 EN0	4005176426964	11.14, 58.06	78.45
26 450 000	4005176409813	41.06, 48.02	513.59	27 057 GL0	4005176338946	11.14, 58.06	78.45
26 450 LSO	4005176409820	41.06, 48.02	513.59	27 057 GN0	4005176426933	11.14, 58.06	78.45
26 455 000	4005176416903	48.20, 53.05	125.52	27 058 000	4005176830464	42.05	657.93
26 457 000	4005176416934	48.20, 53.05	125.52	27 062 000	4005176831669	48.19, 52.03	187.23
26 457 ENO	4005176416941	48.20, 53.05	175.73	27 065 000	4005176832109	48.19, 52.03	155.85
26 458 000	4005176416958	48.09, 53.04	209.20	27 067 000	4005176832123	48.19, 52.03	124.47
26 459 000	4005176416965	48.09, 53.04	209.20	27 074 000	4005176833083	06.10, 11.14	30.33
26 460 000	4005176416972	48.09, 53.04	166.31	27 074 A00	4005176338991	11.14, 58.03	56.48
26 461 000	4005176416989	48.09, 53.04	166.31	27 074 AL0	4005176339004	11.14, 58.03	56.48
26 468 000	4005176423963	48.20	141.00	27 074 BE0	4005176834325	11.14, 58.03	56.48
26 469 000	4005176423970	48.16	469.00	27 074 DA0	4005176338977	11.14, 58.03	56.48
26 472 000	4005176424908	48.16	484.00	27 074 DL0	4005176427091	11.14, 58.03	56.48
26 474 000	4005176424939	48.17	350.00	27 074 EN0	4005176834301	11.14, 58.03	56.48
26 474 BE0	4005176424953	48.17	455.00	27 074 GL0	4005176338984	11.14, 58.03	56.48
26 474 ENO	4005176424946	48.17	455.00	27 074 GN0	4005176427084	11.14, 58.03	56.48
26 474 ZB0	4005176424960	48.17	455.00	27 075 000	4005176833090	58.03	30.33
26 475 000	4005176423758	48.03	491.62	27 076 000	4005176833106	58.06	51.25
26 475 LSO	4005176425899	48.03	645.38	27 127 000	4005176835988	50.04	114.01
26 477 000	4005176423772	48.03	491.62	27 128 000	4005176835995	48.17, 50.04	145.39
26 477 LSO	4005176425912	48.03	645.38	27 134 000	4005176836060	48.17, 50.02	114.01
26 479 000	4005176425196	48.03	517.77	27 136 001	4005176870965	50.08, 58.09	145.39
26 479 LSO	4005176425936	48.04	671.53	27 137 000	4005176836237	57.03	18.74
26 481 000	4005176425219	48.04	517.77	27 139 000	4005176836688	50.04	239.53
26 481 LSO	4005176425950	48.04	671.53	27 151 000	4005176837012	58.05	93.09
26 483 000	4005176425103	48.04	102.51	27 174 001	4005176877162	42.02	1,191.39
26 484 000	4005176425110	48.04	102.51	27 175 000	4005176838507	42.05	929.89
26 507 000	4005176457586	09.10, 43.02	1,034.49	27 184 000	4005176840654		134.93
26 507 LSO	4005176457609	09.10, 43.02	1,191.39	27 188 000	4005176842160	58.03	103.55
26 508 000	4005176457593	09.10, 43.02	1,034.49	27 190 000	4005176842221	58.06	103.55
26 508 LSO	4005176457616	09.10, 43.02	1,191.39	27 206 000	4005176845444	58.10	19.87
26 509 000	4005176457623	09.11, 43.03	898.51	27 220 000	4005176854118	53.02	40.79
26 510 000	4005176457630	09.11, 43.03	1,044.95	27 221 000	4005176854125	53.02	51.25
26 513 000	4005176457722	53.02	63.81	27 221 001	4005176457708	53.02	58.58
26 557 000	4005176481710	48.05	350.00	27 224 000	4005176854156	53.02	30.33
26 558 000	4005176481727	48.05	350.00	27 225 001	4005176899508	53.04	93.09
26 559 000	4005176481734	48.05	350.00	27 226 A01	4005176427152	11.13, 53.03	176.77
26 560 000	4005176481741	48.05	350.00	27 226 AL1	4005176427145	11.13, 53.03	176.77
26 561 000	4005176481758	48.14	287.00	27 226 BE1	4005176427169	11.13, 53.03	176.77
26 561 LSO	4005176482137	48.14	373.00	27 226 DA1	4005176427121	11.13, 53.03	176.77
26 562 000	4005176481765	48.14	287.00	27 226 DC1	4005176374456	06.09, 11.13	155.85
26 562 LSO	4005176482144	48.14	373.00	27 226 DL1	4005176427138	11.13, 53.03	176.77
26 563 000	4005176481772	48.05	375.00	27 226 EN1	4005176427176	11.13, 53.03	176.77
26 564 000	4005176481789	48.05	375.00	27 226 GL1	4005176427107	11.13, 53.03	176.77
26 565 000	4005176482090	48.05	375.00	27 226 GN1	4005176427114	11.13, 53.03	176.77
26 566 000	4005176482106	48.05	375.00	27 230 001	4005176899546	53.03	87.86
26 567 000	4005176482113	48.15	312.00	27 231 001	4005176899553	53.03	93.09
26 567 LSO	4005176482151	48.15	406.00	27 239 000	4005176854323	53.02	56.48
26 568 000	4005176482120	48.15	312.00	27 239 001	4005176457715	53.02	63.81
26 568 LSO	4005176482168	48.15	406.00	27 243 001	4005176899799	53.03	93.09
26 569 000	4005176482175	48.14	287.00	27 251 000	4005176856327	48.14	103.55
26 569 ENO	4005176482182	48.14	430.00	27 253 000	4005176856365	48.14	155.85
26 570 000	4005176482199	48.15	312.00	27 256 001	4005176899805	53.03	77.40
26 570 ENO	4005176482205	48.15	468.00				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
27 271 000	4005176860690	03.11, 48.14	417.35	27 594 000	4005176895920	58.04	11.40
27 272 000	4005176860836	50.07	103.55	27 595 000	4005176895937	58.02	16.74
27 273 001	4005176875502	50.07	229.07	27 596 000	4005176895944	53.05, 54.07	9.41
27 274 000	4005176861383	50.08	103.55	27 597 001	4005176985508	54.08	23.00
27 276 000	4005176861437	50.04	82.63	27 597 10E	4005176985409	54.08	23.00
27 277 001	4005176875489	50.05	197.69	27 598 001	4005176985515	54.10	53.00
27 283 000	4005176861444	50.04	103.55	27 598 10E	4005176985416	54.10	53.00
27 285 000	4005176860713	48.14	417.35	27 600 001	4005176451775	54.09	70.08
27 286 000	4005176860737	48.13	1,672.55	27 601 10E	4005176985430	54.11	38.00
27 287 000	4005176842061	48.15	521.95	27 606 001	4005176444180	48.21, 54.13	55.44
27 296 001	4005176896293	44.05	574.25	27 608 001	4005176444029	54.02	49.16
27 296 002	4005176417818	44.02	540.78	27 609 001	4005176451898	54.02	92.05
27 354 000	4005176874444	53.04	51.25	27 610 001	4005176444050	48.22, 54.02	56.48
27 355 000	4005176874451	53.04	93.09	27 615 001	4005176417825	44.03	540.78
27 367 000	4005176875939	53.06	40.79	27 621 000	4005176898310	58.06	291.83
27 369 000	4005176875953	53.06	72.17	27 637 000	4005176900808	50.05	82.63
27 370 000	4005176877773	48.18, 50.07	155.85	27 641 000	4005176901645	42.04	1,055.41
27 374 000	4005176877285	42.03	1,295.99	27 644 001	4005176451720	54.10	61.71
27 375 000	4005176877452	50.05	61.71	27 645 001	4005176451744	54.09	67.99
27 376 000	4005176877469	50.07	61.71	27 646 001	4005176985522	54.11	59.00
27 377 000	4005176877476	50.05	61.71	27 646 10E	4005176985423	54.11	59.00
27 378 000	4005176877780	50.06	166.31	27 661 000	4005176905438	51.02	93.09
27 379 000	4005176877797	50.06	176.77	27 664 000	4005176905469	51.02	103.55
27 383 000	4005176877827	50.06	93.09	27 668 000	4005176905698	51.02	124.47
27 400 000	4005176877292	11.13, 53.06	40.79	27 671 000	4005176905728	51.04	72.17
27 402 001	4005176877919	50.05	197.69	27 671 LSO	4005176409837	51.05	80.54
27 421 002	4005176417924	44.08	432.00	27 672 000	4005176905735	51.04	82.63
27 467 000	4005176882609	48.13	574.25	27 673 000	4005176905742	51.04	82.63
27 469 000	4005176882593	42.03	1,055.41	27 673 LSO	4005176409844	51.04	91.00
27 470 000	4005176882531	48.15	438.27	27 675 000	4005176905766	51.04	103.55
27 472 000	4005176882814	42.02	1,055.41	27 693 000	4005176907043	58.04	19.87
27 473 001	4005176417900	44.07	486.39	27 698 000	4005176907098	53.08	40.79
27 475 001	4005176417863	44.06	676.76	27 699 000	4005176907104	53.08	40.79
27 477 000	4005176883286	48.16	459.19	27 700 000	4005176907111	53.08	197.69
27 479 000	4005176883309	48.16	448.73	27 702 000	4005176907135	53.08	72.17
27 484 000	4005176885488	48.25	61.71	27 703 000	4005176907142	53.08	72.17
27 485 000	4005176885495	48.25	51.25	27 704 000	4005176907159	58.07	30.33
27 488 000	4005176885525	48.24	72.17	27 705 000	4005176907166	48.21, 53.08	134.93
27 491 000	4005176885549	53.06	124.47	27 706 000	4005176908439	02.08, 58.03	30.33
27 492 000	4005176885556	48.20, 53.06	124.47	27 706 A00	4005176491030	02.08	43.00
27 499 000	4005176886041	53.05, 58.09	40.79	27 706 AL0	4005176490972	02.08	43.00
27 500 000	4005176886058	53.05, 58.09	51.25	27 706 DC0	4005176490989	02.08	40.00
27 513 001	4005176333842	56.02	30.33	27 707 000	4005176908446	02.08, 58.07	40.79
27 514 001	4005176333910	56.02	61.71	27 707 A00	4005176490941	02.08	69.00
27 519 000	4005176886485	54.03, 58.10	51.25	27 707 AL0	4005176490880	02.08	69.00
27 520 000	4005176886492	54.03, 58.10	51.25	27 707 DC0	4005176490897	02.08	64.00
27 521 000	4005176886508	54.07, 58.10	40.79	27 709 000	4005176909092	48.24	103.55
27 522 000	4005176886515	54.07, 58.10	51.25	27 711 000	4005176909115	48.25	82.63
27 523 000	4005176886522	54.13, 58.10	40.79	27 732 000	4005176910920	51.02	187.23
27 524 000	4005176886539	54.13, 58.10	61.71	27 734 000	4005176910944	51.02	197.69
27 530 000	4005176889219	48.19, 52.02	438.27	27 736 000	4005176910968	51.05	176.77
27 531 000	4005176889486	58.05	249.00	27 741 000	4005176911125	51.03	145.39
27 569 000	4005176894275	42.03	1,055.41	27 742 000	4005176911132	51.05	124.47
27 571 002	4005176443893	54.04	26.15	27 744 000	4005176912900	51.02	208.15
27 571 20E	4005176443275	54.04	26.15	27 746 000	4005176912924	51.02	208.15
27 572 002	4005176443923	54.04	33.47	27 748 000	4005176912948	51.05	197.69
27 573 002	4005176443947	54.04	43.93	27 750 000	4005176912962	51.05	197.69
27 574 002	4005176443916	54.04	33.47	27 753 000	4005176913006	51.03	176.77
27 575 002	4005176443930	54.04	43.93	27 755 000	4005176913020	51.03	187.23
27 576 002	4005176451560	54.04	77.40	27 757 000	4005176913044	51.05	166.31
27 578 002	4005176451386	54.05	58.00	27 759 000	4005176913068	51.05	166.31
27 578 20E	4005176451362	54.05	58.00	27 765 000	4005176913129	48.18, 51.03	134.93
27 579 002	4005176451492	54.05	67.99	27 767 000	4005176913150	48.18, 51.06	124.47
27 580 002	4005176451515	54.05	75.31	27 784 000	4005176913976	51.06, 58.09	93.09
27 584 002	4005176451621	54.06	50.21	27 785 000	4005176913983	51.06, 58.09	103.55
27 588 002	4005176451669	54.06	47.07	27 786 002	4005176451508	54.05	67.99
27 591 001	4005176443985	48.21, 54.06	61.71	27 787 002	4005176451522	54.05	75.31

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
27 794 001	4005176451737	54.10	61.71	28			
27 795 001	4005176451751	54.09	67.99	28 002 000	4005176858796	48.23, 52.04	176.77
27 796 001	4005176451850	54.10	67.99	28 034 000	4005176231810	49.02	134.93
27 798 10E	4005176985447	54.12	33.00	28 094 000	4005176601132	48.23, 52.03	49.00
27 799 001	4005176985539	54.12	33.00	28 105 000	4005176601217	57.02	17.08
27 805 001	4005176451911	54.02	63.81	28 140 000	4005176601323	57.02	20.83
27 838 000	4005176916168	51.03	124.47	28 142 000	4005176601330	57.02, 96.03	18.74
27 839 000	4005176916175	51.06	103.55	28 143 000	4005176601347	39.03, 57.02	20.83
27 841 000	4005176916670	58.09	187.23	28 143 KSO	4005176842252	57.02, 96.03	27.08
27 852 001	4005176444081	54.08	18.00	28 143 LSO	4005176842269	57.02, 96.03	27.08
27 853 001	4005176451706	54.10	44.00	28 145 000	4005176601354	57.02, 96.03	24.58
27 854 001	4005176451829	54.11	50.00	28 150 001	4005176933196	57.03, 96.03	13.60
27 861 000	4005176918131	48.15	616.09	28 151 001	4005176933202	57.03, 96.03	9.99
27 863 000	4005176918155	48.15	626.55	28 154 001	4005176933219	57.03, 96.03	11.66
27 865 000	4005176918179	39.03, 48.12	3,987.60	28 155 001	4005176933226	57.03, 96.03	12.91
27 869 001	4005176444005	48.11, 54.06	73.22	28 158 000	4005176601606	57.04	29.16
27 884 001	4005176919695	53.07	82.63	28 161 001	4005176935107	57.04, 96.02	15.83
27 888 000	4005176921179	39.03, 53.07	82.63	28 189 000	4005176075650	48.23, 52.04	129.00
27 889 000	4005176921186	53.07	124.47	28 214 003	4005176444098	54.08	22.00
27 890 000	4005176921193	53.07	239.53	28 232 000	4005176868009	53.06	82.63
27 891 000	4005176921209	53.07	229.07	28 233 000	4005176868016	48.20, 53.06	82.63
27 892 000	4005176921216	58.09	176.77	28 261 002	4005176444135	54.08	30.33
27 911 000	4005176921902	44.08	469.65	28 286 000	4005176198526	48.23, 52.04	93.09
27 922 000	4005176923364	45.03	501.03	28 308 000	4005176254949	48.19, 49.02	119.00
27 922 001	4005176985348	45.02	486.39	28 341 000	4005176259463	49.02	134.93
27 923 001	4005176444074	54.08	18.00	28 347 000	4005176262791	49.02	209.00
27 924 001	4005176451690	54.10	44.00	28 348 000	4005176263262	49.02	129.00
27 926 001	4005176451768	54.09	61.00	28 361 000	4005176295157	48.24	93.09
27 938 001	4005176927072	48.13	2,864.99	28 362 000	4005176295225	06.10, 11.14	13.33
27 939 001	4005176927287	48.13	2,864.99	28 362 A00	4005176427633	11.14, 57.03	18.74
27 964 000	4005176929595	44.04	678.85	28 362 AL0	4005176427626	11.14, 57.03	18.74
27 966 000	4005176929250	42.02	1,055.41	28 362 BE0	4005176295249	11.14, 57.03	18.74
27 967 000	4005176929670	42.04	929.89	28 362 DA0	4005176427602	11.14, 57.03	18.74
27 968 000	4005176929687	42.03	1,055.41	28 362 DL0	4005176427619	11.14, 57.03	18.74
27 969 000	4005176931123	05.09	82.63	28 362 EN0	4005176427640	11.14, 57.03	18.74
27 969 A00	4005176431517	05.09	117.15	28 362 GL0	4005176427589	11.14, 57.03	18.74
27 969 AL0	4005176431500	05.09	117.15	28 362 GN0	4005176427596	11.14, 57.03	18.74
27 969 BE0	4005176431494	05.09	117.15	28 364 000	4005176295294	57.03	14.99
27 969 DA0	4005176327308	05.09	117.15	28 368 000	4005176267253	48.17	208.15
27 969 DL0	4005176431470	05.09	117.15	28 368 00E	4005176867385	48.17	312.75
27 969 EN0	4005176931147	05.09	117.15	28 369 000	4005176267260	48.17, 50.04	333.67
27 969 GL0	4005176431463	05.09	117.15	28 375 000	4005176267338	48.17	333.67
27 969 GN0	4005176431456	05.09	117.15	28 384 000	4005176267451	48.24	166.31
27 969 IG0	4005176931130	05.09	103.55	28 388 000	4005176295362	06.10, 11.14	17.08
27 970 000	4005176931154	05.09	114.01	28 388 A00	4005176427701	11.14, 57.03	23.74
27 970 A00	4005176431784	05.09	174.68	28 388 AL0	4005176427695	11.14, 57.03	23.74
27 970 AL0	4005176431777	05.09	174.68	28 388 BE0	4005176295386	11.14, 57.03	23.74
27 970 BE0	4005176431760	05.09	174.68	28 388 DA0	4005176427671	11.14, 57.03	23.74
27 970 DA0	4005176327292	05.09	174.68	28 388 EN0	4005176427718	11.14, 57.03	23.74
27 970 DL0	4005176431753	05.09	174.68	28 388 GL0	4005176427657	11.14, 57.03	23.74
27 970 EN0	4005176431746	05.09	174.68	28 388 GN0	4005176427664	11.14, 57.03	23.74
27 970 GL0	4005176431739	05.09	174.68	28 389 000	4005176269837	49.03, 58.11	11.90
27 970 GN0	4005176431722	05.09	174.68	28 405 000	4005176264559	58.07, 96.02	49.00
27 970 IG0	4005176931161	05.09	155.85	28 406 000	4005176264566	58.08, 96.02	49.00
27 974 000	4005176932793	05.08, 48.18	406.89	28 410 001	4005176933240	57.03	17.78
27 974 DA0	4005176327278	05.08	549.00	28 417 000	4005176264702	57.02	22.49
27 974 IG0	4005176933486	05.08, 48.18	532.41	28 419 002	4005176444128	54.08	30.33
27 976 000	4005176932816	05.08, 48.18	406.89	28 421 002	4005176444142	54.08	40.79
27 978 000	4005176932830	05.08, 48.25	72.17	28 422 002	4005176444111	54.08	23.00
27 978 IG0	4005176933509	05.08, 48.25	93.09	28 429 000	4005176601910	48.26, 54.14	49.00
27 982 000	4005176932878	05.08, 48.25	82.63	28 436 002	4005176451799	54.09	76.36
27 982 IG0	4005176933523	05.08, 48.25	103.55	28 438 001	4005176985553		54.00
27 986 000	4005176933011	05.08, 48.25	93.09	28 497 000	4005176270338	48.25	61.71
27 986 DA0	4005176327315	05.08	149.00	28 541 000	4005176040528	48.26, 54.14	39.00
27 986 IG0	4005176933547	05.08, 48.25	124.47	28 576 000	4005176274022	48.24	72.17
27 993 000	4005176933080	05.09	145.39	28 578 002	4005176444159	54.08	40.79
27 993 IG0	4005176933585	05.09	187.23				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
28 581 000	4005176276996	49.02	189.00	29 118 DC0	4005176455032	04.12, 29.05	606.00
28 587 000	4005176282966	58.09, 96.02	179.00	29 118 DL0	4005176493003	29.05	653.00
28 605 000	4005176041105	58.04	19.00	29 118 EN0	4005176492969	29.05	653.00
28 622 000	4005176041297	58.04	29.00	29 118 GL0	4005176492976	04.12, 29.05	653.00
28 623 000	4005176031595	58.02	29.00	29 118 GN0	4005176492983	29.05	653.00
28 626 000	4005176041358	58.07	49.00	29 119 000	4005176412257	04.12, 29.05	519.00
28 628 000	4005176041396	58.08	49.00	29 119 A00	4005176493089	29.05	711.00
28 636 000	4005176078606	58.07	51.25	29 119 AL0	4005176455063	04.12, 29.05	711.00
28 671 000	4005176103070	58.07, 96.02	30.33	29 119 BE0	4005176493027	29.05	711.00
28 678 000	4005176116711	58.07	49.00	29 119 DA0	4005176493065	04.12, 29.05	711.00
28 679 000	4005176116759	58.08	49.00	29 119 DC0	4005176455056	04.12, 29.05	641.00
28 680 000	4005176116780	58.07	39.00	29 119 DL0	4005176493072	29.05	711.00
28 690 000	4005176256196	49.02, 58.03	89.00	29 119 EN0	4005176493034	29.05	711.00
28 708 000	4005176602375	58.11	79.00	29 119 GL0	4005176493041	04.12, 29.05	711.00
28 724 000	4005176812644	48.25	51.25	29 119 GN0	4005176493058	29.05	711.00
28 737 000	4005176872983	48.20, 53.09	51.25	29 120 000	4005176412264	04.13, 29.06	588.00
28 755 000	4005176819650	50.02	103.55	29 120 A00	4005176493157	29.06	853.00
28 756 000	4005176819667	50.02	114.01	29 120 AL0	4005176455087	04.13, 29.06	853.00
28 757 001	4005176875526	50.02	208.15	29 120 BE0	4005176493096	29.06	853.00
28 758 001	4005176875533	50.02	218.61	29 120 DA0	4005176493133	04.13, 29.06	853.00
28 762 001	4005176875540	50.02	229.07	29 120 DC0	4005176455070	04.13, 29.06	792.00
28 763 001	4005176875557	50.02	239.53	29 120 DL0	4005176493140	29.06	853.00
28 764 000	4005176820113	50.03	93.09	29 120 EN0	4005176493102	29.06	853.00
28 765 000	4005176820120	50.03	103.55	29 120 GL0	4005176493119	04.13, 29.06	853.00
28 767 001	4005176875564	50.03	187.23	29 120 GN0	4005176493126	29.06	853.00
28 768 001	4005176875571	50.03	197.69	29 121 000	4005176412271	04.13, 29.06	530.00
28 769 001	4005176875588	50.03	208.15	29 121 A00	4005176493225	29.06	769.00
28 770 001	4005176875595	50.03	218.61	29 121 AL0	4005176455100	04.13, 29.06	769.00
28 778 000	4005176820526	48.16	605.63	29 121 BE0	4005176493164	29.06	769.00
28 789 002	4005176451843	54.10	67.99	29 121 DA0	4005176493201	04.13, 29.06	769.00
28 793 000	4005176823961	52.03	72.17	29 121 DC0	4005176455094	04.13, 29.06	714.00
28 796 000	4005176824296	52.03	124.47	29 121 DL0	4005176493218	29.06	769.00
28 797 001	4005176870941	50.08, 58.09	114.01	29 121 EN0	4005176493171	29.06	769.00
28 817 000	4005176602962	125.19	12.90	29 121 GL0	4005176493188	04.13, 29.06	769.00
28 819 001	4005176870958	50.08, 58.09	124.47	29 121 GN0	4005176493195	29.06	769.00
28 885 000	4005176826818		9.00	29 122 000	4005176412288	04.14, 29.07	323.00
28 900 000	4005176603822	125.15	89.00	29 122 A00	4005176515231	29.07	469.00
28 910 000	4005176603846	125.15	59.00	29 122 AL0	4005176455124	04.14, 29.07	469.00
28 912 000	4005176266751	06.10, 09.12	218.61	29 122 BE0	4005176493232	29.07	469.00
28 939 000	4005176209161	23.03	79.00	29 122 DA0	4005176515217	04.14, 29.07	469.00
28 943 000	4005176209178	23.03	89.00	29 122 DC0	4005176455117	04.14, 29.07	436.00
28 948 000	4005176209871	48.23, 52.04	129.00	29 122 DL0	4005176515224	29.07	469.00
28 982 000	4005176829987	48.24	124.47	29 122 EN0	4005176413728	29.07	469.00
28 990 000	4005176174025	23.02	124.47	29 122 GL0	4005176515194	04.14, 29.07	469.00
28 991 000	4005176174032	23.02	179.00	29 122 GN0	4005176515200	29.07	469.00
29				29 123 000	4005176413292	03.06, 29.02	470.70
29 025 000	4005176841927	02.03, 03.04	229.07	29 124 000	4005176413308	03.06, 29.02	512.54
29 032 000	4005176845277	02.08, 03.10	30.33	29 125 000	4005176413315	03.06, 29.02	615.05
29 033 000	4005176845338	02.07, 03.09	239.53	29 126 000	4005176413322	03.07, 29.03	554.38
29 037 000	4005176865749	02.06, 05.06	720.69	29 127 000	4005176413339	03.07, 29.03	337.86
29 037 001	4005176455490	04.11, 09.08	*	29 150 LSO	4005176413544	29.07	605.63
29 069 000	4005176918384	39.03	124.47	29 151 LSO	4005176413551	29.08	647.47
29 072 000	4005176918421	39.04	229.07	29 152 LSO	4005176413575	29.08	427.81
29 073 000	4005176918445	39.04	229.07	29 153 LSO	4005176413582	29.03	605.63
29 074 000	4005176918469	39.05	365.05	29 156 LSO	4005176413599	29.04	647.47
29 094 000	4005176354106	93.04	200.13	29 157 LSO	4005176413605	29.04	689.31
29 095 000	4005176354113	93.04	204.26	29 158 LSO	4005176413612	29.04	427.81
29 096 000	4005176354120	93.04	165.06	29 303 003	4005176529764	09.05	249.00
29 098 003	4005176365225	16.08	114.01	29 306 003	4005176529771	09.05	259.00
29 099 003	4005176365300	16.08	134.93	29 307 003	4005176529993	09.08	799.00
29 099 LS3	4005176365317	16.08	166.10	29 707 000	4005176102646		257.55
29 118 000	4005176412240	04.12, 29.05	450.00	29 708 000	4005176102653	05.07, 18.06	279.00
29 118 A00	4005176493010	29.05	653.00	29 811 000	4005176062711	03.10, 05.08	49.00
29 118 AL0	4005176455049	04.12, 29.05	653.00	29 813 000	4005176062735	31.03, 38.02	79.00
29 118 BE0	4005176492952	29.05	653.00	29 904 LSO	4005176413568	29.08	689.31
29 118 DA0	4005176492990	04.12, 29.05	653.00				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
30				30 321 HGO	4005176385742	69.02	57.53
30 058 001	4005176989162	63.03	1,881.75	30 321 MW0	4005176385728	69.02	57.53
30 058 A01	4005176489259	63.03	2,149.00	30 321 TY0	4005176438240	69.02	93.09
30 058 AL1	4005176489266	63.03	2,149.00	30 321 XCO	4005176385735	69.02	57.53
30 058 DA1	4005176489273	63.03	2,149.00	30 321 YF0	4005176438233	69.02	57.53
30 058 DC1	4005176989179	63.03	1,986.35	30 321 YR0	4005176438226	69.02	93.09
30 058 DL1	4005176489280	63.03	2,149.00	30 328 001	4005176414107	63.02	1,986.35
30 060 001	4005176989186	63.04	1,672.55	30 328 DC1	4005176414114	63.02	2,090.95
30 189 000	4005176914102	71.02	155.85	30 329 001	4005176414121	63.04	1,672.55
30 190 000	4005176914119	71.02	166.31	30 340 001	4005176414893	63.02	1,986.35
30 193 000	4005176919459	77.02	124.47	30 340 DC1	4005176414909	63.02	2,090.95
30 208 000	4005176927836	97.02	239.53	30 341 001	4005176414916	63.03	1,881.75
30 215 001	4005176409066	72.02	332.63	30 341 A01	4005176489297	63.03	2,149.00
30 215 DC1	4005176409073	72.02	339.00	30 341 AL1	4005176489303	63.03	2,149.00
30 219 001	4005176343063	67.02	657.93	30 341 DA1	4005176489310	63.03	2,149.00
30 219 DC1	4005176343070	67.02	888.05	30 341 DC1	4005176414923	63.03	1,986.35
30 221 002	4005176984235	76.02	124.47	30 341 DL1	4005176489327	63.03	2,149.00
30 260 002	4005176310386	78.02	103.55	30 348 001	4005176464973	66.04	213.00
30 269 000	4005176314902	69.02	249.99	30 349 001	4005176464980	66.04	213.00
30 269 A00	4005176428661	69.02	323.21	30 362 000	4005176496479	68.02	429.00
30 269 AL0	4005176428654	69.02	323.21	30 362 AL0	4005176497292	68.02	599.00
30 269 BE0	4005176428678	69.02	323.21	30 362 DC0	4005176496486	68.02	559.00
30 269 DA0	4005176428630	69.02	323.21	30 978 000	4005176098918	98.02	197.69
30 269 DC0	4005176314919	69.02	312.75	31			
30 269 DL0	4005176428647	69.02	323.21	31 122 004	4005176466892	73.02	249.99
30 269 EN0	4005176428685	69.02	323.21	31 124 002	4005176886614	76.03	155.85
30 269 GL0	4005176428616	69.02	323.21	31 126 004	4005176466977	76.02	197.69
30 269 GN0	4005176428623	69.02	323.21	31 127 002	4005176886669	76.02	166.31
30 270 000	4005176314926	69.03	312.75	31 128 001	4005176886737	75.03	187.23
30 270 A00	4005176427473	69.03	417.35	31 128 DC1	4005176891007	75.03	239.53
30 270 AL0	4005176427466	69.03	417.35	31 129 001	4005176886744	75.03	229.07
30 270 BE0	4005176427480	69.03	417.35	31 129 DC1	4005176891021	75.03	291.83
30 270 DA0	4005176427442	69.03	417.35	31 188 002	4005176466915	77.02	130.00
30 270 DC0	4005176314933	69.03	365.05	31 212 003	4005176466762	75.02	236.00
30 270 DL0	4005176427459	69.03	417.35	31 255 000	4005176901416	70.02	187.23
30 270 EN0	4005176427497	69.03	417.35	31 301 001	4005176987922	61.02	501.03
30 270 GL0	4005176427428	69.03	417.35	31 301 DC1	4005176987939	61.02	563.79
30 270 GN0	4005176427435	69.03	417.35	31 302 001	4005176988097	59.09	2,090.95
30 274 000	4005176314988	66.03	260.45	31 302 002	4005176443343	59.06	1,880.00
30 274 A00	4005176488658	66.03	356.00	31 302 DC1	4005176988103	59.09	2,090.95
30 274 AL0	4005176488665	66.03	356.00	31 302 DC2	4005176443350	59.06	2,099.00
30 274 DA0	4005176488672	66.03	356.00	31 323 001	4005176987946	59.07	2,195.55
30 274 DC0	4005176314995	66.03	312.75	31 323 002	4005176989933	59.02	1,975.00
30 274 DL0	4005176488689	66.03	356.00	31 323 DC1	4005176987953	59.07	2,300.15
30 287 000	4005176316876		*	31 323 DC2	4005176989940	59.02	2,220.00
30 294 000	4005176341472	69.02	396.43	31 324 001	4005176987960	59.07	2,195.55
30 294 A00	4005176488054	69.02	546.00	31 324 DC1	4005176987977	59.07	2,300.15
30 294 AL0	4005176488061	69.02	546.00	31 325 002	4005176507274	59.04	2,075.00
30 294 BE0	4005176488511	69.02	546.00	31 325 DC2	4005176507250	59.04	2,320.00
30 294 DA0	4005176488498	69.02	546.00	31 326 002	4005176507236	59.05	*
30 294 DC0	4005176341489	69.02	511.49	31 326 DC2	4005176507212	59.05	*
30 294 DL0	4005176488504	69.02	546.00	31 344 001	4005176987861	61.02	825.29
30 294 EN0	4005176488528	69.02	546.00	31 344 DC1	4005176987878	61.02	835.75
30 294 GL0	4005176488078	69.02	546.00	31 345 002	4005176987885	61.02	668.39
30 294 GN0	4005176488085	69.02	546.00	31 345 DC2	4005176987892	61.02	772.99
30 305 000	4005176343285	78.02	155.85	31 346 001	4005176988035	59.08	2,300.15
30 305 DC0	4005176359811	78.02	197.69	31 346 DC1	4005176988042	59.08	2,404.75
30 309 000	4005176351235	65.02	333.67	31 347 002	4005176988059	59.08	2,195.55
30 311 000	4005176351259	65.02	605.63	31 347 003	4005176443336	59.03	1,975.00
30 311 DC0	4005176351266	65.02	720.69	31 347 DC2	4005176988066	59.08	2,300.31
30 312 000	4005176351273	65.02	888.05	31 347 DC3	4005176446559	59.03	2,220.00
30 312 DC0	4005176351280	65.02	1,107.71	31 358 002	4005176465000	66.02	542.87
30 321 DG0	4005176438219	69.02	93.09	31 358 DC2	4005176465017	66.02	678.85
30 321 DP0	4005176438264	69.02	93.09	31 360 001	4005176343025	66.02	521.95
30 321 DU0	4005176438257	69.02	93.09	31 360 DC1	4005176343032	66.02	678.85
30 321 GE0	4005176438271	69.02	93.09	31 367 001	4005176478512		103.55

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
32 109 DC1	4005176412691	06.02	255.22	32 628 DL1	4005176419652	11.04	270.91
32 114 001	4005176409103	06.02	197.69	32 628 EN1	4005176426100	11.04	270.91
32 114 DC1	4005176412714	06.02	255.22	32 628 GL1	4005176407369	11.04	270.91
32 146 000	4005176821622	03.02	480.11	32 628 GN1	4005176419645	11.04	270.91
32 147 000	4005176821653	03.04	375.51	32 629 002	4005176472619	14.03	169.00
32 154 002	4005176862113	18.03	94.14	32 635 000	4005176845949		229.07
32 168 000	4005176824425	66.02	208.15	32 647 003	4005176454707	04.02	474.00
32 168 DC0	4005176824432	66.02	270.91	32 647 AL3	4005176454721	04.02	663.00
32 175 000	4005176860232	64.02	605.63	32 647 DA3	4005176492303	04.02	762.00
32 175 DC0	4005176860249	64.02	772.99	32 647 DC3	4005176454714	04.02	615.00
32 176 000	4005176860256	64.02	626.55	32 647 GL3	4005176492280	04.02	762.00
32 176 DC0	4005176860263	64.02	888.05	32 650 003	4005176454820	04.03	406.00
32 202 10L	4005176903960	14.02	129.00	32 650 AL3	4005176454844	04.03	568.00
32 204 10E	4005176887345	14.02	139.00	32 650 DA3	4005176492587	04.03	653.00
32 208 001	4005176888908	14.04	129.00	32 650 DC3	4005176454837	04.03	528.00
32 210 001	4005176888939	14.04	149.00	32 650 GL3	4005176492563	04.03	653.00
32 211 001	4005176889028	14.05	169.00	32 652 003	4005176454851	04.03	474.00
32 212 001	4005176889035	14.05	199.00	32 652 AL3	4005176454875	04.03	663.00
32 221 002	4005176861949	78.03	93.09	32 652 DA3	4005176492655	04.03	762.00
32 240 10E	4005176906794	14.02	129.00	32 652 DC3	4005176454868	04.03	615.00
32 240 10L	4005176903977	14.02	119.00	32 652 GL3	4005176492631	04.03	762.00
32 249 000	4005176832383	03.02	678.85	32 653 003	4005176454912	04.06	1,307.00
32 257 001	4005176834165	74.02	197.69	32 653 AL3	4005176454936	04.06	1,830.00
32 257 002	4005176886591	73.02	249.99	32 653 DA3	4005176492723	04.06	1,830.00
32 259 003	4005176466908	73.02	208.15	32 653 DC3	4005176454929	04.06	1,699.00
32 294 001	4005176932380	67.02	354.59	32 653 EN3	4005176492693		1,830.00
32 294 SD1	4005176932397	67.02	532.41	32 653 GL3	4005176492709	04.06	1,830.00
32 296 000	4005176864599	67.02	312.75	32 659 001	4005176886713	75.03	166.31
32 296 SD0	4005176864612	67.02	469.65	32 659 DC1	4005176890772	75.03	218.61
32 321 002	4005176465109	66.04	208.15	32 661 003	4005176466823	75.02	187.23
32 321 A02	4005176488733	66.04	298.00	32 661 DC3	4005176466830	75.02	229.07
32 321 AL2	4005176488740	66.04	298.00	32 663 003	4005176466854	75.02	208.15
32 321 DA2	4005176488757	66.04	298.00	32 663 DC3	4005176466861	75.02	291.83
32 321 DC2	4005176465116	66.04	270.91	32 701 001	4005176889042	14.05	169.00
32 321 DL2	4005176488764	66.04	298.00	32 706 000	4005176855092	03.03	229.07
32 322 002	4005176465123	66.05	208.15	32 750 000	4005176868238	79.02	82.63
32 322 A02	4005176488818	66.05	298.00	32 754 002	4005176428876	03.08	2,132.79
32 322 AL2	4005176488825	66.05	298.00	32 757 000	4005176870897	03.02	375.51
32 322 DA2	4005176488832	66.05	298.00	32 760 000	4005176870927	03.02	637.01
32 322 DC2	4005176465130	66.05	270.91	32 762 000	4005176871023	97.02	103.55
32 322 DL2	4005176488849	66.05	298.00	32 763 000	4005176871030	97.02	103.55
32 467 002	4005176862069	18.02	82.63	32 765 000	4005176871054	97.02	218.61
32 467 20L	4005176304736	18.02	82.63	32 766 000	4005176871061	97.02	229.07
32 468 003	4005176334207	16.03	103.55	32 767 000	4005176871078	97.03	260.45
32 468 20E	4005176906886	15.02	114.01	32 771 000	4005176871719	97.03	281.37
32 468 20L	4005176917097	15.03	109.00	32 773 000	4005176871733	97.03	253.81
32 469 20E	4005176908835	13.02	166.31	32 774 000	4005176871740	97.03	283.00
32 469 20L	4005176917110	13.03	159.00	32 775 000	4005176871757	97.03	294.66
32 488 000	4005176289552	66.04	166.31	32 778 000	4005176871788	97.02	239.53
32 488 A00	4005176488771	66.04	239.00	32 779 000	4005176871795	97.02	270.91
32 488 AL0	4005176488788	66.04	239.00	32 784 000	4005176871849	97.03	124.47
32 488 DA0	4005176488795	66.04	239.00	32 786 000	4005176871863	79.02, 97.04	124.47
32 488 DC0	4005176804939	66.04	208.15	32 788 000	4005176871887	99.02	218.61
32 488 DL0	4005176488801	66.04	239.00	32 789 000	4005176871894	99.02	197.69
32 553 000	4005176864506	67.02	365.05	32 790 000	4005176871900	99.02	262.60
32 553 SD0	4005176864520	67.02	501.03	32 792 000	4005176871924	99.02	347.17
32 612 002	4005176865886	10.02	176.77	32 793 000	4005176871931	99.02	361.76
32 612 003	4005176529696	09.02	*	32 795 000	4005176871955	99.02	344.13
32 612 30L	4005176529979	09.02	*	32 824 00L	4005176917035	17.02	103.55
32 618 002	4005176866029	10.03	239.53	32 825 00L	4005176917028	17.02	109.00
32 618 003	4005176529740	09.05	299.00	32 826 000	4005176882425	03.05	793.91
32 628 001	4005176306983	11.04	187.23	32 830 001	4005176472749	17.03	145.39
32 628 A01	4005176407376	11.04	270.91	32 831 000	4005176874703	17.04	145.39
32 628 AL1	4005176407383	11.04	270.91	32 832 000	4005176874710	17.04	166.31
32 628 BE1	4005176419669	11.04	270.91	32 837 000	4005176874772	17.04	124.47
32 628 DA1	4005176407352	11.04	270.91	32 839 000	4005176874802	17.03	103.55
32 628 DC1	4005176369940	11.04	239.53	32 842 000	4005176874833	77.02	103.55

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
32 843 002	4005176466939	77.02	126.00	33 558 003	4005176334139	16.02	114.01
32 843 20E	4005176466946	77.02	130.00	33 565 002	4005176887000	15.04	114.01
32 843 DC2	4005176466953	77.02	164.00	33 565 003	4005176334283	16.05	93.09
32 846 000	4005176882432	03.04	663.47	33 569 002	4005176887734	13.05	176.77
32 870 000	4005176876523	97.04	90.00	33 577 002	4005176866074	10.03	208.15
32 871 000	4005176876530	97.04	105.50	33 577 003	4005176529801	09.06	239.00
32 898 001	4005176306860	11.02	145.39	33 590 002	4005176887048	15.04	124.47
32 901 001	4005176306969	11.04	249.99	33 590 003	4005176334306	16.06	155.85
32 901 A01	4005176407512	11.04	365.05	33 590 LS3	4005176334511	16.06	166.31
32 901 AL1	4005176407529	11.04	365.05	33 591 002	4005176887123	15.04	145.39
32 901 BE1	4005176426131	11.04	365.05	33 591 003	4005176334351	16.06	166.31
32 901 DA1	4005176407499	11.04	365.05	33 591 LS3	4005176334535	16.06	208.15
32 901 DC1	4005176369957	11.04	333.67	33 624 001	4005176990786	11.06	187.23
32 901 DL1	4005176426124	11.04	365.05	33 624 A01	4005176426445	11.06	286.60
32 901 EN1	4005176426148	11.04	365.05	33 624 AL1	4005176426438	11.06	286.60
32 901 GL1	4005176407505	11.04	365.05	33 624 BE1	4005176426452	11.06	286.60
32 901 GN1	4005176426117	11.04	365.05	33 624 DA1	4005176426414	11.06	286.60
32 917 000	4005176230950	66.03	166.31	33 624 DC1	4005176371097	11.06	229.07
32 917 A00	4005176488696	66.03	239.00	33 624 DL1	4005176426421	11.06	286.60
32 917 AL0	4005176488702	66.03	239.00	33 624 EN1	4005176426469	11.06	286.60
32 917 DA0	4005176488719	66.03	239.00	33 624 GL1	4005176426391	11.06	286.60
32 917 DC0	4005176804946	66.03	208.15	33 624 GN1	4005176426407	11.06	286.60
32 917 DL0	4005176488726	66.03	239.00	33 628 001	4005176990793	11.07	229.07
32 918 000	4005176230967	66.03	208.15	33 636 001	4005176307287	11.06	155.85
32 918 DC0	4005176804953	66.03	270.91	33 636 A01	4005176426667	11.06	239.53
32 926 002	4005176861567	18.03	93.09	33 636 AL1	4005176426650	11.06	239.53
32 929 002	4005176862366	18.04	82.63	33 636 BE1	4005176426674	11.06	239.53
32 935 001	4005176307171	11.06	145.39	33 636 DA1	4005176426636	11.06	239.53
32 935 A01	4005176426360	11.06	218.61	33 636 DC1	4005176371141	11.06	218.61
32 935 AL1	4005176426353	11.06	218.61	33 636 DL1	4005176426643	11.06	239.53
32 935 BE1	4005176426377	11.06	218.61	33 636 EN1	4005176426681	11.06	239.53
32 935 DA1	4005176426339	11.06	218.61	33 636 GL1	4005176426612	11.06	239.53
32 935 DC1	4005176369988	11.06	208.15	33 636 GN1	4005176426629	11.06	239.53
32 935 DL1	4005176426346	11.06	218.61	33 769 000	4005176819605	03.04	229.07
32 935 EN1	4005176426384	11.06	218.61	33 770 001	4005176828959	74.02	187.23
32 935 GL1	4005176426315	11.06	218.61	33 770 002	4005176888137	73.02	208.15
32 935 GN1	4005176426322	11.06	218.61	33 848 001	4005176409172	06.04	239.53
32 950 000	4005176879838	64.02	616.09	33 848 DC1	4005176412776	06.04	291.83
32 950 A00	4005176488870	64.02	849.00	33 849 001	4005176409189	06.04	270.91
32 950 AL0	4005176488887	64.02	849.00	33 849 DC1	4005176412783	06.04	349.36
32 950 DC0	4005176879845	64.02	804.37	33 850 001	4005176409196	06.05	313.80
33				33 865 001	4005176409202	06.04	270.91
33 155 002	4005176865947	10.03	239.53	33 865 DC1	4005176412790	06.04	349.36
33 156 002	4005176865930	10.02	176.77	33 975 004	4005176467004	76.02	176.77
33 163 002	4005176865909	10.02	166.31	33 977 002	4005176886560	76.03	134.93
33 163 003	4005176529702	09.03	*	34			
33 163 20L	4005176917073	10.02	159.00	34 065 A02	4005176426827	11.11, 34.02	344.13
33 188 002	4005176862052	18.02	93.09	34 065 AL2	4005176426810	11.11, 34.02	344.13
33 190 20E	4005176887482	13.02	176.77	34 065 BE2	4005176426834	11.11, 34.02	344.13
33 202 002	4005176861956	78.02	124.47	34 065 DA2	4005176426797	11.11, 34.02	344.13
33 241 002	4005176865954	10.03	176.77	34 065 DC2	4005176374432	06.08, 11.11	281.37
33 241 003	4005176529849	09.06	199.00	34 065 DL2	4005176426803	11.11, 34.02	344.13
33 244 002	4005176888779	13.04	166.31	34 065 EN2	4005176426841	11.11, 34.02	344.13
33 265 002	4005176861543	18.02	93.09	34 065 GL2	4005176426773	11.11, 34.02	344.13
33 265 20L	4005176304729	18.02	93.09	34 065 GN2	4005176426780	11.11, 34.02	344.13
33 281 002	4005176861932	78.02	103.55	34 143 003	4005176309618	35.02	218.61
33 300 002	4005176862182	18.04	103.55	34 146 003	4005176309625	35.02	208.15
33 303 002	4005176862243	18.04	187.23	34 151 004	4005176456664	35.04	266.73
33 339 000	4005176222818	03.08	741.61	34 155 003	4005176310027	35.03	270.91
33 390 002	4005176887796	13.05	197.69	34 156 003	4005176310034	35.03	281.37
33 412 002	4005176862205	18.04	103.55	34 170 001	4005176926471	32.02	270.91
33 547 002	4005176866081	10.04	270.91	34 174 001	4005176926426	32.03	354.59
33 547 003	4005176529818	09.06	339.00	34 195 001	4005176926631	32.05	312.75
33 552 20E	4005176886300	15.02	114.01	34 202 000	4005176808661	94.02	427.81
33 553 002	4005176865978	10.04	218.61	34 205 000	4005176809996	94.02	375.51
33 553 003	4005176529795	09.06	*	34 254 000	4005176837715	94.03	406.89

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
34 255 000	4005176837722	94.02	365.05	35 600 000	4005176413469	02.04, 02.05	125.00
34 256 004	4005176456671	35.04	270.91	36			
34 268 002	4005176310997	34.02	229.07	36 015 001	4005176929359	88.02	480.11
34 274 000	4005176847905	31.02	406.89	36 016 001	4005176929366	88.02	414.09
34 275 000	4005176847912	31.02	595.17	36 078 000	4005176856532	40.04	103.55
34 276 000	4005176847929	31.02	480.11	36 157 000	4005176140556		52.05
34 277 000	4005176847936	31.02	438.27	36 207 001	4005176929373	88.02	553.33
34 281 001	4005176926501	32.04	459.19	36 208 001	4005176929380	88.02	469.65
34 286 002	4005176311000	34.03	281.37	36 209 000	4005176207105	88.04, 100.02	68.65
34 294 001	4005176306877	11.03	134.93	36 210 000	4005176207112	100.02	50.10
34 321 002	4005176311017	34.04	281.37	36 233 000	4005176283338	100.02	499.00
34 323 002	4005176311024	34.03	270.91	36 236 001	4005176929403	88.02	420.69
34 430 000	4005176917981	34.04	239.53	36 264 001	4005176416279	85.03, 86.03	199.00
34 437 000	4005176918025	34.04	281.37	36 265 000	4005176893131	102.02	114.01
34 438 003	4005176309632	35.02	218.61	36 266 000	4005176893148	102.02	93.09
34 439 003	4005176310041	35.03	281.37	36 267 000	4005176893155	102.02	93.09
34 440 002	4005176311048	34.02	239.53	36 268 000	4005176893162	102.02	93.09
34 441 002	4005176311031	34.03	281.37	36 269 000	4005176893179	90.02	281.37
34 446 001	4005176926402	32.02	291.83	36 271 000	4005176893193	90.02	260.45
34 448 000	4005176919183	34.04	354.59	36 273 000	4005176893216	90.03	341.94
34 464 001	4005176926433	32.03	354.59	36 289 000	4005176894619	40.02	1,390.13
34 466 001	4005176926440	32.04	365.05	36 292 000	4005176894640	40.03	971.73
34 469 001	4005176926396	32.02	312.75	36 295 000	4005176894671	40.02	1,567.95
34 484 001	4005176932519	32.04	375.51	36 298 000	4005176894701	40.04	1,160.01
34 487 000	4005176936234	92.02, 97.04	124.47	36 309 000	4005176894794	40.03	249.99
34 507 000	4005176940767	89.06, 90.04	161.08	36 315 000	4005176896590	89.05	438.27
34 508 000	4005176941795	33.02	448.73	36 317 000	4005176896514	101.02	260.45
34 509 000	4005176941801	33.02	344.13	36 318 000	4005176896521	101.02	281.37
34 557 001	4005176456688	35.04	239.53	36 319 000	4005176896538	101.02	437.70
34 562 000	4005176310102	36.02	197.69	36 320 000	4005176896545	101.02	406.89
34 565 001	4005176456718	36.03	208.15	36 321 000	4005176896552	101.02	291.83
34 567 000	4005176310157	36.02	239.53	36 322 000	4005176896569	101.02	109.46
34 569 000	4005176310171	36.02	239.53	36 325 001	4005176305764	89.02	354.59
34 665 000	4005176351556	93.02	328.06	36 327 001	4005176305771	89.02	312.75
34 666 000	4005176351563	93.03	290.91	36 330 001	4005176305788	89.03	333.67
34 667 000	4005176351570	93.02	262.03	36 331 001	4005176305795	89.02	274.05
34 671 000	4005176351587	93.03	334.24	36 332 000	4005176896682	89.04	737.17
34 681 000	4005176354090	93.03	312.75	36 333 000	4005176896699	89.04	724.04
34 705 000	4005176413285	04.14, 29.09	1,306.45	36 334 SD0	4005176896705	89.04	406.89
34 706 000	4005176413797	03.07, 29.09	1,295.99	36 335 SD0	4005176896712	89.04	385.97
34 713 000	4005176409776	29.10	835.75	36 336 000	4005176896729	87.05, 89.05	273.58
34 714 000	4005176409783	29.10	783.45	36 337 000	4005176896736	87.05, 89.05	103.55
34 718 000	4005176457647	29.11	385.97	36 338 000	4005176896743	85.04, 86.04	82.63
34 719 000	4005176457654	29.10	350.41	36 339 000	4005176896842	87.06, 89.05	177.82
34 720 000	4005176457661	29.11	448.73	36 340 000	4005176911385	85.04, 86.03	51.25
34 721 000	4005176457678	29.11	455.01	36 341 000	4005176911392	85.04, 86.03	92.15
34 725 000	4005176457081	93.02	328.00	36 356 000	4005176911347	40.04	155.85
34 726 000	4005176466014	30.05	528.00	36 359 000	4005176918414	39.04	1,180.93
34 727 000	4005176466021	30.05	591.00	36 360 000	4005176918438	39.04	1,013.57
34 728 000	4005176466069	30.03	538.00	36 362 000	4005176918537	39.05	3,095.11
34 729 000	4005176466076	30.03	604.00	36 367 000	4005176923203	39.07	270.91
34 730 000	4005176466342	30.03	1,307.00	36 371 000	4005176928970	39.06	574.25
34 731 000	4005176466359	30.05	1,307.00	36 376 000	4005176932243	89.05	521.95
34 732 000	4005176466366	30.05	897.00	36 384 000	4005176982774	90.02	574.25
34 734 000	4005176466403	30.03	922.00	36 386 001	4005176311673	89.04	608.24
34 735 000	4005176466410	30.05	736.00	36 387 000	4005176983207	88.03	873.31
34 741 000	4005176481208	07.06, 08.07	1,196.00	36 397 000	4005176999413	39.06	1,013.57
34 742 000	4005176484094	29.09	1,222.77	36 407 001	4005176368974	85.03, 86.03	249.00
34 743 000	4005176484100	29.09	1,139.09	36 409 000	4005176320538	87.03	444.55
34 744 000	4005176484117	29.09	957.09	36 410 000	4005176320545	87.05	510.45
35				36 412 000	4005176320569	87.06	575.30
35 028 000	4005176908316	03.09, 03.10	124.47	36 413 000	4005176320576	87.02	539.74
35 034 000	4005176915697	58.06	197.69	36 414 000	4005176320583	87.04	732.20
35 085 000	4005176207068	95.02	1,822.60	36 415 000	4005176320590	87.07	483.83
35 087 000	4005176207082	95.02	2,139.00	36 416 000	4005176321009	87.07	465.26
35 501 000	4005176833847	97.03	87.86	36 421 000	4005176368523	89.03	330.12

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
36 422 000	4005176368530	89.02	332.18	37 624 DA0	4005176529061	121.02	133.00
36 439 000	4005176389740	89.03	246.56	37 624 DCO	4005176416125	121.02	78.01
36 440 000	4005176415623	86.02	729.00	37 624 DLO	4005176529108	121.02	133.00
36 441 000	4005176415630	86.02	699.00	37 624 EN0	4005176529122	121.02	133.00
36 442 000	4005176415647	86.02	789.00	37 624 GL0	4005176529054	121.02	133.00
36 444 000	4005176415661	85.02	589.00	37 624 GN0	4005176529092	121.02	133.00
36 445 000	4005176415678	85.02	569.00	37 624 PO0	4005176416101	121.02	92.05
36 446 000	4005176415685	85.02	529.00	37 624 SH0	4005176416118	121.02	56.97
36 447 000	4005176416293	85.03	749.00	37 761 000	4005176213243	121.07	39.00
36 451 000	4005176473678	91.02	217.00	37 762 SH0	4005176213250	116.02	69.00
36 452 000	4005176473685	91.02	202.00	37 945 SH0	4005176256387	116.02	69.00
36 453 000	4005176473791	91.02	229.00	37 965 000	4005176442506	121.03	60.67
37				37 965 SH0	4005176442513	121.03	48.12
37 044 000	4005176160776	120.02	19.00	37 998 000	4005176262586	114.02	103.55
37 059 000	4005176142857	121.06	129.00	38			
37 060 000	4005176142901	121.06	59.00	38 338 000	4005176286179	115.03	27.67
37 095 000	4005176145124	117.02	29.00	38 422 000	4005176275203	116.03	166.31
37 099 K00	4005176142086	117.02	29.30	38 488 000	4005176289866	121.06	39.00
37 100 SH0	4005176142093	117.02	19.00	38 496 000	4005176289958	121.07	179.00
37 104 K00	4005176160844	117.04	19.00	38 505 000	4005176290053	121.05	46.02
37 105 K00	4005176141904	117.04	19.00	38 505 PO0	4005176290060	121.05	82.63
37 119 000	4005176144370	117.04	3.90	38 505 SH0	4005176290046	121.05	30.33
37 310 000	4005176148538	115.02	36.70	38 506 000	4005176290121	121.05	66.94
37 311 K00	4005176160851	117.03	19.00	38 525 001	4005176863967	110.09	333.67
37 321 001	4005176929496	119.02	490.57	38 526 000	4005176291050	110.09	333.67
37 321 SD1	4005176929502	119.02	490.57	38 528 001	4005176863943	110.07	270.91
37 324 001	4005176929526	119.03	490.57	38 536 001	4005176863929	110.07	291.83
37 324 SD1	4005176929533	119.03	462.33	38 541 000	4005176291234	112.02, 113.02	197.69
37 336 001	4005176929540	119.02	490.57	38 543 000	4005176291258	112.03	291.83
37 337 001	4005176929557	119.02	462.33	38 545 000	4005176291272	112.03	276.14
37 338 000	4005176837920	87.08, 119.03	124.47	38 548 001	4005176863851	114.02, 115.02	*
37 396 000	4005176907968	120.02	114.01	38 553 001	4005176863813	112.02	286.60
37 419 000	4005176933806	118.02	741.61	38 554 001	4005176863806	112.02	124.47
37 419 SD0	4005176933813	118.02	741.61	38 558 00M	4005176291418	110.10, 111.02	26.15
37 489 000	4005176167386	117.03	9.00	38 559 001	4005176863776	113.03	159.57
37 503 000	4005176320507	87.08	626.55	38 562 001	4005176863752	115.02	93.09
37 504 000	4005176320521	87.10	783.45	38 563 000	4005176291463	115.03	29.00
37 505 SD0	4005176321016	87.09	626.55	38 564 000	4005176291784	121.06	72.17
37 535 000	4005176416019	08.09, 09.12	60.47	38 565 000	4005176291845	121.06	46.02
37 535 A00	4005176431364	121.02	109.00	38 573 000	4005176292316	121.06	51.25
37 535 AL0	4005176431357	121.02	109.00	38 574 000	4005176292385	121.06	59.00
37 535 BE0	4005176431340	121.02	109.00	38 652 000	4005176294778	37.03, 114.02	109.10
37 535 DA0	4005176431333	121.02	109.00	38 661 000	4005176294907	116.02	155.85
37 535 DCO	4005176416040	121.02	69.25	38 675 001	4005176863516	110.08, 113.02	291.83
37 535 DLO	4005176431326	121.02	109.00	38 691 000	4005176815454	116.03	166.31
37 535 EN0	4005176431319	121.02	109.00	38 698 SD1	4005176929571	118.02	657.93
37 535 GL0	4005176431302	121.02	109.00	38 699 001	4005176929588	118.02	553.33
37 535 GN0	4005176431296	121.02	109.00	38 714 000	4005176828454	117.05, 121.07	13.90
37 535 PO0	4005176416026	121.02	60.47	38 721 001	4005176863431	110.04	354.59
37 535 SH0	4005176416033	121.02	62.76	38 732 000	4005176836114	121.05	66.94
37 601 000	4005176416057	06.11, 11.11	69.25	38 732 A00	4005176339110	121.05	89.96
37 601 A00	4005176528996	11.11, 121.02	133.00	38 732 AL0	4005176339127	121.05	89.96
37 601 AL0	4005176529030	11.11, 121.02	133.00	38 732 BE0	4005176427749	121.05	89.96
37 601 BE0	4005176529009	11.11, 121.02	133.00	38 732 BR0	4005176873676	121.05	114.01
37 601 DA0	4005176524288	11.11, 121.02	133.00	38 732 DA0	4005176339097	121.05	89.96
37 601 DCO	4005176416088	06.11, 11.11	78.01	38 732 DLO	4005176427732	121.05	89.96
37 601 DLO	4005176529023	11.11, 121.02	133.00	38 732 EN0	4005176427756	121.05	89.96
37 601 EN0	4005176529047	11.11, 121.02	133.00	38 732 GL0	4005176339103	121.05	89.96
37 601 GL0	4005176524271	11.11, 121.02	133.00	38 732 GN0	4005176427725	121.05	89.96
37 601 GN0	4005176529016	11.11, 121.02	133.00	38 732 SD0	4005176847691	121.04	145.39
37 601 PO0	4005176416064	121.02	92.05	38 733 000	4005176837289	115.02	30.33
37 601 SH0	4005176416071	121.02	56.97	38 735 000	4005176837500	117.03	51.25
37 624 000	4005176416095	09.12, 10.05	69.25	38 736 000	4005176837517	117.03	40.79
37 624 A00	4005176529078	121.02	133.00	38 748 002	4005176416323	85.03, 86.03	469.00
37 624 AL0	4005176529115	121.02	133.00	38 761 000	4005176841620	110.05	375.51
37 624 BE0	4005176529085	121.02	133.00	38 765 000	4005176846830	121.03	66.94

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
38 766 000	4005176847134	121.04	166.31	39 324 000	4005176407123	107.03	62.89
38 771 000	4005176848551	121.07	40.79	39 324 00H	4005176417375	107.03	110.86
38 772 001	4005176863288	110.05	354.59	39 325 000	4005176407130	107.03	68.22
38 773 000	4005176850288	110.05	375.51	39 327 000	4005176390104	107.03	78.88
38 779 000	4005176855306	115.03	99.00	39 327 00H	4005176418341	107.03	126.85
38 784 000	4005176855535	123.02	106.64	39 328 000	4005176407161	107.04	265.43
38 786 001	4005176864025	111.02	312.75	39 328 00H	4005176417382	107.04	313.40
38 787 000	4005176855689	119.03	103.55	39 329 000	4005176407178	107.05	196.08
38 796 000	4005176857034	122.02	61.71	39 329 00H	4005176418518	107.05	244.11
38 804 000	4005176861512	123.02	114.01	39 330 001	4005176468834	107.06	94.87
38 804 SH0	4005176861529	123.02	103.55	39 331 001	4005176468827	107.06	67.61
38 805 000	4005176865596	122.02	124.47	39 332 000	4005176407208	107.05	190.81
38 808 000	4005176864056	123.02	93.09	39 333 000	4005176407215	107.05	190.81
38 809 000	4005176864681	121.03	542.87	39 335 000	4005176407239	107.02	89.54
38 821 000	4005176868986	121.04	218.61	39 335 00H	4005176417351	107.02	132.18
38 827 000	4005176870477	110.03	396.43	39 336 000	4005176407246	107.02	88.16
38 844 000	4005176874963	121.05	66.94	39 336 00H	4005176417368	107.02	130.57
38 844 P00	4005176875687	121.05	61.71	39 337 000	4005176407253	107.02	94.87
38 844 SH0	4005176874970	121.05	51.25	39 337 00H	4005176418334	107.02	142.84
38 847 K10	4005176878596	121.04	93.09	39 338 000	4005176407260	107.04	206.80
38 847 L10	4005176878688	121.04	93.09	39 338 00H	4005176418501	107.04	254.77
38 847 XG0	4005176878701	121.04	93.09	39 339 000	4005176407277	107.05	202.88
38 857 000	4005176875694	123.02	106.69	39 339 00H	4005176418525	107.05	250.87
38 857 SH0	4005176875793	123.02	98.32	39 340 000	4005176423697	107.06	206.80
38 858 000	4005176876714	121.05	66.94	39 340 00H	4005176423703	107.06	254.77
38 860 000	4005176878084	110.03	354.59	39 346 000	4005176449673	108.06	291.83
38 861 000	4005176832284	121.05	61.71	39 347 000	4005176449680	108.06	281.37
38 862 000	4005176832314	121.05	66.94	39 349 000	4005176449659	108.03	129.70
38 862 P00	4005176832321	121.05	61.14	39 351 000	4005176450006	108.05	176.77
38 862 SH0	4005176832338	121.05	51.25	39 354 SH1	4005176470448	104.02	2,613.95
38 863 000	4005176832345	116.02	124.47	39 355 SH0	4005176335549		*
38 868 000	4005176878091	110.05	375.51	39 367 000	4005176341533	119.04	486.92
38 882 000	4005176879197	122.02	8.00	39 368 000	4005176341540	119.04	486.92
38 885 000	4005176879609	110.03	396.43	39 369 000	4005176341557	119.04	647.85
38 888 000	4005176879630	110.03	406.89	39 374 KSO	4005176344770	110.02	660.24
38 915 LSO	4005176897108	121.03	798.76	39 374 LSO	4005176344787	110.02	660.24
38 915 LSO	4005176897115	121.03	835.75	39 376 000	4005176342998	111.02	222.83
38 947 000	4005176911217	110.06	365.05	39 377 LSO	4005176351143		381.70
38 948 000	4005176911224	110.06	354.59	39 377 X10	4005176383243		484.86
38 957 000	4005176914409	121.04	103.55	39 383 000	4005176356926	87.04	51.25
38 958 000	4005176914416	121.04	61.71	39 386 00H	4005176438356	106.02	501.03
38 987 000	4005176924798	116.02	104.60	39 418 000	4005176390555		354.59
38 994 000	4005176932335	110.08	333.67	39 420 000	4005176405983	108.02	66.94
38 995 000	4005176932342	110.09	344.13	39 421 000	4005176428906	108.02	61.71
39				39 422 000	4005176406195	108.02	103.55
39 053 000	4005176935978	116.03	72.17	39 423 000	4005176406201	107.03, 108.02	103.55
39 054 000	4005176936289	116.03	72.17	39 424 000	4005176406218	108.02	56.48
39 056 000	4005176936302	116.03	19.00	39 425 000	4005176406225	108.03	56.48
39 111 SH0	4005176304668	103.02	4,580.43	39 426 000	4005176406232	108.03	61.71
39 112 001	4005176359262	103.02, 104.02	312.75	39 427 000	4005176406249	108.03	103.55
39 140 000	4005176315268	113.02	558.83	39 428 000	4005176406256	108.03	119.24
39 201 000	4005176344947	107.03	68.22	39 429 000	4005176406263	108.03	129.70
39 202 000	4005176344954	107.03	78.88	39 430 000	4005176406270	108.04	87.86
39 206 000	4005176344992	107.04	244.11	39 431 000	4005176406287	108.04	87.86
39 206 00H	4005176418495	107.04	292.08	39 432 000	4005176406294	108.05	176.77
39 208 000	4005176345029	107.06	238.78	39 433 000	4005176406300	108.05	176.77
39 208 00H	4005176418532	107.06	286.75	39 436 000	4005176406331	108.04	103.55
39 300 000	4005176346026	109.02	232.00	39 437 000	4005176406348	108.04	103.55
39 301 000	4005176346033	109.02	171.00	39 438 000	4005176406355	108.05	197.69
39 302 000	4005176346040	109.02	164.00	39 439 000	4005176406362	108.05	197.69
39 305 000	4005176346071	109.02	290.00	39 440 000	4005176405976	108.02	56.48
39 306 000	4005176346088	109.03	189.00	39 453 000	4005176421099	107.07, 108.07	19.87
39 307 000	4005176346095	109.03	415.00	39 454 000	4005176421105	107.07, 108.07	19.87
39 308 000	4005176346101	109.03	357.00	39 457 000	4005176421112	107.07, 108.07	19.87
39 323 000	4005176407116	107.02	94.87	39 469 00H	4005176438363	106.02	433.04
39 323 00H	4005176417344	107.02	142.84	39 473 00H	4005176438370	106.02	234.30
				39 474 00H	4005176438387	106.02	218.61

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
39 475 00H	4005176442599	106.02	501.03	40 306 EN3	4005176462634		106.00
39 476 00H	4005176442605	106.02	434.09	40 306 GL3	4005176494079	04.15	106.00
39 477 00H	4005176442612	106.03	235.35	40 307 003	4005176462450	04.15	116.00
39 478 00H	4005176442629	106.03	220.71	40 307 AL3	4005176462474	04.15	162.00
39 479 00H	4005176442636	106.03	225.94	40 307 DA3	4005176494260	04.15	142.00
39 480 00H	4005176442643	106.03	211.29	40 307 DC3	4005176462467	04.15	151.00
39 481 00H	4005176442650	106.03	211.29	40 307 EN3	4005176462665		142.00
39 482 00H	4005176442667	106.03	187.23	40 307 GL3	4005176494246	04.15	142.00
39 483 00H	4005176442674	106.04	182.00	40 308 003	4005176462481	04.15	195.00
39 484 00H	4005176442698	106.04	420.49	40 308 AL3	4005176462504	04.15	272.00
39 485 00H	4005176442704	106.04	391.20	40 308 DA3	4005176494321	04.15	236.00
39 486 00H	4005176442711	106.05	343.09	40 308 DC3	4005176462498	04.15	253.00
39 487 00H	4005176442728	106.05	354.59	40 308 EN3	4005176462672		236.00
39 488 000	4005176442735	106.04	162.13	40 308 GL3	4005176494307	04.15	236.00
39 489 000	4005176442742	106.04	220.71	40 309 003	4005176462511	04.16	218.00
39 490 000	4005176442759	106.04	220.71	40 309 AL3	4005176462627	04.16	305.00
39 492 000	4005176450013	108.04	40.79	40 309 DA3	4005176494383	04.16	225.00
39 493 000	4005176450020	108.04	82.63	40 309 DC3	4005176462528	04.16	283.00
39 499 000	4005176450082		354.59	40 309 EN3	4005176462689		225.00
39 501 000	4005176453878	110.04	356.01	40 309 GL3	4005176494369	04.16	225.00
39 503 000	4005176454097	110.04	356.01	40 312 003	4005176462535	04.16	75.00
39 504 000	4005176454103	110.04	356.01	40 312 AL3	4005176462559	04.16	105.00
39 538 000	4005176468292	107.04	210.00	40 312 DA3	4005176494444	04.16	73.00
39 554 000	4005176484452	107.04	376.00	40 312 DC3	4005176462542	04.16	97.00
39 555 000	4005176484469	107.05	299.00	40 312 EN3	4005176462696		73.00
39 559 000	4005176479564	108.06	289.00	40 312 GL3	4005176494420	04.16	73.00
39 564 00H	4005176485602	105.02	259.00	40 313 003	4005176462566	04.16	135.00
39 565 00H	4005176485619	105.02	239.00	40 313 AL3	4005176462580	04.16	189.00
39 566 00H	4005176485626	105.02	569.00	40 313 DA3	4005176494505	04.16	160.00
39 567 00H	4005176485633	105.02	409.00	40 313 DC3	4005176462573	04.16	176.00
39 568 00H	4005176485640	105.02	279.00	40 313 EN3	4005176462702		160.00
39 571 00H	4005176485671	105.02	259.00	40 313 GL3	4005176494482	04.16	160.00
39 572 00H	4005176485688	105.03	399.00	40 314 003	4005176462597	04.16	241.00
39 573 00H	4005176485794	105.03	375.00	40 314 AL3	4005176462610	04.16	338.00
39 574 00H	4005176485800	105.04	359.00	40 314 DA3	4005176494567	04.16	318.00
39 575 00H	4005176485817	105.04	375.00	40 314 DC3	4005176462603	04.16	314.00
39 576 000	4005176485121	105.04	99.00	40 314 EN3	4005176462719		318.00
39 577 000	4005176485138	105.03	149.00	40 314 GL3	4005176494543	04.16	318.00
39 578 000	4005176485145	105.03	229.00	40 339 000	4005176824111	03.12	99.99
39 579 000	4005176485152	105.03	229.00	40 340 000	4005176824128	03.13	162.49
39 584 00H	4005176519161	107.02	337.00	40 341 000	4005176824135	03.12	149.99
39 585 00H	4005176519178	107.02	435.00	40 342 000	4005176824142	03.12	149.99
40				40 363 000	4005176824920		162.49
40 254 000	4005176211065	03.12	25.83	40 364 001	4005176326332	25.04	9.99
40 256 000	4005176211089	03.12	36.24	40 364 A01	4005176429514	25.04	13.74
40 256 003	4005176462443	04.15	152.00	40 364 AL1	4005176429668	25.04	13.74
40 278 000	4005176824081	03.12	75.83	40 364 BE1	4005176430114	25.04	13.74
40 279 000	4005176824098	03.13	99.99	40 364 DA1	4005176428913	25.04	13.74
40 284 000	4005176824104	03.12	41.66	40 364 DL1	4005176429965	25.04	13.74
40 304 003	4005176461576	04.15	97.00	40 364 EN1	4005176326349	25.04	13.74
40 304 A03	4005176542442		106.00	40 364 GL1	4005176429361	25.04	13.74
40 304 AL3	4005176462399	04.15	135.00	40 364 GN1	4005176429811	25.04	13.74
40 304 DA3	4005176494154	04.15	106.00	40 365 001	4005176326240	25.03	18.33
40 304 DC3	4005176461583	04.15	126.00	40 365 A01	4005176429521	25.03	25.41
40 304 EN3	4005176462641		106.00	40 365 AL1	4005176429675	25.03	25.41
40 304 GL3	4005176494130	04.15	106.00	40 365 BE1	4005176430121	25.03	25.41
40 305 003	4005176462412	04.15	97.00	40 365 DA1	4005176428920	25.03	25.41
40 305 AL3	4005176462436	04.15	135.00	40 365 DL1	4005176429972	25.03	25.41
40 305 DA3	4005176494208	04.15	106.00	40 365 EN1	4005176326257	25.03	25.41
40 305 DC3	4005176462429	04.15	126.00	40 365 GL1	4005176429378	25.03	25.41
40 305 EN3	4005176462658		106.00	40 365 GN1	4005176429828	25.03	25.41
40 305 GL3	4005176494185	04.15	106.00	40 366 001	4005176326264	25.04	28.74
40 306 003	4005176461545	04.15	138.00	40 366 A01	4005176429552	25.04	40.41
40 306 AL3	4005176461569	04.15	193.00	40 366 AL1	4005176429705	25.04	40.41
40 306 DA3	4005176494093	04.15	106.00	40 366 BE1	4005176430152	25.04	40.41
40 306 DC3	4005176461552	04.15	179.00	40 366 DA1	4005176428951	25.04	40.41
				40 366 DL1	4005176430008	25.04	40.41

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
40 366 EN1	4005176326271	25.04	40.41	40 394 EN1	4005176412646	25.02	20.83
40 366 GL1	4005176429408	25.04	40.41	40 394 GL1	4005176429439	25.02	20.83
40 366 GN1	4005176429859	25.04	40.41	40 394 GN1	4005176429880	25.02	20.83
40 367 001	4005176326387	25.06	23.74	40 404 001	4005176984068	62.02	50.83
40 367 A01	4005176429620	25.06	33.33	40 405 000	4005176860812	62.02	25.41
40 367 AL1	4005176429774	25.06	33.33	40 407 001	4005176328350	25.07	57.08
40 367 BE1	4005176430220	25.06	33.33	40 412 001	4005176984082	62.02	124.99
40 367 DA1	4005176429323	25.06	33.33	40 421 001	4005176326325	25.05	28.74
40 367 DL1	4005176430077	25.06	33.33	40 421 A01	4005176429637	25.05	40.41
40 367 EN1	4005176326394	25.06	33.33	40 421 AL1	4005176429781	25.05	40.41
40 367 GL1	4005176429477	25.06	33.33	40 421 BE1	4005176430237	25.05	40.41
40 367 GN1	4005176429927	25.06	33.33	40 421 DA1	4005176429330	25.05	40.41
40 368 001	4005176326219	25.02, 26.02	4.99	40 421 DL1	4005176430084	25.05	40.41
40 369 001	4005176326196	25.02	18.33	40 421 EN1	4005176430305	25.05	40.41
40 369 A01	4005176429576	25.02	25.41	40 421 GL1	4005176429484	25.05	40.41
40 369 AL1	4005176429729	25.02	25.41	40 421 GN1	4005176429934	25.05	40.41
40 369 BE1	4005176430176	25.02	25.41	40 430 001	4005176984075	62.02	95.83
40 369 DA1	4005176428975	25.02	25.41	40 432 000	4005176883255	63.05	21.66
40 369 DL1	4005176430022	25.02	25.41	40 434 001	4005176985294	62.03	29.16
40 369 EN1	4005176326202	25.02	25.41	40 437 000	4005176885471	62.02	25.41
40 369 GL1	4005176429422	25.02	25.41	40 444 001	4005176328336	25.03	22.91
40 369 GN1	4005176429873	25.02	25.41	40 447 001	4005176328701	25.03	22.49
40 371 001	4005176326318	25.03	32.08	40 448 001	4005176328343	25.02	33.74
40 371 A01	4005176429538	25.03	44.99	40 457 001	4005176327865	27.03	17.91
40 371 AL1	4005176429682	25.03	44.99	40 459 001	4005176327810	27.02	20.83
40 371 BE1	4005176430138	25.03	44.99	40 460 001	4005176327803	27.02	14.16
40 371 DA1	4005176428937	25.03	44.99	40 461 001	4005176327858	27.03	8.74
40 371 DL1	4005176429989	25.03	44.99	40 462 001	4005176327827	27.03	76.24
40 371 EN1	4005176430268	25.03	44.99	40 463 001	4005176327872	27.03	23.33
40 371 GL1	4005176429385	25.03	44.99	40 479 000	4005176894787	40.03	93.09
40 371 GN1	4005176429835	25.03	44.99	40 493 000	4005176899256	02.09	199.17
40 372 001	4005176326226	25.02, 26.02	5.99	40 493 A00	4005176491214	02.09	289.00
40 374 001	4005176326400	25.06	29.58	40 493 AL0	4005176491153	02.09	289.00
40 374 A01	4005176429590	25.06	41.66	40 493 DC0	4005176491160	02.09	269.00
40 374 AL1	4005176429743	25.06	41.66	40 494 000	4005176899263	02.09	299.17
40 374 BE1	4005176430190	25.06	41.66	40 494 A00	4005176491122	02.09	429.00
40 374 DA1	4005176429293	25.06	41.66	40 494 AL0	4005176491061	02.09	429.00
40 374 DC1	4005176412486	25.06	38.74	40 494 DC0	4005176491078	02.09	399.00
40 374 DL1	4005176430046	25.06	41.66	40 496 000	4005176899287	02.09	162.49
40 374 EN1	4005176430282	25.06	41.66	40 496 A00	4005176491931	02.09	269.00
40 374 GL1	4005176429446	25.06	41.66	40 496 AL0	4005176491870	02.09	269.00
40 374 GN1	4005176429897	25.06	41.66	40 496 DC0	4005176491887	02.09	249.00
40 385 001	4005176326356	25.06	18.33	40 497 000	4005176899294	02.09	182.50
40 385 A01	4005176429606	25.06	25.41	40 497 A00	4005176491573	02.09	289.00
40 385 AL1	4005176429750	25.06	25.41	40 497 AL0	4005176491511	02.09	289.00
40 385 BE1	4005176430206	25.06	25.41	40 497 DC0	4005176491528	02.09	269.00
40 385 DA1	4005176429309	25.06	25.41	40 498 000	4005176899300	02.10	77.08
40 385 DL1	4005176430053	25.06	25.41	40 498 A00	4005176491399	02.10	109.00
40 385 EN1	4005176430299	25.06	25.41	40 498 AL0	4005176491337	02.10	109.00
40 385 GL1	4005176429453	25.06	25.41	40 498 DC0	4005176491344	02.10	99.00
40 385 GN1	4005176429903	25.06	25.41	40 499 000	4005176899317	02.10	158.33
40 386 001	4005176326301	25.04	36.24	40 499 A00	4005176491665	02.10	269.00
40 386 A01	4005176429569	25.04	50.83	40 499 AL0	4005176491603	02.10	269.00
40 386 AL1	4005176429712	25.04	50.83	40 499 DC0	4005176491610	02.10	249.00
40 386 BE1	4005176430169	25.04	50.83	40 500 000	4005176899324	02.10	257.50
40 386 DA1	4005176428968	25.04	50.83	40 500 A00	4005176492020	02.10	329.00
40 386 DL1	4005176430015	25.04	50.83	40 500 AL0	4005176491962	02.10	329.00
40 386 EN1	4005176430275	25.04	50.83	40 500 DC0	4005176491979	02.10	299.00
40 386 GL1	4005176429415	25.04	50.83	40 503 000	4005176900068	02.09	232.50
40 386 GN1	4005176429866	25.04	50.83	40 503 A00	4005176491306	02.09	309.00
40 394 001	4005176326233	25.02, 26.02	14.99	40 503 AL0	4005176491245	02.09	309.00
40 394 A01	4005176429583	25.02	20.83	40 503 DC0	4005176491252	02.09	289.00
40 394 AL1	4005176429736	25.02	20.83	40 504 000	4005176900075	02.09	232.50
40 394 BE1	4005176430183	25.02	20.83	40 504 A00	4005176491481	02.09	329.00
40 394 DA1	4005176428982	25.02	20.83	40 504 AL0	4005176491429	02.09	329.00
40 394 DC1	4005176421532	25.02	19.16	40 504 DC0	4005176491436	02.09	299.00
40 394 DL1	4005176430039	25.02	20.83	40 507 001	4005176324598	26.04	27.91

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
40 508 001	4005176324413	26.02	24.16	40 633 IG0	4005176928055	05.11	141.66
40 509 001	4005176324437	26.03	36.66	40 652 001	4005176324321	28.02	18.33
40 510 001	4005176324420	26.03	32.91	40 652 EN1	4005176324239	28.02	25.41
40 511 001	4005176324475	26.03	13.74	40 653 001	4005176324345	28.02	28.74
40 512 001	4005176324451	26.03	120.83	40 653 EN1	4005176324253	28.02	36.66
40 513 001	4005176324604	26.04	47.91	40 654 001	4005176324352	28.03	49.58
40 514 001	4005176324468	26.04	49.58	40 654 EN1	4005176324260	28.03	69.16
40 535 000	4005176905490	82.02	61.71	40 655 001	4005176324338	28.02	18.33
40 535 A00	4005176489396	82.02	86.00	40 655 EN1	4005176324246	28.02	25.41
40 535 AL0	4005176489402	82.02	86.00	40 656 001	4005176324383	28.03	9.99
40 535 BE0	4005176489457	82.02	86.00	40 656 EN1	4005176324291	28.03	13.74
40 535 DA0	4005176489433	82.02	86.00	40 657 001	4005176324390	28.03	21.66
40 535 DC0	4005176905520	82.02	72.17	40 657 EN1	4005176324307	28.03	29.99
40 535 DL0	4005176489440	82.02	86.00	40 658 001	4005176324406	28.03	29.58
40 535 EN0	4005176489464	82.02	86.00	40 658 EN1	4005176324314	28.03	41.66
40 535 GL0	4005176489419	82.02	86.00	40 659 001	4005176324376	28.03	32.49
40 535 GN0	4005176489426	82.02	86.00	40 659 EN1	4005176324284	28.03	42.08
40 536 000	4005176905506	82.02	51.25	40 660 001	4005176324369	28.03	95.83
40 536 DC0	4005176905537	82.02	72.17	40 660 EN1	4005176324277	28.03	137.49
40 537 000	4005176905513	82.02	61.71	40 663 001	4005176327834	25.06, 27.03	40.41
40 547 001	4005176984099	62.03	65.41	40 664 001	4005176327841	25.07, 27.03	32.49
40 548 000	4005176909832	40.03	118.47	40 666 000	4005176935633	39.08	499.00
40 553 000	4005176911422	82.02	72.17	40 688 001	4005176326288	25.03	26.24
40 553 DC0	4005176911439	82.02	93.09	40 688 A01	4005176429545	25.03	37.08
40 564 000	4005176912740	09.12, 125.16	239.53	40 688 AL1	4005176429699	25.03	37.08
40 564 A00	4005176491849		346.00	40 688 BE1	4005176430145	25.03	37.08
40 564 AL0	4005176491788		346.00	40 688 DA1	4005176428944	25.03	37.08
40 564 DC0	4005176491795		316.00	40 688 DL1	4005176429996	25.03	37.08
40 565 000	4005176912757	125.15	72.17	40 688 EN1	4005176326295	25.03	37.08
40 565 A00	4005176491757		106.00	40 688 GL1	4005176429392	25.03	37.08
40 565 AL0	4005176491696		106.00	40 688 GN1	4005176429842	25.03	37.08
40 565 DC0	4005176491702		99.00	40 689 001	4005176326363	25.06	21.66
40 585 001	4005176327797	27.02	14.16	40 689 A01	4005176429613	25.06	29.99
40 623 001	4005176324482	26.04	23.33	40 689 AL1	4005176429767	25.06	29.99
40 624 001	4005176324444	26.03	46.24	40 689 BE1	4005176430213	25.06	29.99
40 625 000	4005176927706	05.11	120.83	40 689 DA1	4005176429316	25.06	29.99
40 625 DA0	4005176327551	05.11	166.66	40 689 DL1	4005176430060	25.06	29.99
40 625 EN0	4005176927720	05.11	166.66	40 689 EN1	4005176326370	25.06	29.99
40 625 IG0	4005176927713	05.11	158.33	40 689 GL1	4005176429460	25.06	29.99
40 626 000	4005176927737	05.10	116.66	40 689 GN1	4005176429910	25.06	29.99
40 626 IG0	4005176927744	05.10	149.99	40 691 001	4005176984129	62.03	50.83
40 627 000	4005176927768	05.10	149.99	40 694 000	4005176985300	62.03	21.66
40 627 IG0	4005176927775	05.10	190.83	40 754 001	4005176328367	26.03	29.16
40 628 000	4005176927898	05.10	141.66	40 755 001	4005176328374	26.02	28.74
40 628 IG0	4005176927904	05.10	182.50	40 756 001	4005176328381	26.02	38.74
40 629 000	4005176927928	05.10	158.33	40 757 001	4005176328497	26.04	80.83
40 629 DA0	4005176327513	05.10	224.17	40 766 000	4005176347849	24.02	45.41
40 629 EN0	4005176927942	05.10	224.17	40 767 000	4005176347856	24.03	87.49
40 629 IG0	4005176927935	05.10	207.50	40 768 000	4005176347863	24.02	129.16
40 630 000	4005176927959	05.10	95.83	40 775 001	4005176328626	25.07	56.66
40 630 DA0	4005176327520	05.10	137.49	40 776 001	4005176328633	25.07	72.91
40 630 EN0	4005176927973	05.10	137.49	40 777 001	4005176328640	26.04	70.41
40 630 IG0	4005176927966	05.10	124.99	40 778 001	4005176328657	26.05	99.99
40 631 000	4005176927980	05.10	45.83	40 781 000	4005176347870	24.03	69.58
40 631 A00	4005176352515	05.10	64.58	40 782 000	4005176347887	24.03	24.16
40 631 AL0	4005176352966	05.10	64.58	40 783 000	4005176347894	24.02	21.24
40 631 BE0	4005176430787	05.10	64.58	40 784 000	4005176347900	24.03	32.08
40 631 DA0	4005176327537	05.10	64.58	40 793 001	4005176327599	25.05	41.24
40 631 DL0	4005176430770	05.10	64.58	40 794 001	4005176327605	25.05	49.58
40 631 EN0	4005176928000	05.10	64.58	40 797 001	4005176327636	25.05	129.16
40 631 GL0	4005176352034	05.10	64.58	40 799 001	4005176327971	25.05	32.91
40 631 GN0	4005176430763	05.10	64.58	40 800 001	4005176327988	25.04	95.83
40 631 IG0	4005176927997	05.10	59.99	40 800 A01	4005176429644	25.04	137.49
40 632 000	4005176928017	05.11	166.66	40 800 AL1	4005176429798	25.04	137.49
40 632 IG0	4005176928024	05.11	215.83	40 800 BE1	4005176430244	25.04	137.49
40 633 000	4005176928048	05.11	108.33	40 800 DA1	4005176429347	25.04	137.49
40 633 EN0	4005176928062	05.11	149.99	40 800 DL1	4005176430091	25.04	137.49

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £	Material	EAN/UPC	Page	2019 RRP £
40 800 EN1	4005176430312	25.04	137.49	46			
40 800 GL1	4005176429491	25.04	137.49	46 048 000	4005176008283	125.02	89.00
40 800 GN1	4005176429941	25.04	137.49	46 191 000	4005176119996	21.03, 125.10	129.00
40 802 001	4005176328107	25.04	49.58	46 277 000	4005176131851	99.03, 125.03	39.00
40 802 A01	4005176429651	25.04	69.16	46 278 000	4005176131868	99.03, 125.02	99.00
40 802 AL1	4005176429804	25.04	69.16	46 308 000	4005176131769	125.02	39.00
40 802 BE1	4005176430251	25.04	69.16	46 343 000	4005176189791	21.03, 125.10	179.00
40 802 DA1	4005176429354	25.04	69.16	46 374 000	4005176169076	125.02	89.00
40 802 DL1	4005176430107	25.04	69.16	46 375 000	4005176169083	125.03	39.00
40 802 EN1	4005176430329	25.04	69.16	46 386 000	4005176169410	125.02	109.00
40 802 GL1	4005176429507	25.04	69.16	46 409 000	4005176177668	125.02	47.30
40 802 GN1	4005176429958	25.04	69.16	46 580 000	4005176831867	125.02	89.00
40 804 000	4005176347917	24.03	240.83	46 686 000	4005176883088	99.03	25.80
40 805 000	4005176347924	24.02	39.99	46 837 000	4005176931888	125.13	13.00
40 806 000	4005176347931	24.02	26.66	46 914 000	4005176326424	125.17	6.90
40 807 000	4005176347948	24.03	133.33	46 944 001	4005176479977	104.03	199.00
40 808 000	4005176347955	24.04	116.66	46 977 00M	4005176423727	104.03	47.00
40 809 000	4005176347962	24.04	91.66	46 978 000	4005176423734	104.03	47.00
40 824 000	4005176332975	125.15	19.87	46 978 001		104.03	99.00
40 841 001	4005176335358	63.04	88.91	46 979 000	4005176423741	104.03	19.00
40 848 000	4005176351082	62.02	7.33	47			
40 848 SDO	4005176386008	62.02	10.83	47 095 000	4005176128646		69.00
40 855 000	4005176356452		*	47 167 000	4005176010125	125.06	19.00
40 857 000	4005176378393	24.04	91.66	47 175 000	4005176803895	31.03, 32.05	149.00
40 865 000	4005176378140	24.02	32.08	47 186 000	4005176803901	125.05	179.00
40 899 000	4005176413896	103.02, 104.03	36.61	47 189 000	4005176010330	125.17	39.00
40 911 000	4005176416132	115.03, 121.03	11.31	47 217 000	4005176241246	125.04	139.00
40 919 SDO	4005176450136	63.05	12.91	47 220 000	4005176241253	125.04	179.00
40 954 000	4005176496844	09.06	99.00	47 282 000	4005176061592	125.04	139.00
42				47 310 000	4005176079238	125.04	179.00
42 075 000	4005176244919	117.04	7.95	47 349 000	4005176141461	125.04	119.00
42 137 000	4005176259524	117.03	19.00	47 364 000	4005176171819	125.07	79.00
42 181 000	4005176286872	117.02	39.00	47 379 000	4005176203169	125.04	269.00
42 271 00M	4005176820588	117.02	48.40	47 439 000	4005176811975	125.05	149.00
42 300 000	4005176832079	117.05	29.00	47 450 000	4005176076190	125.04	159.00
42 333 000	4005176845888	110.10, 117.04	13.90	47 483 000	4005176815409	125.05	179.00
42 393 000	4005176905872	85.04, 86.04	65.05	47 532 000	4005176206795	125.04	189.00
42 397 000	4005176906855	115.03	11.00	47 533 000	4005176207181	92.02, 97.04	29.00
42 429 000	4005176918520	39.06	103.55	47 569 000	4005176214189	95.02	365.70
42 766 000	4005176222115	115.03	12.00	47 598 000	4005176229169	125.05	269.00
43				47 600 000	4005176228995	125.05	229.00
43 352 000	4005176832413	117.03	9.00	47 657 000	4005176262838	125.04	279.00
43 544 000	4005176157738	117.04, 125.24	9.00	47 658 000	4005176262845	125.04	569.00
43 733 000	4005176158926	117.02	9.00	47 727 000	4005176884160	40.04	29.00
43 880 00M	4005176177644		19.00	47 732 000	4005176810053	94.04	43.15
43 908 000	4005176160257	117.03	19.00	47 733 000	4005176810060	94.04	59.00
45				47 735 000	4005176810084	94.04	9.00
45 023 000	4005176006494	125.20	9.00	47 763 000	4005176824166	94.04	69.00
45 203 000	4005176052842	38.02, 125.10	19.00	47 767 000	4005176826436		149.00
45 314 000	4005176099250	98.02	79.00	47 779 000	4005176838088	94.04	43.00
45 316 000	4005176099267	98.02	69.00	47 781 000	4005176836558	93.05, 94.03	155.85
45 342 000	4005176129865	125.08	49.00	47 790 000	4005176841491		56.48
45 346 000	4005176104572	125.08	49.00	47 837 000	4005176918490	39.07	72.17
45 388 000	4005176212758	02.06, 03.08	74.10	47 838 000	4005176918506	39.07	72.17
45 473 000	4005176257742		449.00	47 867 000	4005176923227	39.07	72.17
45 650 IPO	4005176137228	125.19	49.00	47 868 000	4005176923234	39.07	72.17
45 869 000	4005176189876	125.08	29.00	47 877 000	4005176923241	39.07	72.17
45 882 000	4005176189883	125.08	39.00	47 885 000	4005176924729	125.05	39.00
45 883 000	4005176189890	125.09	39.00	47 994 000	4005176364723	93.04	2.06
45 885 000	4005176189913	125.08	99.00	48			
45 887 000	4005176189937		59.00	48 021 000	4005176881435	125.21	9.00
45 888 000	4005176189944	125.09	69.00	48 159 000	4005176919589	125.13	9.00
45 984 001	4005176992056	02.06, 03.08	333.67	48 166 000	4005176923197	125.23	14.00
				48 297 000	4005176361265	125.03	36.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2019 RRP £
48 348 000	4005176408502	39.08, 41.07	20.00
48 349 000	4005176409851	41.07, 47.02	104.60
48 350 000	4005176409868	41.07, 47.02	130.75
48 359 000	4005176442810	125.03	41.00

49

49 003 000	4005176413537	37.03	197.00
49 016 000	4005176452819	125.28	*
49 017 000	4005176452826	125.27	*
49 018 000	4005176452833	125.27	9.00
49 019 000	4005176452840	125.28	2.09
49 020 000	4005176452857	125.27	14.64
49 021 000	4005176452864	125.27	3.14
49 022 000	4005176452871	125.27	23.01
49 023 000	4005176452888	125.27	14.64
49 024 000	4005176454196	125.28	58.58
49 025 000	4005176454202	125.27	20.92
49 027 000	4005176454226	125.28	58.58
49 028 000	4005176442827	125.06	48.00
49 061 000	4005176472800	125.27	14.64
49 066 000	4005176472848	125.28	14.64
49 509 000	4005176373312	125.28	53.35
49 510 000	4005176373329	125.28	54.39
49 512 000	4005176373343	125.27	24.06
49 516 000	4005176373381	125.27	20.92
49 518 000	4005176373404	125.27	24.06
49 522 000	4005176421501	107.07, 108.07	24.06
49 526 000	4005176421129	125.27	12.55
49 528 000	4005176472763	125.28	31.38
49 529 000	4005176472770	125.28	18.83
49 530 000	4005176472787	125.28	8.37
49 532 000	4005176474224	107.07, 108.07	9.41
49 533 000	4005176478475	109.03	31.00
49 534 000	4005176478482	109.03	31.00

64

64 508 001	4005176984112	62.03	39.00
------------	---------------	-------	-------

65

65 807 000	4005176849893	125.15	39.00
65 807 A00	4005176467721	125.15	62.00
65 807 AL0	4005176467714	125.15	62.00
65 807 BE0	4005176467691	125.15	62.00
65 807 DA0	4005176467752	125.15	62.00
65 807 DL0	4005176467769	125.15	62.00
65 807 EN0	4005176467707	125.15	62.00
65 807 GL0	4005176467738	125.15	62.00
65 807 GN0	4005176467745	125.15	62.00
65 808 000	4005176860065	125.15	40.79

Follow us



QUALITY

*"No.1 most trusted brand
in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over **350 design awards**
won since 2003*



SUSTAINABILITY

***CSR Award winner** of the
German Government, 2017*

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Middlesex
TW6 2SF
Tel: 0871 200 3414
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_02/2019 – Copyright by GROHE

PART OF **LIXIL**