

We assume a guarantee – according to our manufacturer guarantee statement – of 5 years for our products, provided that it can be demonstrated that the product was purchased and mounted through a franchised specialist craftsman. The guarantee period begins on the date of delivery from our plant. The statutory warranty period is contained in the guarantee period. Electronic components and lighting articles are omitted from this guarantee statement.

Even the most advanced printing technologies cannot fully reproduce the exceptional finish and subtle colour schemes of our products. Only original KEUCO products can provide you with an optimum impression. These are on display in stores catering to the special sanitary trade.

No part of this brochure may be reprinted or duplicated, even in part, without our explicit consent and without specification of the source manufacturer.  
KEUCO GmbH & Co. KG,  
Postfach 1365, D-58653 Hemer

We accept no liability for changes resulting from technical advances and necessary modifications of design and colour, nor from print errors.

Our products are exclusively available through sanitary product wholesalers.

Concept, text, design,  
and lithography:  
Kontrast Communication  
Services GmbH, Düsseldorf  
Setting/product photography:  
Studio CASA, Münster  
Printing:  
Meinders & Elstermann  
GmbH & Co. KG,  
Belm (Osnabrück)  
Printed on GALAXI Keramik.  
Supplied by the Papier Union.

## BARRIER-FREE BATHROOMS

TABLE OF CONTENTS	3
FOREWORD	4–5
<b>PLAN</b>	<b>6–35</b>
Wash-basin	10–19
Shower	20–29
WC	30–35
<b>SMART</b>	<b>36–45</b>
Wash-basin	40–41
Shower	42–43
WC	44–45

## Table of Contents

<b>PRODUCT OVERVIEW</b>	46–64
-------------------------	-------

You receive a 5 year guarantee on all products in this brochure. For PLAN products we provide an additional availability guarantee until 2030.



"Whether in private bathrooms or public sanitary facilities: more and more, accessibility is becoming a standard requirement. Unfortunately, an essential consideration here is often omitted: even when demands for more convenience increase, people's expectations on aesthetics do not diminish. To put it another way, high quality design is an expectation that is universal. On the subject of Universal Design, KEUCO has been a pioneer for years. PLAN CARE and SMART CARE are the living proof that accessibility, functionality and aesthetic design can exist side by side. And, in this respect, KEUCO offers modular solutions that can be perfectly adapted to different buildings and budgets."

Hartmut Dalheimer, Managing Director/Engelbert Himrich, Managing Partner





PLAN  
The evolution of comfort



The PLAN bathroom concept does not set standards only in terms of design. The assortment also has an enormous range and depth. PLAN CARE takes this principle one step further, and offers Universal Design in the best sense of the word: The module principle allows you to create bathrooms of every level of comfort – even wheelchair accessible sanitary areas that are not only functional, but meet expectations in terms of aesthetics in every detail. Here, PLAN CARE is just as suitable for the private bathroom as it is for public spaces such as hotels and clinics. The excellent quality of the materials and workmanship make PLAN a secure and lasting investment, even in heavy duty areas.



With seemingly casual elegance, this wash-basin module combines maximum comfort with stylish design. The wheelchair-compatible furniture is designed with shelf spaces for placing things within easy reach, and has two easily accessible towel holders that can be also used as towel rails.



The furniture in the genuine light oak veneer variation establishes a warm and homey atmosphere in the bathroom. The one-piece wash-basin with easy care, high rising rear wall has an integrated, beautifully shaped fitting. The matching side cupboard with its softly sliding jalousie made of satin glass allows, at sitting height, convenient access to everything that one needs at the wash-basin.

**Product overview, see pages 46–59**

The PLAN Integral wall integration modules for wash-basin and WC are extremely well-suited for heavily frequented public sanitary facilities. Not only do they convince through their advantages such as easy cleaning, sturdiness and easy refilling, but they also come in an elegantly discreet design.

**Product overview, see pages 46–59**







PLAN adapts outstandingly to any room situation. Here, the wide wash-basin module also serves as separate makeup area with its own mirror. Special feature: the PLAN light mirror has a pleasant, indirect night light that gently illuminates the wash-basin area.

**Product overview, see pages 46–59**



In the PLAN series, a wealth of variations of KEUCO fittings, are part of the concept. Here are three wash-basin fittings with different designs: above left is the sensor fitting for contact-free operation; under that is the design variation, PLAN blue, with its slim shape and a water-saving flow rate limiter that limits flow to six litres per minute. Right: the classic model of the PLAN single lever with its theft-proof perlator, for use in heavily frequented sanitary rooms.

**Product overview,  
see pages 46–59**





With PLAN CARE, you can turn a shower area into real centrepiece. As with all accessories and fittings, the towel rails are available in two different surface variations: high-glossed chrome and discreet matt-aluminium silver anodized.



Towel rails with a system: with PLAN CARE, they are multi-talents. Not only do they give the user a sense of security, but they also hold the easily removable tip-up seat, and serve as hand shower sliding rail. Right: towel rail and fitting in silver anodized aluminium. Matching that is the tip-up seat, permanently fixed to the wall. Variations on surface and functionality: the fittings are available in a wide range of variations for surface installation or flush-mounted fitting.

**Product overview, see pages 46–59**





You make the plans, PLAN follows your cue – the shower curtain rail sets can adapt to virtually any eventuality. The picture in the middle demonstrates one of many application possibilities: the wall mounting with cover has limitless adjusting possibilities for any slanted ceiling with an inclination ranging from 10 to 80 degrees. And the PLAN shower curtains are simply beautiful – but they are also anti-bacterial, fungicidal, shower-proof, and antistatic. The available colour nuances of white, ecru, off-white and light grey match the widest range of colour worlds. For bathrooms with higher fire prevention requirements, the PLAN shower curtain is also available as hardly inflammable model.

**Product overview, see pages 46–59**





It is easy to hang the tip-up seat with back rest onto the angel bar – and just as easy to remove it again. The same applies to the spray guard. That means this shower concept can be adapted in a matter of seconds for showering in standing or sitting.

**Product overview, see pages 46–59**



Meticulously worked fittings, made according to high engineering standards, incorporated in an integrated design concept. That's typical KEUCO – and PLAN is no exception. Pictured here is an example from the wide assortment offered for the shower: the single lever shower mixer for surface installation, with hose connection. With its convenient and insulated water line, it protects against skin burns and skin irritation. Beside it on the right, a flush-mounted fitting variation with circular decor disc.

**Product overview, see pages 46–59**



In the WC area it is plain to see that with PLAN, design and accessibility merge into an integrated unit: Uncompromising functionality with many intelligent details combine with ease into an autonomous, elegant aesthetic.





The PLAN pivoted supporting rail for WC is also available as variation with an electronic remote controlled flush system (see picture on the right).

**Product overview, see pages 46–59**



Left side: The PLAN CARE pivoted supporting rails for WC slide gently, thanks to its braked mechanism. The WC back rest is hung onto the rail, and because of a wall spacer, stands securely in an upright position. The toilet brush set has a hygienically sealed housing, and a replaceable brush head.

**Product overview, see pages 46–59**





SMART  
Feeling good in every bathroom



SMART CARE is the budget-oriented solution for accessible sanitary areas. It is just as suitable for public facilities as it is for private quarters. The elegant, straightforward functional design creates a pleasant atmosphere where everyone feels at home.



SMART combination: The PLAN blue fitting with its slender, reduced shape adapts itself perfectly to the SMART bathroom. Sitting in front of the wheelchair-compatible wash-basin, it is easy to reach the lever of the continuously adjustable tiltable mirror. Also part of the assortment are pivoted supporting rails and supporting rails. And if that is not enough, it is even possible to combine all SMART accessories with the SMART CARE articles.

**Product overview, see pages 60–62**





The hand shower sliding rail is designed so robustly that it also serves as handle. The PLAN CARE tip-up seat is also very useful in a SMART CARE shower – if as a welcome comfort feature, or because it provides more security in the area of personal mobility.

**Product overview, see pages 60–62**



Thanks to the module principle, a SMART CARE WC solution can be designed to meet your individual needs, and it can also be retrofitted. From the back rest to the Pivoted supporting rail with its electronic remote controlled flush system, right to the angle bar on which a toilet paper holder can be attached: the only limits on comfort are those which the planner sets.

**Product overview, see pages 60–62**

surface chrome-plated

surface aluminium silver anodized (E6 EV1) or aluminium finish




**34979 Back rest**  
for use on WC,  
consists of wall rail, (600 mm) and  
back rest in dark grey and light grey



**34982 Tip-up seat with back rest**  
for wall mounting, seat folds upwards,  
seat size 360 mm wide, seat surface and back  
rest in dark grey or light grey



**34981 Tip-up seat with back rest**  
for hanging in handles as well as shower  
and bath tub handles, seat folds upwards,  
seat size 360 mm wide, seat surface and  
back rest in dark grey and light grey



**14980 Tip-up seat**  
fo wall mounting, seat folds upwards,  
seat size 360 mm wide, seat surface in dark grey  
or light grey



**34901 Towel rail**  
for horizontal or vertical installation  
382, 482, 582, 682, 782, 882, 982, 1082, 1182 mm



**34907 Angle bar 135°**  
may be used on the left or right  
673 x 266 mm



**34906 Angle bar 90°**  
may be used on the left or right  
465 x 765 mm



**34906 Angle bar 90°**  
for use as shower rail  
complete with shower head bracket  
may be used on the left or right  
565 x 1265 mm



**34912 Hand shower sliding rail**  
complete with  
shower bracket  
982, 1182 mm

Product Overview

**34908 Rail system**  
complete with shower bracket  
may be used on the left or right  
597 x 680 x 1265 mm  
597 x 880 x 1265 mm  
797 x 680 x 1265 mm  
797 x 880 x 1265 mm

**34915 Rail system**  
complete with shower bracket  
may be used on the left or right  
flexible positioning of sliding rail  
prior to final installation  
797 x 797 x 1263 mm  
797 x 1097 x 1263 mm  
1097 x 797 x 1263 mm  
1097 x 1097 x 1263 mm  
1097 x 1297 x 1263 mm  
1297 x 1097 x 1263 mm

**34914 Rail system**  
complete with shower bracket  
flexible positioning of sliding rail  
prior to final installation  
682 x 1263 mm  
982 x 1263 mm  
1182 x 1263 mm

**34902 Cover plate**  
for fastening holes for  
supporting rails and pivoted supporting rails

**34986 Tilttable mirror**  
also suitable for installation with wall offset  
Dimensions (w x h): 600 x 540 mm

**34905 Pivoted supporting rail for WC\***  
firmly fastened, with synthetic covered support  
and removable toilet paper holder with rollbrake  
Projection: 700/850 mm

**34911 Corner rail for shower/bath**  
may be used on the left or right  
400 x 400 mm  
400 x 600 mm  
600 x 600 mm

**34910 Hand shower bracket**  
for shower rail, height adjustable

**34962 Toilet paper holder**  
for mounting on an angle bar

**34904 Supporting rail for wash basin**  
firmly fastened,  
with synthetic covered support  
Projection: 450/650 mm

**34902 Pivoted supporting rail for wash basin**  
with synthetic covered support,  
to vertical position movable, braked version  
Projection: 650 mm

**34903 Pivoted supporting rail for WC\***  
with synthetic covered support,  
to vertical position movable, braked version and  
removable toilet paper holder with rollbrake  
Projection: 700/850 mm

\*also available with integrated electronic remote-controlled flush system suitable for Geberit and Viega.



■ surface  
chrome-plated

■ surface aluminium silver anodized (E6 EV1)  
or aluminium finish

PLAN



**14901**  
**Towel rail**  
651, 851 mm



**14910**  
**Shelf**  
with crystalline glass shelf  
220 x 100 mm  
350 x 120 mm  
550 x 120 mm



**14911**  
**Towel hook**  
with door buffer, black


**14914**  
**Towel hook**



**14907**  
**Towel rail**  
350 mm



**14913**  
**Towel hook panel**  
with 4 hooks



**14918/14919**  
**Towel holder**  
two arms, swivelling  
Projection: 300, 455 mm

**14916**  
**Towel hook**

**14953**  
**Lotion dispenser**  
frosted crystal glass  
Capacity: approx. 250 ml



SENSOR

**14956**  
**Lotion dispenser**  
sensor-controlled,  
Capacity: approx. 0.8 l  
battery-operated, 4 batteries  
1.5 V AA required



**14949**  
**Built in soap dispenser**  
for mounting on washbasin  
or washbasin worktop



**14954**  
**Lotion dispenser**  
Capacity: approx. 1.1 l



**14957**  
**Soap foam dispenser**  
frosted opal glass  
Capacity: approx. 250 ml  
including starter materials  
foam-soap (2 x 500 ml)




**14950**  
**Tumbler holder**  
with crystal glass tumbler



## Product Overview



**14921**  
**Towel ring**  
large model



**14922**  
**Towel ring**  
small model



**14958**  
**Universal dish**  
with crystal glass plate  
210 x 115 mm



**17676**  
**Cosmetic mirror**  
wall mounted, illuminated  
optional with mains connection  
or helix cable and power plug,  
magnification factor x 5,  
1 x 8 W energy efficient lamp, Ø 207 mm



**14955**  
**Soap holder**  
with crystal glass dish



**14952**  
**Lotion dispenser, standing model**  
Capacity: approx. 250 ml



**14953**  
**Lotion dispenser, wall model**  
Capacity: approx. 250 ml



**14982**  
**Bathroom stool**  
also suitable for wet rooms



**17649**  
**Cosmetic mirror**  
with pivoting arm, non illuminated,  
adjustable in three dimensions,  
magnification factor x 2.5  
Ø 190 mm



**17677**  
**Cosmetic mirror**  
table model, illuminated  
with power lead (1.70 m),  
magnification factor x 5,  
1 x 8 W energy-efficient light lamp, Ø 207 mm

■ surface  
chrome-plated


■ surface aluminium silver anodized (E6 EV1)  
or aluminium finish



**149963**  
Spare paper holder



**14960**  
Toilet paper holder  
with lid  
for 100/120 mm wide paper rolls



**14962**  
Toilet paper holder  
open form  
for 100/120 mm wide paper rolls



**14961**  
Toilet paper holder  
closed form, theft-proof,  
for 100/120 mm wide paper rolls



**14965**  
Ashtray  
with fireproof ash dish,  
theft-proof



**14972**  
Toilet brush set  
with removable synthetic insert,  
brush and spare brush head



**14964**  
Toilet brush set  
with removable synthetic insert,  
brush and spare brush head



**34964**  
Toilet brush set  
complete with synthetic insert, brush with  
extended handle and spare brush head

Product Overview

**14977**  
Sanitary waste bin  
wall mounted  
Capacity: 3 l



**14988**  
Waste bin  
wall mounted  
Capacity: 30 l



**14985**  
Paper towel dispenser



**14995**  
Hair dryer  
with wall mount, 230 V  
Features:  
• Line disconnecter with indicator light  
on the wall holder  
• 3 heating levels up to max. 1.800 W  
• 2 speed levels  
• Cold air button  
• Overheating protection



**06549**  
Wall light  
with frosted opal glass  
(2 x 40 watt E14)




**14969**  
Multiple toilet roll dispenser  
for horizontal or vertical installation,  
can be mounted for 2 rolls of  
100/120 mm in width



**14970**  
Multiple toilet roll dispenser  
for horizontal or vertical installation, can be  
mounted for 3 rolls of 100/120 mm in width





**14945 Shower curtain PLAN\***  
all sizes custom-made  
Please indicate: materials, colours, full length and width

**\*Notes on production characteristics:** Vertical seams, reinforced stainless steel eyelets, distance between the eyelets approx. 20 cm, roll hem stainless steel weighted, 50 g per metre, complete with curtain rings, white.

**Notes on sizes:** The sizes indicated are the sizes of the finished curtain. To prevent the curtain from lying on the ground we recommend a distance from curtain to floor of approx. 30 mm. Distance between the middle of the curtain rod and the upper edge of the curtain approx. 40 mm. The width of the curtain should be approx. 1.3 to 1.5 times the length of the shower curtain rod.

**14934 Wall mounting set**  
with cover, for slanted ceilings adjustable between 10 to 80 degrees



**14935 Wall mounting set**  
with decor cover




**14927 Curtain ring**  
in black or white



**34940 Spray guard**  
to be hooked on rail system or grab rails complete with shower curtain PLAN maxx (670 x 800 mm)

**14941 Ceiling support (set)**  
complete, consisting of:  
1 x wall mounting set  
1 x shower curtain rail  
1 x connecting piece 300–800 mm



**14930 Shower curtain rail**  
300–2000 mm



**14924 Tube angle piece 90°**  
for rectangular shower tray



**14931 Connecting piece**  
in dark grey or chrome-plated



**14938 Set of shower curtain rails**  
for quarter-circle shower tray 900 x 900 mm, consisting of:  
3 x wall mounting set  
2 x shower curtain rail 300 mm  
1 x tube angle piece for quarter-circle shower tray  
1 x ceiling support 400 mm  
1 x connecting piece  
2 x 10 shower curtain rings, white

as desired, also available with shower curtain PLAN uni white



**14932 Connecting tube**



**14925 Tube angle piece 90°**  
for quarter-circle shower tray

Product Overview



**14943 / 14944 Shower curtain PLAN uni\***  
100% Trevira, 80g/m<sup>2</sup>, shower proof, fungicidal, anti-bacterial, anti-static, calendered, washable at 30 °C, can be disinfected at 60 °C (Shrinkage rate 1–2%), ironing possible (Shrinkage rate 3–5%), tested for harmful substances according to the Oeko-Tex Standard 100  
Full length: 1800, 2000 mm  
Width: 1400, 2000, 3000 mm  
Colours: white, ecru, light grey



**14943 / 14944 Shower curtain PLAN Flame CS\***  
highly flame resistant according to DIN 4102/B1 100% Trevira, 80 g/m<sup>2</sup>, shower proof, fungicidal, anti-bacterial, anti-static, calendered, washable at 30 °C, can be disinfected at 60 °C (shrinkage rate 1–2%), ironing possible (shrinkage rate 3–5%), tested for harmful substances according to the Oeko-Tex Standard 100  
Full length: 1800, 2000 mm  
Width: 1400, 2000, 3000 mm  
Colour: off-white



**14946 / 14947 / 34948 Shower curtain PLAN maxx\***  
100% polyester, 75 g/m<sup>2</sup>, shower proof, fungicidal, anti-bacterial, washable at 30 °C (shrinkage rate 3%), ironing possible (shrinkage rate 3–5%), tested for harmful substances according to the Oeko-Tex Standard 100  
Full length: 1800, 2000 mm  
Width: 1800, 2000, 3000 mm  
Colour: white



**14940 Set of shower curtain rails**  
for rectangular shower tray  
Dimensions: 1000 x 1000 mm and 1200 x 1200 mm  
consisting of:  
2 x wall mounting set  
3 x shower curtain rail  
2 x tube angle piece 90° for rectangular shower tray  
3 x 10 shower curtain rings, white

as desired, also available with 2 shower curtains PLAN maxx white



**14936 Set of shower curtain rails**  
for rectangular shower tray  
Dimensions: 800 x 800 mm and 900 x 900 mm  
consisting of:  
3 x wall mounting set  
2 x shower curtain rail  
1 x tube angle piece 90° for rectangular shower tray  
1 x ceiling support 400 mm  
1 x connecting piece  
2 x 10 shower curtain rings, white

as desired, also available with shower curtain PLAN uni white



**14939 Set of shower curtain rails**  
for rectangular shower tray  
Dimensions: 1000 x 1000 mm and 1200 x 1200 mm  
consisting of:  
2 x wall mounting set  
2 x shower curtain rail  
1 x tube angle piece 90° for rectangular shower tray  
2 x 10 shower curtain rings, white

as desired, also available with shower curtain PLAN maxx white

**\*Notes on production characteristics:** Vertical seams, reinforced stainless steel eyelets, distance between the eyelets approx. 20 cm, roll hem stainless steel weighted, 50 g per metre, complete with curtain rings, white. **Notes on sizes:** The sizes indicated are the sizes of the finished curtain. To prevent the curtain from lying on the ground we recommend a distance from curtain to floor of approx. 30 mm. Distance between the middle of the curtain rod and the upper edge of the curtain approx. 40 mm. The width of the curtain should be approx. 1.3 to 1.5 times the length of the shower curtain rod.



**DVGW**  
**54902**  
**Single lever basin mixer**  
 with/without pop-up waste, 1-hole installation, ceramic cartridge with temperature limiter



**DVGW**  
**54903**  
**Single lever basin mixer**  
 with/without pop-up waste, for open hot water heater, 1-hole installation, ceramic cartridge with temperature limiter



**DVGW**  
**54904**  
**Single lever basin mixer**  
 without pop-up waste, middle size model, 1-hole installation, ceramic cartridge with temperature limiter



surface chrome-plated  
**53902**  
**Single lever basin mixer PLAN blue**  
 with/without pop-up waste, 1-hole installation, ceramic cartridge with temperature limiter, flow rate limited to 6 l/min.



surface aluminium silver anodized (E6 EV1) or aluminium finish  
**54991**  
**Wall bracket for hand shower**  
 for shower hoses with conical nuts



**54947**  
**Wall bracket for shower hose**  
 suitable for all in wall fittings



**SENSOR**  
**54911**  
**Infrared basin mixer**  
 with/without pop-up waste, 1-hole installation, modular monoblock without base, infrared sensor (automatic settings), adjustable flow timer (battery 6 V lithium DL 223 A)



**SENSOR**  
**54912**  
**Infrared basin mixer**  
 without pop-up waste, 1-hole installation, modular monoblock without base, infrared sensor (automatic settings), adjustable flow timer (mains operation 230 V)



**DVGW**  
**54908**  
**Pillar tap**  
 without pop-up waste, 1-hole installation, 90° head part with ceramic sealing gaskets



**54921**  
**Single lever basin mixer**  
 exposed, ceramic cartridge with temperature limiter  
 Projection: 150 mm, 200 mm, 250 mm



**54980**  
**Hand shower**  
 with anti-calcification system, functions:  
 • Normal jet  
 • Soft jet  
 • Massage jet



**54985**  
**Hand shower sliding rail**  
 consisting of:  
 • Wall rail, 851 mm  
 • Sliding bracket for hand shower  
 • Tile compensation plate

Product Overview



**DVGW**  
**54909**  
**Single lever bidet mixer**  
 with pop-up waste, 1-hole installation, ceramic cartridge with temperature limiter



**DVGW**  
**54924**  
**Single lever shower mixer**  
 exposed, ceramic cartridge with temperature limiter



**54971**  
**Single lever shower mixer**  
 concealed, complete set matches Flexx Boxx EHM DN 20, consisting of: lever, sleeve and collar




**54973**  
**Thermostat battery**  
 concealed, with ceramic stop valve, complete set matches Flexx Boxx THM DN 20, consisting of: lever, sleeve and collar



**54995**  
**Shower hose**  
 1250, 1600, 2000 mm



**54920**  
**Single lever bath tub mixer**  
 exposed, ceramic cartridge with temperature limiter, with automatic return bath tub/shower



**DVGW**  
**54926**  
**Thermostat battery for shower**  
 exposed, handle with 50% quantity limiter, safety cut-off at 38 °C, intrinsically safe against backflow



**54972**  
**Single lever bath tub mixer**  
 concealed, complete set matches Flexx Boxx EHM DN 20, consisting of: lever, sleeve adjuster and collar



**54974**  
**Thermostat battery**  
 concealed, with ceramic stop valve and diverter, complete set matches Flexx Boxx THM DN 20, consisting of: lever, sleeve and collar



**54945**  
**Bath filler**  
 suitable for all in wall fittings  
 Projection: 135, 185 mm

Veneer body

tobacco oak veneer

light oak veneer

Lacquer body

high-gloss white

black

surface chrome-plated

surface aluminium silver anodized (E6 EV1) or aluminium finish

PLAN



**37520 Set for washbasin 1**  
consisting of: cast mineral washbasin incl. fastening bracket, single-lever mixer, Clou drain and overflow system



**37521 Set for washbasin 2**  
consisting of: cast mineral washbasin incl. fastening bracket, single-lever mixer, towel holders integrated into the sides, Clou drain and overflow system



**37523 Cast mineral washbasin**  
with/without tap hole, incl. mounting bracket, with towel holders integrated into the sides, with Clou drain and overflow system



**37522 Cast mineral washbasin**  
with/without tap hole, incl. mounting bracket, with Clou drain and overflow system



**37541 Side cabinet**  
front with glass jalousie  
Features:  
• 4 vertically adjustable glass shelves  
• 3 electric sockets  
• As desired also available with colour light illumination (LED) and control unit  
Dimensions (w x h x d): 400 x 1311 x 350 mm




**37543 Side cabinet**  
front with glass jalousie  
Features:  
• 4 vertically adjustable glass shelves  
• 3 electric sockets  
• Fully extractable drawer and closure cushioning  
• As desired also available with colour light illumination (LED) and control unit  
Dimensions (w x h x d): 400 x 1511 x 350 mm




**37545 Side cabinet**  
front with glass jalousie  
Features:  
• 4 vertically adjustable glass shelves  
• 3 electric sockets  
• Laundry basket  
• As desired also available with colour light illumination (LED) and control unit  
Dimensions (w x h x d): 400 x 1731 x 350 mm

## Product Overview



**37529 Washbasin apron**  
including 4 mounting brackets, for combining with washbasin sets 1–4  
Dimensions (w x d): 1000–2500 x 350 mm



**37531 Double tumbler holder**  
available separately, may be combined with washbasin sets 1–4 and cast mineral washbasin



**14950 Crystal glass tumbler**  
available separately



**14948 Lotion dispenser**  
frosted crystal glass  
Capacity: approx. 250 ml



**37596 Light mirror**  
may be combined with washbasin sets 1–4, with integrated sensor switch, as desired also available with surrounding night illumination, fluorescent lamps  
Illumination/Dimensions (w x h x d): (2 x 14 W T5 and 2 x 21 W T5) / 700 x 950 x 65 mm



**37598 Light mirror**  
can be combined with cast mineral washbasin, with vertical illumination and horizontal washbasin illumination  
Illumination/Dimensions (w x h x d): (2 x 21 W T5 and 2 x 21 W T5) / 700 x 950 x 50 mm



**37547 Side cabinet**  
front with glass jalousie  
Features:  
• 1 vertically adjustable glass shelf  
• 3 electric sockets  
• As desired also available with colour light illumination (LED) and control unit  
Dimensions (w x h x d): 800 x 711 x 350 mm



**37549 Side cabinet**  
front with glass jalousie  
Features:  
• 1 vertically adjustable glass shelf  
• 3 electric sockets  
• Fully extractable drawer and closure cushioning  
• As desired also available with colour light illumination (LED) and control unit  
Dimensions (w x h x d): 800 x 911 x 350 mm

white  
(RAL 9010)





aluminium silver  
(RAL 9006)

surface  
chrome-plated



surface aluminium silver anodized (E6 EV1)  
or aluminium finish



**44964  
Module WC 1**  
consisting of:  
• Toilet brush holder  
• Toilet roll holder  
• Spare toilet roll compartment



**44988  
Module Washstand 1**  
consisting of:  
• Waste bin



**07749  
Crystal mirror**  
for wall or corner  
installation  
Dimensions (w x h):  
220 x 800 mm



**10095  
Crystal mirror**  
Dimensions (w x h):  
350 x 850 mm  
430 x 1050 mm  
550 x 850 mm  
550 x 1050 mm



Product Overview





**44976  
Module WC 2**  
consisting of:  
• Sanitary bag dispenser  
(including the first pack  
of hygiene bags)  
• Sanitary waste bin



**44985  
Module Washstand 2**  
consisting of:  
• 2 paper towel dispensers  
(each for max. 150 paper towels)



**44977  
Module Washstand 3**  
consisting of:  
• Kleenex box  
(for max. 150 tissues)  
• Paper towel dispenser  
(for max. 150 paper towels)



surface  
chrome-plated

SMART



**32306**  
**Angle bar 90°**  
may be used on the left  
or right  
370/670 mm



**32312**  
**Hand shower sliding rail**  
complete with shower bracket  
870, 970 mm




**32301**  
**Grab rail**  
for horizontal or vertical installation  
370, 470, 570, 670, 770, 870, 970, 1070 mm



**02301**  
**Bath towel rail**  
453, 653, 853 mm

**02303**  
**Bath towel rail**  
double, 653 mm



**02318**  
**Towel holder**  
two arms, swivelling  
Projection: 430 mm

**02314**  
**Towel hook**



**02315**  
**Towel hook**  
double



## Product Overview



**34962**  
**Toilet paper holder**  
for mounting on an angle bar



**02307**  
**Grab rail**  
250 mm



**02309**  
**Grab rail with soap basket**  
may be used on the left or right  
324 mm



**32302**  
**Pivoted supported rail for wash basin  
and wc**  
to vertical position movable  
Projection: 600/700/850 mm



**32304**  
**Supporting rail for wash basin and wc**  
firmly fastened  
Projection: 600/700 mm



**02364**  
**Toilet brush set**  
complete with synthetic insert  
and brush



**02360**  
**Toilet paper holder**  
with lid  
for 100/120 mm wide paper rolls



**02362**  
**Toilet paper holder**  
open form,  
for 100/120 mm wide paper rolls



**02363**  
**Spare paper holder**



**02321**  
**Towel ring**



**Combination example, consisting of:**  
**02351** | Double holder  
**02753** | Lotion dispenser opaque synthetic with pump  
**02350** | Crystal or acrylic glass tumbler



**Combination example, consisting of:**  
**02351** | Double holder  
**02355** | Crystal or acrylic glass dish  
**02350** | Crystal or acrylic glass tumbler



**11657**  
**Sponge basket for corner installation**  
 with removable insert,  
 in white or anthracite



**24901**  
**Soap wire basket**  
 132 x 100 x 28 mm



**24903**  
**Soap wire basket for corner installation**  
 Side length: 127 mm  
 180 x 115 x 28 mm



**11658**  
**Sponge basket**  
 with removable insert,  
 in white or anthracite



**24902**  
**Sponge basket**  
 200 x 100 x 28 mm



**24904**  
**Sponge basket for corner installation**  
 Side length: 170 mm  
 240 x 170 x 50 mm

Product Overview



**02355**  
**Soap holder**  
 complete with crystal or acrylic glass dish



**02350**  
**Tumbler holder**  
 complete with crystal or acrylic glass tumbler



**02352**  
**Lotion dispenser**  
 opaque synthetic matt,  
 complete with holder and pump  
 Capacity: approx. 160 ml



**24941**  
**Soap wire basket**  
 removable, with concealed fastening screws  
 132 x 105 x 28 mm




**24942**  
**Soap wire basket**  
 removable, with concealed fastening screws  
 132 x 114x 28 mm



**24944**  
**Soap wire basket for corner installation**  
 removable, with concealed fastening screws  
 Side length: 186 mm  
 264 x 180 x 47 mm



**24943**  
**Soap wire basket for corner installation**  
 removable, with concealed fastening screws  
 Side length: 140 mm  
 197 x 133 x 28 mm



**24942**  
**Sponge wire basket**  
 removable, with concealed fastening screws  
 200 x 114 x 70 mm



**24944**  
**Sponge basket for corner installation**  
 removable, with concealed fastening screws  
 Side length: 186 mm  
 260 x 180 x 72 mm



You can also visit us online at [www.keuco.de](http://www.keuco.de).